# Computer Networks COL 334/672

Application Layer: DNS and P2P

Tarun Mangla

Slides adapted from KR

Sem 1, 2024-25

Quiz

Password: dns

### Recap: Application Layer

- HTTP
- Email
- DNS
- P2P
- Video streaming

### Video Streaming


- Stream stored video traffic
  - E.g., Netflix, YouTube, Hotstar



• Killer application over the Internet.

- Being able to stream video to large-scale users (say ~1B users) has been a North Star for Internet stakeholders
  - Handle client and network heterogeneity
  - Scale: Numbers and geography

### Video Streaming



- stream stored video traffic: current


#### **Biggest Cricket World Cup ever** • E.g. smashes Broadcast and Digital records

- - The decision to make coverage freely available for mobile users via Disney+ Hotstar in India led to a whopping 295 million LIVE Tournament viewers tuning
  - diff in. Across the event, there were five world records broken on Disney+ Hotstar for digital peak concurrency, with the final attracting cricket's highest concurrent audience ever, having already made history at four other 2023 World Cup matches, demonstrating the appeal of cricket and the excitement
    - the ODI format continues to offer:
    - pour
- Enabling large-scale video streaming has been the North Star for Internet stakeholders

#### **Learning Goals**

#### stood

- What is video streaming?
- What are the protocols used for streaming video over the Internet



Streaming: Play video as it is being downloaded and don't save it

Q: What is the application performance metric for streaming video?

#### Designing a video streaming system

Design Goals:

No skipping of video content due to packet loss


- Continuous playout of content, i.e., avoid video freezing (Application performace regerent)
- Interactivity: Pause, repositioning, fast-forwarding
- Scale to millions of users
- Client heterogeneity: different device types and network conditions

### **Achieving Design Goals**

#1: No skipping of video content due to packet loss

> Reliable banaport (TCP)

#2: Continuous playout of content, i.e., avoid video freezing



#3: Implement interactivity (pause, repositioning, fast-forward)

Chunk the file

60 min

45 Ame

#### How to achieve scale?

CDNs =

Web -> HTTP

RTSP servers -> FLASH Drover -> HTTP

Need geographically distributed video servers (special servers?)


La Reuse existing infrastructure La More forewall formendly HTTP-based

DDDDDDD Jabenne Juster Ghillegenar Clear Leader at the client worder at the client server Tot HTTP GET odd chur Q + 24 mil Byter-range request -> (Start, at > byters

Handling client heterogeneity Pere-Broaded ~5 Mbps **UQ:** What bitrate should we encode the video? 2 Constraints: clients with diverse network conditions and device capabilities. -> Adapt the betrate dung Beal-time encoding [not efficient] Pre-encode multiple versions

## Dynamid Adapture Streams over HTTP (DASH)

#### **HTTP Adaptive Streaming (HAS)**



when more bandwidth available)

**Bitrate adaptation** 

#### When to request a new video chunk?

- Client keeps a maximum buffer threshold, i.e., the maximum amount of downloaded but not played video
  - Either expressed as duration or number of bytes

 If the current video buffer occupancy > max buffer threshold, wait for the video buffer to deplete to less than max buffer threshold

Once video buffer occupancy < max buffer threshold, request a new chunk</p>
At what bitrate?

#### Designing Bitrate Adaptation Algorithm

 Design goal: Maximize application performance in highest quality
 Q: What does application performance depend on in adaptive in video streaming?

- Video stalls
- Video quality
- Video smoothness

Minimize stall duration



Maximize average bitrate



Minimize bitrate switches

