

- Create Database & Collection
- InsertOne() & InsertMany()

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.8.2
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\rohit>mongosh
Current Mongosh Log ID: 69f743e93b7b54c4c63682d0
Connecting to:      mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.8.2
Using MongoDB:      8.2.7
Using Mongosh:       2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

-----
The server generated these startup warnings when booting
2026-05-03T15:16:34.641+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
-----

test> use gym
switched to db gym
gym> db.createCollection("members")
{ ok: 1 }
gym> db.members.insertOne({name:"Rohith",age:18,weight:70,plan:"3months"})
{ acknowledged: true, insertedId: ObjectId('69f744913b7b54c4c63682d1') }
gym> db.members.insertMany([[{name:"Krishna",age:20,weight:65,plan:"9months",trainerAssigned:true},{name:"Akhil",age:18,weight:72,plan:"yearly",trainerAssigned:false},{name:"John",age:22,weight:50,plan:"2months",trainerAssigned:false}]]
{ acknowledged: true, insertedIds: { '0': ObjectId('69f745dd3b7b54c4c63682d2'), '1': ObjectId('69f745dd3b7b54c4c63682d3'), '2': ObjectId('69f745dd3b7b54c4c63682d4') } }
gym> |
```

- Find()

```
gym> db.members.find()
[
  {
    _id: ObjectId('69f744913b7b54c4c63682d1'),
    name: 'Rohith',
    age: 18,
    weight: 70,
    plan: '3months'
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d3'),
    name: 'Akhil',
    age: 18,
    weight: 72,
    plan: 'yearly',
    trainerAssigned: false
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d4'),
    name: 'John',
    age: 22,
    weight: 50,
    plan: '2months',
    trainerAssigned: false
  }
]
gym> |
```

```
gym> db.members.find({age:20})
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  }
]
gym> |
```

- UpdateOne()

```
gym> db.members.updateOne({name:"Rohith"},{$set:{trainerAssigned:false}})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
gym> db.members.find({name:"Rohith"})
[
  {
    _id: ObjectId('69f744913b7b54c4c63682d1'),
    name: 'Rohith',
    age: 18,
    weight: 70,
    plan: '3months',
    trainerAssigned: false
  }
]
gym> |
```

- UpdateMany()

```
gym> db.members.updateMany({age:18},{ $set:{age:19}})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 2,
  modifiedCount: 2,
  upsertedCount: 0
}
gym> db.members.find({age:19})
[
  {
    _id: ObjectId('69f744913b7b54c4c63682d1'),
    name: 'Rohith',
    age: 19,
    weight: 70,
    plan: '3months',
    trainerAssigned: false
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d3'),
    name: 'Akhil',
    age: 19,
    weight: 72,
    plan: 'yearly',
    trainerAssigned: false
  }
]
gym> |
```

- \$gt

```
gym> db.members.find({weight:{$gt:70}})
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d3'),
    name: 'Akhil',
    age: 19,
    weight: 72,
    plan: 'yearly',
    trainerAssigned: false
  }
]
gym> |
```

- \$lt

```
gym> db.members.find({weight:{$lt:70}})
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d4'),
    name: 'John',
    age: 22,
    weight: 50,
    plan: '2months',
    trainerAssigned: false
  }
]
gym> |
```

- DeleteOne()

```
]
gym> db.members.deleteOne({age:22})
{ acknowledged: true, deletedCount: 1 }
gym> db.members.find()
[
  {
    _id: ObjectId('69f744913b7b54c4c63682d1'),
    name: 'Rohith',
    age: 19,
    weight: 70,
    plan: '3months',
    trainerAssigned: false
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d3'),
    name: 'Akhil',
    age: 19,
    weight: 72,
    plan: 'yearly',
    trainerAssigned: false
  }
]
gym> |
```

- DeleteMany()

```
gym> db.members.deleteMany({age:{$lt:20}})
{ acknowledged: true, deletedCount: 2 }
gym> db.members.find()
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f74c573b7b54c4c63682d5'),
    name: 'John',
    age: 23,
    weight: 69,
    plan: '2months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f74c573b7b54c4c63682d6'),
    name: 'Vignesh',
    age: 25,
    weight: 74,
    plan: 'yearly',
    trainerAssigned: true
  }
]
gym> |
```

- \$in

```
gym> db.members.find({age:{$in:[23,25]}})
[
  {
    _id: ObjectId('69f74c573b7b54c4c63682d5'),
    name: 'John',
    age: 23,
    weight: 69,
    plan: '2months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f74c573b7b54c4c63682d6'),
    name: 'Vignesh',
    age: 25,
    weight: 74,
    plan: 'yearly',
    trainerAssigned: true
  }
]
gym> |
```

- \$and

```
gym> db.members.find({$and:[{name:"Krishna"},{age:20}]})
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  }
]
gym> |
```


- \$or

```
gym> db.members.find({$or:[{name:"Krishna"},{age:23}]})
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f74c573b7b54c4c63682d5'),
    name: 'John',
    age: 23,
    weight: 69,
    plan: '2months',
    trainerAssigned: true
  }
]
```

- \$exists

```
gym> db.members.find({age:{$exists:false}})
[
  {
    _id: ObjectId('69f750d83b7b54c4c63682d7'),
    name: 'Suresh',
    weight: 56,
    plan: '4months'
  }
]
gym> |
```

```

gym> db.members.find({age:{$exists:true}})
[
  {
    _id: ObjectId('69f745dd3b7b54c4c63682d2'),
    name: 'Krishna',
    age: 20,
    weight: 65,
    plan: '9months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f74c573b7b54c4c63682d5'),
    name: 'John',
    age: 23,
    weight: 69,
    plan: '2months',
    trainerAssigned: true
  },
  {
    _id: ObjectId('69f74c573b7b54c4c63682d6'),
    name: 'Vignesh',
    age: 25,
    weight: 74,
    plan: 'yearly',
    trainerAssigned: true
  }
]
gym> |

```

- Creating a small use case like a Ecommerce Products Listing and apply insert, update and search.

```

mongosh mongodb://127.0.0.1:27017
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\rohit>mongosh
Current Mongosh Log ID: 69f751df7e92593b923682d0
Connecting to:  mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.8.2
Using MongoDB:  8.2.7
Using Mongosh:  2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

-----
The server generated these startup warnings when booting
2026-05-03T15:16:34.641+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
-----

test> use Store
switched to db Store
Store> db.createCollection("Products")
{ ok: 1 }
Store> db.Products.insertOne({name:"Laptop",price:55000,quantity:12})
{
  acknowledged: true,
  insertedId: ObjectId('69f752937c92593b923682d1')
}

```

- InsertMany()

```
Store> db.Products.insertMany([{name:"Smartphone",price:17500,quantity:30},{name:"Headphone",price:2500,quantity:70},{name:"Keyboard",price:4000,quantity:40}])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69f753587c92593b923682d2'),
    '1': ObjectId('69f753587c92593b923682d3'),
    '2': ObjectId('69f753587c92593b923682d4')
  }
}
Store> |
```

- Find()

```
Store> db.Products.find()
[
  {
    _id: ObjectId('69f752937c92593b923682d1'),
    name: 'Laptop',
    price: 55000,
    quantity: 12
  },
  {
    _id: ObjectId('69f753587c92593b923682d2'),
    name: 'Smartphone',
    price: 17500,
    quantity: 30
  },
  {
    _id: ObjectId('69f753587c92593b923682d3'),
    name: 'Headphone',
    price: 2500,
    quantity: 70
  },
  {
    _id: ObjectId('69f753587c92593b923682d4'),
    name: 'Keyboard',
    price: 4000,
    quantity: 40
  }
]
Store> |
```

```
Store> db.Products.find({name:"Headphone"})
[
  {
    _id: ObjectId('69f753587c92593b923682d3'),
    name: 'Headphone',
    price: 2500,
    quantity: 70
  }
]
Store> |
```

- UpdateOne()

```
Store> db.Products.updateOne({name:"Smartphone"},{$set:{quantity:50}})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Store> db.Products.find({name:"Smartphone"})
[
  {
    _id: ObjectId('69f753587c92593b923682d2'),
    name: 'Smartphone',
    price: 17500,
    quantity: 50
  }
]
Store> |
```

- DeleteOne()

```
Store> db.Products.deleteOne({name:"Keyboard"})
{ acknowledged: true, deletedCount: 1 }
Store> db.Products.find()
[
  {
    _id: ObjectId('69f752937c92593b923682d1'),
    name: 'Laptop',
    price: 55000,
    quantity: 12
  },
  {
    _id: ObjectId('69f753587c92593b923682d2'),
    name: 'Smartphone',
    price: 17500,
    quantity: 50
  },
  {
    _id: ObjectId('69f753587c92593b923682d3'),
    name: 'Headphone',
    price: 2500,
    quantity: 70
  }
]
Store> |
```