


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
AccountInformation1	2 m 11.813 s	4	2	2	0	21	10	1	10	


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@tag3	1	1	0	0	1	0	1	0

FEATURES SUMMARY ---




#	Feature Name	T	P	F	S	Duration	
1	AccountInformation1	4	2	2	0	2 m 11.813 s	

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AccountInformation1	user should login with valid account and view Account Summary	5	5	0	0	34.276 s
2	AccountInformation1	View current balance	5	5	0	0	21.851 s
3	AccountInformation1	user should login with valid account and view payment history	5	0	1	4	42.798 s
4	AccountInformation1	Print and export payment	6	0	0	6	26.613 s

AccountInformation1




user should login with valid account and view Account Summary




#	Step / Hook Details	Status	Duration
1	Given launch the Cyclos Website	PASSED	2.301 s
2	And User should enter the username and password to login	PASSED	2.328 s
3	And User should click Submit button	PASSED	0.062 s
4	And User should click Banking Menu	PASSED	1.165 s
5	Then User should click Member Account	PASSED	5.375 s

View current balance



#	Step / Hook Details	Status	Duration
1	Given launch the Cyclos Website	PASSED	2.908 s
2	And User should enter the username and password to login	PASSED	1.786 s
3	And User should click Submit button	PASSED	0.060 s
4	And User should click Banking Menu	PASSED	1.200 s
5	Then Get the Current balance	PASSED	0.245 s


user should login with valid account and view payment history



#	Step / Hook Details	Status	Duration
1	Given launch the Cyclos Website	FAILED	1.870 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: '682be7d358', time: '2018-11-14T08:17:03' System info: host: 'TMZ-DPC-2209', ip: '10.192.198.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\MSUNDA=1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:mlnPinLength: true, webauthn:extension:prf: true, webauthn:extension:mlnPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fe285a320c4d8195d1f1d4c8afce5360 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)	FAILED	1.870 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:643) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:877) at com.stepdefinition.AccountInformation.launch_the_cyclos_website(AccountInformation.java:41) at ?.launch the Cyclos Website(file:///C:/Users/msundarraj/eclipse-workspace/Team_Decepticons/Team_Decepticons/src/test/resources/ Feature%20Files/Account%20information/AccountInformation.feature:4) * Not displayable characters are replaced by '?'.		
2	And User should enter the username and password to login	SKIPPED	0.001 s
3	And User should click Submit button	SKIPPED	0.001 s
4	And User should click Banking Menu	SKIPPED	0.000 s
5	Then Click on Notification Link	SKIPPED	0.000 s

Print and export payment



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.AccountInformation2.config()	FAILED	13.083 s
	org.openqa.selenium.WebDriverException: java.net.SocketException: Connection reset Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TMZ-DPC-2209', ip: '10.192.198.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310)		
	at com.stepdefinition.AccountInformation2.config(AccountInformation2.java:33)		
	Caused by: java.net.SocketException: Connection reset		
	at java.base/sun.nio.ch.NioSocketImpl.implRead(NioSocketImpl.java:323)		
	at java.base/sun.nio.ch.NioSocketImpl.read(NioSocketImpl.java:350)		
	at java.base/sun.nio.ch.NioSocketImpl\$1.read(NioSocketImpl.java:803)		
	at java.base/java.net.Socket\$SocketInputStream.read(Socket.java:966)		
	at org.apache.http.impl.io.SessionInputBufferImpl.streamRead(SessionInputBufferImpl.java:137)		

#	Step / Hook Details	Status	Duration
	at org.apache.http.impl.io.SessionInputBufferImpl.fillBuffer(SessionInputBufferImpl.java:153)		
	at org.apache.http.impl.io.SessionInputBufferImpl.readLine(SessionInputBufferImpl.java:282)		
	at org.apache.http.impl.conn.DefaultHttpResponseParser.parseHead(DefaultHttpResponseParser.java:138)		
	at org.apache.http.impl.conn.DefaultHttpResponseParser.parseHead(DefaultHttpResponseParser.java:56)		
	at org.apache.http.impl.io.AbstractMessageParser.parse(AbstractMessageParser.java:259)		
	at or g. apache. http. impl. Default BHttp Client Connection. receive Response Header (Default BHttp Client Connection. java: 163)		
	at org.apache.http.impl.conn.CPoolProxy.receiveResponseHeader(CPoolProxy.java:165)		
	at org.apache.http.protocol.HttpRequestExecutor.doReceiveResponse(HttpRequestExecutor.java:273)		
	at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:125)		
	at org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:272)		
	at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:185)		
	at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:89)		
	at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:111)		
	at org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:185)		
	at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:72)		
	at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:56)		
	at org.openqa.selenium.remote.internal.ApacheHttpClient.fallBackExecute(ApacheHttpClient.java:138)		
	at org.openqa.selenium.remote.internal.ApacheHttpClient.execute(ApacheHttpClient.java:86)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:161)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310)		
	at com.stepdefinition.AccountInformation2.config(AccountInformation2.java:33)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:98)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
1	Given launch the Cyclos Website	SKIPPED	0.000 s
2	And User should enter the username and password to login	SKIPPED	0.000 s
3	And User should click Submit button	SKIPPED	0.000 s
4	And User should click Banking Menu	SKIPPED	0.000 s
5	And Click any one of the Account transaction	SKIPPED	0.000 s
6	Then In transfer details window click on print button	SKIPPED	0.001 s