Digital Incident Forensic Report

Courtroom-Ready Technical Dossier

Case Reference	test_scan
Evidence Dataset	test_logs.json
Generated	2026-04-05 03:53:41 UTC
Threat Level	CRITICAL
Composite Risk	100.00 / 100
Report Theme	Legal Navy
Total Findings	1
Correlated Chains	0
Impossible Travel Alerts	0

This report was generated to support forensic triage, executive decision-making, and legal evidentiary workflows.

Evidence digest (SHA-256): fde02ac3d67b38adcffe87069dbb7aeec9fcf056ebef78ff751ade3a80830400

1. Legal and Evidentiary Notice

This document is prepared for digital forensics and incident-response documentation. Admissibility and evidentiary weight depend on jurisdiction, collection process, chain-of-custody completeness, and expert testimony standards.

2. Table of Contents

- Legal and Evidentiary Notice
- Executive Assessment
- Methodology and Data Quality
- Risk Posture Analytics
- Temporal and Trend Analytics
- Attack Chain Correlation
- Detailed Findings (Part I)
- Detailed Findings (Part II)
- Category and MITRE Coverage
- Impacted Asset Analysis
- Travel and Phase Analysis
- Remediation Roadmap
- Legal Narrative and Chain of Custody
- Glossary and Certification

Narrative source: deterministic-fallback

3. Executive Assessment

Threat posture is CRITICAL with composite risk 100.00/100. Critical findings: 1, high findings: 0, correlated chains: 0, impacted users: 0, impacted hosts: 0.

Primary Risk Drivers

- Critical findings observed: 1.

4. Methodology and Data Quality

Pipeline methodology combines deterministic detections, anomaly signatures, temporal reconstruction, and chain correlation. Coverage indicators are timestamp 0.00%, user 0.00%, host 0.00%, MITRE 0.00%.

The analysis pipeline combines deterministic detections, anomaly signals, category clustering, chain confidence correlation, asset-impact aggregation, and timeline reconstruction. Metrics were normalized to a 0-100 risk scale for cross-domain comparability.

Total log events	0
Total threat signals	1
Distinct detection families	1
MITRE mappings present	0
Timestamp coverage	0.00%
User attribution coverage	0.00%
Host attribution coverage	0.00%
MITRE tagging coverage	0.00%

Detected Data Gaps and Fill Actions

Potential analytical gaps should be reviewed before legal submission: verify timestamp normalization consistency, confirm complete asset attribution for each high-risk signal, and validate MITRE mappings where available. Any finding lacking full context should be flagged for supplemental evidentiary collection and analyst annotation.

- Category-level risk/tactic metadata is missing; threat taxonomy should be completed for stronger attribution.
- Timestamp coverage is below 70%; chronology confidence may be reduced for sequence reconstruction.
- Host attribution coverage is limited; affected-system scope should be validated before legal disclosure.
- User attribution coverage is limited; account ownership and identity enrichment are recommended.
- MITRE coverage is sparse; consider additional technique mapping for defensible adversary-pattern explanation.
- No correlated chain records were produced; multi-stage progression should be investigated manually.

5. Risk Posture Analytics

Severity and detection analytics indicate concentrated exposure in high-impact signals. Most common detection family: Rule. Prioritization should focus on high-confidence, multi-host, and repeated-account indicators before broader medium-risk backlog items.



Figure 5.1 - Severity distribution by finding class.



Figure 5.2 - Detection type distribution.

6. Temporal and Trend Analytics

Temporal analytics support sequence reconstruction and likely operational windows for adversary activity. No reliable peak hour could be derived. Risk trend visualization emphasizes front-loaded criticality and should guide staged containment planning.



Figure 6.1 - Hourly signal activity profile.



Figure 6.2 - Risk trend for prioritized findings.

7. Attack Chain Correlation

Chain-correlation evidence suggests multi-step behavior rather than isolated signals. High-confidence chains: 0; dominant phase indicator: Credential-Access. Validation should prioritize path continuity, credential lineage, and host-to-host progression artifacts.



Figure 7.1 - Chain confidence histogram.

8. Detailed Findings (Prioritized) - Part I

Detailed findings are ranked by risk score and severity weighting to support triage defensibility. Analysts should verify the top-ranked entries first, preserve raw log lineage for each record ID, and annotate any assumptions used during contextual interpretation.

ID	Severity	Detection	Title	Risk
N/A	Critical	Rule	Test Finding	0.00

Interpretation: rows are sorted by risk and severity weighting. IDs are wrapped to preserve readability and avoid column overlap.

9. Detailed Findings (Prioritized) - Part II

Detailed findings are ranked by risk score and severity weighting to support triage defensibility. Analysts should verify the top-ranked entries first, preserve raw log lineage for each record ID, and annotate any assumptions used during contextual interpretation.

ID	Severity	Detection	Title	Risk
N/A	Info	Rule	No additional findings	0.00

Interpretation: this continuation page preserves the same ranking policy and formatting standards as Part I.

10. Category and MITRE Coverage

Category and ATT&CK mapping support attribution narrative depth and control-gap analysis. Top category: Unspecified; top mapped technique/tactic token: not-supplied. Sparse mappings should be expanded before external legal disclosure.

Category	Events	Risk	Tactic	MITRE



Figure 10.1 - Category weighted risk ranking.



Figure 10.2 - MITRE frequency profile.

11. Impacted Asset Analysis

Asset-impact analytics identify concentration of exposure across user accounts and endpoints. Distinct impacted users: 0, distinct impacted hosts: 0. Elevated concentration in a small population indicates urgent containment and credential hygiene requirements.



Figure 11.1 - User impact distribution.



Figure 11.2 - Host impact distribution.

12. Travel and Phase Analysis

Travel-gap and phase-frequency analysis supports plausibility testing for account activity and attack progression. Impossible travel alert count: 0. Where travel anomalies and later-stage phases co-occur, escalation response should be accelerated.

N/A	No impossible travel indicators	-	-	0



Figure 12.1 - Impossible travel gap distribution.



Figure 12.2 - Kill-chain phase frequency.

13. Remediation Roadmap

Containment should prioritize credential reset, endpoint isolation, persistence eradication, and lateral movement constraints, followed by detective-control tuning and validation.

Priority Action Items

- Isolate impacted hosts and reset privileged credentials.
- Audit persistence artifacts and disable unauthorized services.
- Restrict lateral movement paths and enforce host firewall policies.
- Increase continuous monitoring and validate detective control quality.

0-24 hours	Containment, credential reset, endpoint isolation, and emergency blocking.
24-72 hours	Persistence eradication, host hardening, and forensic validation replay.
3-7 days	Control tuning, coverage gap closure, and threat-hunting follow-up.
7-30 days	Programmatic lessons learned, control maturity uplift, governance reporting.

14. Legal Narrative and Chain of Custody

The report includes evidence integrity hashing, procedural traceability elements, and structured chronology suitable for forensic/legal workflows. Jurisdiction-specific admissibility standards require legal counsel and certified forensic review.

Input payload hash (SHA-256)	fde02ac3d67b38adcffe87069dbb7aeec9fcf056ebef78ff751ade3a80830400
Python runtime	3.14.3
Execution platform	Windows-11-10.0.26200-SP0
Report timestamp	2026-04-05 03:53:41 UTC
Narrative provider	deterministic-fallback
Generator	Sentinal Forensic Report Engine v2

15. Glossary, Assumptions, and Certification

Glossary entries define key technical terms to reduce interpretation ambiguity for non-technical stakeholders. Assumptions and certification language should be reviewed against organization policy and jurisdictional evidentiary expectations before formal submission.

- Finding: A suspicious signal with risk and contextual metadata.
- Chain Confidence: A normalized estimate that linked events represent a coherent attack path.
- Weighted Risk: Category risk score multiplied by event volume.
- Impossible Travel: User activity across locations or hosts with impractical time displacement.
- MITRE Mapping: Alignment of observed behavior to ATT&CK techniques/tactics.

Certification Statement: The report was generated from supplied telemetry and metadata without modifying original evidence payload content.

Prepared by: Sentinal Forensic Intelligence

Role: Automated Forensic Report Generator

Signature: _____

Date: _____