


Title: Configure Web Server, DNS within a LAN.

Topology:



Server:

The screenshot shows the configuration window for Server0, specifically the 'Config' tab for the 'FastEthernet0' interface. The window has a sidebar on the left with 'GLOBAL' and 'INTERFACE' sections. The 'INTERFACE' section is expanded, showing 'FastEthernet0'. The main configuration area includes the following settings:

- Port Status:** ☒ On
- Bandwidth:** ☒ 100 Mbps ☐ 10 Mbps ☒ Auto
- Duplex:** ☐ Half Duplex ☒ Full Duplex ☒ Auto
- MAC Address:** 0010.1132.898D
- IP Configuration:**
 - ☐ DHCP
 - ☒ Static
 - IPv4 Address:** 10.0.0.2
 - Subnet Mask:** 255.0.0.0
- IPv6 Configuration:**
 - ☐ Automatic
 - ☒ Static
 - IPv6 Address:** /
 - Link Local Address:** FE80::210:11FF:FE32:898D

192.168.1.1

PhysicalConfigServicesDesktopCustom Interface

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

DNS

DNS Service ☒ On ☐ Off

Resource Records

Name Type

Address

Add


Save

Remove

No.	Name	Type	Detail
0	www.rohith.com	A Record	192.168.1.1

DNS Cache

PC:



Output:

