Array : Video - 65

...E.A.S.Y...

Leetcode - 119

Pascal's Triangle - II

Facebook
Instagram → codestorywithMIK

(Twitter) → CSwithMIK

codestorywithMIK →

Company :- amazon

119. Pascal's Triangle II

Easy 4343 316 Add to List Share

Given an integer `rowIndex`, return the `rowIndex`th (**0-indexed**) row of the **Pascal's triangle**.

In **Pascal's triangle**, each number is the sum of the two numbers directly above it as shown:



Example :- rowIndex = 3

Output = {1, 3, 3, 1}

Quick Revision of Pascal's Triangle - I

numRows = 4



return result[3];

```
for (i = 0; i < numIndex+1 ; i++){
```

prev

curr

```
vector<int> vec(i+1, 1);
for (j=1; j<i ; j++){
```

curr[j] = result[i-1][j] + result[i-1][j-1];

curr[j] = prev[j] + prev[j-1];

result[i][j] = result[(i-1)][j] + result[(i-1)][j-1];

}

}

return result[rowIndex];

Removing Extra Space :-

Vector<vector<int>> result(rowIndex+1);



i=0 Prev = { }
Curr = {1}

i=1 Prev = Curr

i=1

Curr = {1, 1}

---

i=2

Prev = Curr = {1, 1}

Curr = {1, 2, 1}

Curr[1] = Prev[1] + Prev[0]

= 1 + 1 = 2