Rohit Bokil VCS Homework

Exercise 1

 Terminal Shell Edit View Window Help

rohitbokil@Rohits-MacBook-Pro ~ % cd desktop
rohitbokil@Rohits-MacBook-Pro desktop % mkdir exercise-1
rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-1
rohitbokil@Rohits-MacBook-Pro exercise-1 % git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint: git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-1/.git/
rohitbokil@Rohits-MacBook-Pro exercise-1 % touch index.html
rohitbokil@Rohits-MacBook-Pro exercise-1 % nano index.html
rohitbokil@Rohits-MacBook-Pro exercise-1 % git add index.html
rohitbokil@Rohits-MacBook-Pro exercise-1 % git commit -m"Exercise 1 complete"
[master (root-commit) 0aed8fc] Exercise 1 complete
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 index.html
rohitbokil@Rohits-MacBook-Pro exercise-1 %

Exercise 2


```
[rohitbokil@Rohits-MacBook-Pro desktop % mkdir exercise-2
[rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-2
[rohitbokil@Rohits-MacBook-Pro exercise-2 % git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-2/.git/
[rohitbokil@Rohits-MacBook-Pro exercise-2 % touch index.html
[rohitbokil@Rohits-MacBook-Pro exercise-2 % touch about.html
[rohitbokil@Rohits-MacBook-Pro exercise-2 % nano index.html
[rohitbokil@Rohits-MacBook-Pro exercise-2 % nano about.html
[rohitbokil@Rohits-MacBook-Pro exercise-2 % git add about.html
[rohitbokil@Rohits-MacBook-Pro exercise-2 % git commit -m"File x added"
[master (root-commit) f279149] File x added
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 about.html
rohitbokil@Rohits-MacBook-Pro exercise-2 %
```

Exercise 3


```
[rohitbokil@Rohits-MacBook-Pro desktop % git init exercise-3
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:    git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:    git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-3/.git/
[rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-3
[rohitbokil@Rohits-MacBook-Pro exercise-3 % touch index.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % nano index.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % git add index.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % git commit -m"adding index.html"
[master (root-commit) 201a0b3] adding index.html
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 index.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % touch about.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % nano about.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % git add about.html
[rohitbokil@Rohits-MacBook-Pro exercise-3 % git commit --amend -m"adding index.html and about.html"
[master a610be7] adding index.html and about.html
 Date: Fri Mar 17 23:40:01 2023 -0500
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:
```

```
    git commit --amend --reset-author

 2 files changed, 3 insertions(+)
 create mode 100644 about.html
 create mode 100644 index.html
rohitbokil@Rohits-MacBook-Pro exercise-3 %
```

Exercise 4

```
[rohitbokil@Rohits-MacBook-Pro desktop % git init  exercise-4
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-4/.git/
[rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-4
[rohitbokil@Rohits-MacBook-Pro exercise-4 % nano .gitignore
[rohitbokil@Rohits-MacBook-Pro exercise-4 % cat .gitignore
*.exe
*.o
*.jar
libraries/
[rohitbokil@Rohits-MacBook-Pro exercise-4 % git add .gitignore
[rohitbokil@Rohits-MacBook-Pro exercise-4 % git commit -m "added .gitignore file"
[master (root-commit) 24cb985] added .gitignore file
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 4 insertions(+)
 create mode 100644 .gitignore
rohitbokil@Rohits-MacBook-Pro exercise-4 %
```

Exercise 5

```
rohitbokil@Rohits-MacBook-Pro desktop % git init exercise-5
[hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:    git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:    git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-5/.git/
rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-5
rohitbokil@Rohits-MacBook-Pro exercise-5 % touch xyz.html
[rohitbokil@Rohits-MacBook-Pro exercise-5 % nano xyz.html
[rohitbokil@Rohits-MacBook-Pro exercise-5 % git add .
[rohitbokil@Rohits-MacBook-Pro exercise-5 % git commit -m"initial commit"
[[master (root-commit) 518535c] initial commit
[ Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 xyz.html
[rohitbokil@Rohits-MacBook-Pro exercise-5 % touch hello.html
[rohitbokil@Rohits-MacBook-Pro exercise-5 % git add hello.html
[rohitbokil@Rohits-MacBook-Pro exercise-5 % git stash push name
 error: pathspec ':(,prefix:0)name' did not match any file(s) known to git
 Did you forget to 'git add'?
[rohitbokil@Rohits-MacBook-Pro exercise-5 % git stash git stash push hello.html
 fatal: subcommand wasn't specified; 'push' can't be assumed due to unexpected token 'git'
[rohitbokil@Rohits-MacBook-Pro exercise-5 % git stash push hello.html
 Saved working directory and index state WIP on master: 518535c initial commit
 rohitbokil@Rohits-MacBook-Pro exercise-5 %
```

Exercise 6

```
[rohitbokil@Rohits-MacBook-Pro ~ % cd desktop
[rohitbokil@Rohits-MacBook-Pro desktop % git init exercise-6
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:    git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:    git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-6/.git/
[rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-6
[rohitbokil@Rohits-MacBook-Pro exercise-6 % mkdir folder
[rohitbokil@Rohits-MacBook-Pro exercise-6 % git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
        add
[rohitbokil@Rohits-MacBook-Pro exercise-6 % git add .
[rohitbokil@Rohits-MacBook-Pro exercise-6 % git commit -m"initial commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)
[rohitbokil@Rohits-MacBook-Pro exercise-6 % touch xyz.html
[rohitbokil@Rohits-MacBook-Pro exercise-6 % git add .
[rohitbokil@Rohits-MacBook-Pro exercise-6 % git commit -m"second commit"
[master (root-commit) eecd369] second commit
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author
```

You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 xyz.html
[rohitbokil@Rohits-MacBook-Pro exercise-6 %
[rohitbokil@Rohits-MacBook-Pro exercise-6 % cd folder
[rohitbokil@Rohits-MacBook-Pro folder % touch file.exe
[rohitbokil@Rohits-MacBook-Pro folder % git add .
[rohitbokil@Rohits-MacBook-Pro folder % git commit "last commit"
error: pathspec 'last commit' did not match any file(s) known to git
[rohitbokil@Rohits-MacBook-Pro folder % git commit -m"last commit"
[master 37c74f0] last commit
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 folder/file.exe
[rohitbokil@Rohits-MacBook-Pro folder % git log
commit 37c74f0275b665e3ab4c1f0948f00ebf6035a692 (HEAD -> master)
Author: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Date: Sat Mar 18 01:07:16 2023 -0500

    last commit

commit eecd369ecc713b422750e375ca5c1c4b71f59ba5
Author: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Date: Sat Mar 18 01:05:46 2023 -0500

    second commit
[rohitbokil@Rohits-MacBook-Pro folder % git reset --soft commit eecd369ecc713b422750e375ca5c1c4b71f59ba
fatal: ambiguous argument 'commit': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
[rohitbokil@Rohits-MacBook-Pro folder % git reset --soft eecd369ecc713b422750e375ca5c1c4b71f59ba5

Exercise 7

```
rohitbokil@Rohits-MacBook-Pro desktop % git init exercise-7
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-7/.git/
rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-7
rohitbokil@Rohits-MacBook-Pro exercise-7 % mkdir folder
rohitbokil@Rohits-MacBook-Pro exercise-7 % git add .
rohitbokil@Rohits-MacBook-Pro exercise-7 % git commit -m"first commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)
rohitbokil@Rohits-MacBook-Pro exercise-7 % cd folder
rohitbokil@Rohits-MacBook-Pro folder % touch ex.exe
rohitbokil@Rohits-MacBook-Pro folder % git add .
rohitbokil@Rohits-MacBook-Pro folder % git commit -m"first commit"
[master (root-commit) 6b06b14] first commit
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 folder/ex.exe
rohitbokil@Rohits-MacBook-Pro folder % touch about.html
rohitbokil@Rohits-MacBook-Pro folder % git add about.html
rohitbokil@Rohits-MacBook-Pro folder % git commit -m"second commit"
[master f173543] second commit
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:
```

```
    git config ——global user.name "Your Name"
    git config ——global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit ——amend ——reset-author

 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 folder/about.html
[rohitbokil@Rohits-MacBook-Pro folder % git log
commit f173543518e7191b3570d4fa1b6d263642e2fd92 (HEAD -> master)
Author: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Date:   Sat Mar 18 01:26:30 2023 -0500

    second commit

commit 6b06b14d068ae692409cdbd220d93e45635990d8
Author: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Date:   Sat Mar 18 01:25:40 2023 -0500

    first commit
[rohitbokil@Rohits-MacBook-Pro folder % git status
On branch master
nothing to commit, working tree clean
[rohitbokil@Rohits-MacBook-Pro folder % git reset ——hard 6b06b14d068ae692409cdbd220d93e45635990d8
HEAD is now at 6b06b14 first commit
[rohitbokil@Rohits-MacBook-Pro folder % git status
On branch master
nothing to commit, working tree clean
[rohitbokil@Rohits-MacBook-Pro folder % git log
commit 6b06b14d068ae692409cdbd220d93e45635990d8 (HEAD -> master)
Author: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Date:   Sat Mar 18 01:25:40 2023 -0500

    first commit
rohitbokil@Rohits-MacBook-Pro folder %
```

Exercise 8


```
Finder  File  Edit  View  Go  Window  Help

[rohitbokil@Rohits-MacBook-Pro ~ % cd desktop
[rohitbokil@Rohits-MacBook-Pro desktop % git init exercise-8
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/exercise-8/.git/
[rohitbokil@Rohits-MacBook-Pro desktop % cd exercise-8
[rohitbokil@Rohits-MacBook-Pro exercise-8 % touch index.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % nano index.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git add index.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git commit -m"first commit"
[master (root-commit) 9acb62b] first commit
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 index.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git branch my-feature
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git checkout my-feature
Switched to branch 'my-feature'
[rohitbokil@Rohits-MacBook-Pro exercise-8 % touch about-us.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % nano about-us.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git add about-us.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git commit -m"second commit"
[my-feature 82ebd0c] second commit
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:
```

```
After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 2 insertions(+)
 create mode 100644 about-us.html
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git checkout master
Switched to branch 'master'
[rohitbokil@Rohits-MacBook-Pro exercise-8 % git merge my-feature
Updating 9acb62b..82ebd0c
Fast-forward
 about-us.html | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 about-us.html
rohitbokil@Rohits-MacBook-Pro exercise-8 % 
```

Exercise 9

```
Last login: Sat Mar 18 23:28:15 on ttys000
[rohitbokil@Rohits-MacBook-Pro ~ % cd desktop
[rohitbokil@Rohits-MacBook-Pro desktop % git init Exercise-9
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /Users/rohitbokil/Desktop/Exercise-9/.git/
rohitbokil@Rohits-MacBook-Pro desktop % cd Exercise-9
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % touch index.html
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % nano touch.html
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % git add touch.html
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % git commit -m "Added index.html"

[master (root-commit) 2cf130d] Added index.html
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 2 insertions(+)
 create mode 100644 touch.html
rohitbokil@Rohits-MacBook-Pro Exercise-9 % git branch my-feature
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % git checkout my-feature
[Switched to branch 'my-feature'
rohitbokil@Rohits-MacBook-Pro Exercise-9 % touch about-us.html
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % nano index.html
[rohitbokil@Rohits-MacBook-Pro Exercise-9 % git add index.html about-us.html

rohitbokil@Rohits-MacBook-Pro Exercise-9 % git commit -m "Made changes to index.html and added about-us.html"

[my-feature 2d4ac94] Made changes to index.html and added about-us.html
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:
```

```
   git config --global user.name "Your Name"
   git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

   git commit --amend --reset-author

 2 files changed, 1 insertion(+)
 create mode 100644 about-us.html
 create mode 100644 index.html
rohitbokil@Rohits-MacBook-Pro Exercise-9 % git checkout master

Switched to branch 'master'
rohitbokil@Rohits-MacBook-Pro Exercise-9 % nano index.html

rohitbokil@Rohits-MacBook-Pro Exercise-9 % git add index.html

rohitbokil@Rohits-MacBook-Pro Exercise-9 % git commit -m "Made changes to index.html in master branch"

[master a3f1f4d] Made changes to index.html in master branch
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

   git config --global user.name "Your Name"
   git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

   git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 index.html
rohitbokil@Rohits-MacBook-Pro Exercise-9 % git merge my-feature

Auto-merging index.html
CONFLICT (add/add): Merge conflict in index.html
Automatic merge failed; fix conflicts and then commit the result.
rohitbokil@Rohits-MacBook-Pro Exercise-9 % nano index.html
rohitbokil@Rohits-MacBook-Pro Exercise-9 % git add index.html

rohitbokil@Rohits-MacBook-Pro Exercise-9 % git commit -m "Resolved merge conflicts for index.html"

[master ad93ab7] Resolved merge conflicts for index.html
 Committer: Rohit Bokil <rohitbokil@Rohits-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:
```

```
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

   git config --global user.name "Your Name"
   git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

   git commit --amend --reset-author

rohitbokil@Rohits-MacBook-Pro Exercise-9 %
```

Repo link on git hub

https://github.com/Rohitkacode/exercise-3
https://github.com/Rohitkacode/exercise-4
https://github.com/Rohitkacode/exercise-8
https://github.com/Rohitkacode/Exercise_9