




(2)



$S_1 = \text{Rohit}$ $S_2 = \text{hit Ro}$

R_0 hit

hit R_0

Rohit Ji

acha

$(\text{Roh} \mid \text{it Ji}), (\text{it Ji} \mid \text{Roh})$

$R \mid oh$


$hit \mid it$

$(ji \mid it)$

Rohit Ji

Roh Ji it

great $\longrightarrow$ rgeat



cat | r
gr | eat

gr | eat

(left, left) (right, right)
(left, right) (right, left)

rg eat

① size

② same
char

no swap
swap

no swap
→

gr | eat

rg.eat

swap

g | r

rg

g r

rg

$i = s$ $\swarrow$ $\text{for}(i=1; i \leq n; i++)$ $\rightarrow$ $(n-i)$ $2-s = (2)$
 s_1 $0 \ 1 \ 2 \ 3 \ 4 \ 5 \ 6$ s_2
 Monit ji Monji it

left, left
 $s_1.\text{substr}(0, i), s_2.\text{substr}(0, i)$
 $s_1.\text{substr}(i), s_2.\text{substr}(i)$

$\text{Left1}, \text{Right2}$
 $\text{Right1}, \text{Left2}$

$s_1.\text{substr}(0, i), s_2.\text{substr}(n-i)$
 $s_1.\text{substr}(i), s_2.\text{substr}(0, n-i);$

$s_1 = \text{"Rohit Maharaaj"}^{\wedge} \text{"Rohit"}$, $s_2 = \text{"Rohit j Maharaaj"}$

$\text{int dp}[13][13]$
 $\text{dp}[2][2]$

$\text{dp}[4][4]$
 $\text{dp}[5][5]$

$\text{dp}[7][7] = 0$ $\swarrow$ len
 Rohit Ma

Rohit j M

L
Rohit Negi

↓
it Roh gine

rohit it roh

s1
rohit

s2
it roh

$df[rohit it roh] = 1$

s1 = ab

ab cd
cwr

s2 = cd (?)

s1 = abc

s2 = d

abcd

$\begin{array}{c} 0 \qquad \qquad 4 \\ \downarrow \qquad \downarrow \\ 0 \ 1 \ 2 \ 3 \ 4 \\ \text{great} \end{array}$

$\text{string} \quad \text{index}$

$\begin{array}{c} 0 \qquad \qquad 4 \\ \downarrow \qquad \downarrow \\ 0 \ 1 \ 2 \ 3 \ 4 \\ \text{great} \end{array}$

$\text{string} \quad \text{index}$

$\begin{array}{c} \text{string} \quad \text{index} \\ \downarrow \qquad \downarrow \\ 1 \\ 30 \\ \text{df}[21][31] \\ [31][31] \end{array}$

$(0,1) \mid (0,1)$

$(2,4) \mid (2,4)$

$(0,1) \mid (3,4)$

$(2,4) \mid (0,2)$