



Merge
Rebase
Cherry-picking
stash

Branches --> Branch Strategy





Pull Request --> Github
Merge Request --> Gitlab

Branch Strategy

Gitflow
Github Flow
Trunk Flow

Git-Flow

Legacy Software

v1.0

v1.1

v1.2


v2.0



main

$$c_1 \rightarrow c_2 \rightarrow c_3$$

Arun --> Login --> DB optimisation
Rohan --> Payment --> Gateway
Aditya --> Orders --> Users

develop






Web Application

Monday
Tuesday
Wednesday


feature-login --> Arun




Merge Conflict

Integration difficulty

Integration
Difficulty




Trunk based Strategy



Feature-payment

gateway
partners
Strategy
Payment flow
Security



```
if(feature-flag) {  
    // new flow  
}  
else {  
    // oldcode  
}
```

Payment.java

feature-paymment-flag = true

properties.env

Pull Request

Review comments

Pull Request Etiquettes

Correctness
Integrity
Performance
Consistency

Blocking :

This end-point you are using
is not right

Suggestion :

Use Switch statemen instead of
if-else ladder




Questions :

Why have you used redis here ?

Nit :

Change the variable name from
payment_gateway to
paymentGateway

Mono Repo vs Poly Repo



Signed Commit

git log

Author
Email
Commit message

Cryptography

Public Key
Private key

signed

commit

Authenticity
Integrity

GPG signing
SSH Signing