

Web Api using .Net core With PUT action

Update Employee data as per the input Web API PUT action :

```
[HttpPut("{id}")]
[ProducesResponseType(204)]
[ProducesResponseType(404)]
public ActionResult Put(int id, [FromBody] Employee employee)
{
    if(id <= 0)
    {
        return BadRequest("Invalid employee ID");
    }

    var existing = _employees.FirstOrDefault(e => e.Id == id);
    if(existing == null)
    {
        return BadRequest("Invalid employee ID");
    }

    existing.Name = employee.Name;
    existing.Salary = employee.Salary;
    existing.Permanent = employee.Permanent;
    existing.Department = employee.Department;
    existing.Skills = employee.Skills;
    existing.DateOfBirth = employee.DateOfBirth;

    var updatedEmployee = _employees.FirstOrDefault(e => e.Id == id);
    return Ok(updatedEmployee);
}
```

Output :

Test Case 1 — Invalid id (≤ 0) :

The screenshot displays a REST client interface for a PUT request to the endpoint `/api/Employee/{id}`. The **Parameters** tab is active, showing a parameter `id` of type `integer(int32)` with a value of `0`. The **Request body** is set to `application/json` and contains the following JSON payload:

```
{  "id": 0,  "name": "Test",  "salary": 50000,  "permanent": true,  "department": 0,  "skills": [],  "dateOfJoining": "2000-01-01"}
```

The **Responses** tab is also visible, showing the request details and the server response. The request URL is `https://localhost:7348/api/Employee/0`. The server response is a 400 status code with the message "Error: response status is 400". The response body is "Invalid employee ID". The response headers are:

```
content-type: text/plain; charset=utf-8
date: Tue, 07 Jul 2020 02:34:05 GMT
server: Restful
```

Test Case 2 — Valid, existing id :

PUT /api/Employee/{id}

Parameters

Cancel Reset

Name	Description
id * required	
Integer(Integer32)	1
(path)	

Request body

application/json

```
{
  "id": 1,
  "name": "Alice Updated",
  "salary": 60000,
  "permanent": true,
  "department": 0,
  "skills": [
    { "id": 1, "name": "CP" },
    { "id": 2, "name": "Azure" }
  ],
  "dateOfBirth": "1990-05-12T00:00:00"
}
```

Execute Clear

Curl

```
curl -X 'PUT' \
  https://localhost:7100/api/Employee/1 \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 1,
    "name": "Alice Updated",
    "salary": 60000,
    "permanent": true,
    "department": 0,
    "skills": [
      { "id": 1, "name": "CP" },
      { "id": 2, "name": "Azure" }
    ],
    "dateOfBirth": "1990-05-12T00:00:00"
  }'
```

Request URL

https://localhost:7100/api/Employee/1

Server response

Code Details

200

Response body

```
{
  "id": 1,
  "name": "Alice Updated",
  "salary": 60000,
  "permanent": true,
  "department": 0,
  "skills": [
    { "id": 1, "name": "CP" },
    { "id": 2, "name": "Azure" }
  ],
  "dateOfBirth": "1990-05-12T00:00:00"
}
```

Download