

10. ReactJS-HOL

Create a React Application named “officespacerentalapp” :

```
function OfficeSpace() {  
  const singleOffice = {  
    id: 1,  
    name: "Premium Tower Suite",  
    rent: 75000,  
    address: "123 Business Park, Downtown",  
    image: FeaturedOffice,  
  };  
  
  // List of office objects with matched images  
  const officeSpaces = [  
    {  
      id: 1,  
      name: "Executive Business Suite",  
      rent: 85000,  
      address: "123 Business Park, Downtown, City Center",  
      image:  
        "https://images.unsplash.com/photo-1454165804606-  
c3d57bc86b40?w=400&h=300&fit=crop",  
    },  
    {  
      id: 2,  
      name: "Startup Hub Office",  
      rent: 45000,  
      address: "456 Innovation Lane, Tech Park",  
      image:  
        "https://images.unsplash.com/photo-1552664730-  
d307ca884978?w=400&h=300&fit=crop",  
    },  
  ],  
}
```

```
    },  
    {  
      id: 3,  
      name: "Corporate Headquarters",  
      rent: 125000,  
      address: "789 Enterprise Boulevard, Premium District",  
      image:  
        "https://images.unsplash.com/photo-1486406146926-  
c627a92ad1ab?w=400&h=300&fit=crop",  
    },  
    {  
      id: 5,  
      name: "Modern Creative Studio",  
      rent: 95000,  
      address: "654 Creative Way, Arts Quarter",  
      image:  
        "https://images.unsplash.com/photo-1517694712202-  
14dd9538aa97?w=400&h=300&fit=crop",  
    },  
  ];
```

```
const getRentStyle = (rent) => {  
  return {  
    color: rent < 60000 ? "red" : "green",  
    fontSize: "20px",  
    fontWeight: "bold",  
  };  
};
```

```

return (
  <div style={pageStyle}>
    {/* Heading - JSX Element */}
    <h1 style={headingStyle}>🏢 Office Space Rental Portal</h1>

    {/* Single Office Display - Using JSX */}
    <div style={singleOfficeStyle}>
      <h2 style={{ color: "#1a5490", textAlign: "center" }}>
        Featured Office
      </h2>
      <img
        src={singleOffice.image}
        alt={singleOffice.name}
        style={imageStyle}
      />
      <h3 style={titleStyle}>{singleOffice.name}</h3>
      <p style={addressStyle}>
        <strong>📍 Address:</strong> {singleOffice.address}
      </p>
      <p style={getRentStyle(singleOffice.rent)}>
        <strong>💰 Rent:</strong> ₹{singleOffice.rent.toLocaleString()} per
        month
      </p>
    </div>

    {/* List of Office Spaces - JSX with map() and loop */}
    <div style={listContainerStyle}>
      <h2 style={{ color: "#2c3e50", marginBottom: "20px" }}>
        Available Office Spaces ({officeSpaces.length})
      </h2>

```

```
<div style={gridStyle}>

  {/* Loop through office spaces using map() */}
  {officeSpaces.map((office) => (
    <div key={office.id} style={officeCardStyle}>
      {/* Image Attribute - JSX */}
      <img src={office.image} alt={office.name} style={imageStyle} />

      {/* Office Details - JSX Elements */}
      <h3 style={titleStyle}>{office.name}</h3>

      <p style={addressStyle}>
        <strong> 📍 Address:</strong>
        <br />
        {office.address}
      </p>

      {/* Conditional Inline CSS - Red if < 60000, Green if > 60000 */}
      <p style={getRentStyle(office.rent)}>
        <strong> 💰 Monthly Rent:</strong> ₹
        {office.rent.toLocaleString()}
      </p>

      {/* Status Badge */}
      <div
        style={{
          display: "inline-block",
          padding: "5px 10px",
          borderRadius: "5px",
          backgroundColor: office.rent < 60000 ? "#ffebee" : "#e8f5e9",
```

```

        color: office.rent < 60000 ? "#c62828" : "#2e7d32",
        fontSize: "12px",
        fontWeight: "bold",
        marginTop: "10px",
      }}
    >
    {office.rent < 60000 ? "🔴 Budget Friendly" : "🟢 Premium"}
  </div>
</div>
  )})
</div>
</div>

```

```

{/* Summary Statistics - JSX with calculation */}
<div
  style={{
    maxWidth: "1200px",
    margin: "40px auto",
    display: "grid",
    gridTemplateColumns: "repeat(auto-fit, minmax(200px, 1fr))",
    gap: "20px",
  }}
>
  <div
    style={{
      backgroundColor: "white",
      padding: "20px",
      borderRadius: "10px",
      textAlign: "center",
      boxShadow: "0 2px 4px rgba(0,0,0,0.1)",

```

```
    }}
  >
  <h3 style={{ color: "#1a5490", margin: 0 }}>Total Offices</h3>
  <p
    style={{
      fontSize: "32px",
      fontWeight: "bold",
      color: "#2c3e50",
      margin: 0,
    }}
  >
    {officeSpaces.length}
  </p>
</div>
```

```
<div
  style={{
    backgroundColor: "white",
    padding: "20px",
    borderRadius: "10px",
    textAlign: "center",
    boxShadow: "0 2px 4px rgba(0,0,0,0.1)",
  }}
>
  <h3 style={{ color: "green", margin: 0 }}>Premium Offices</h3>
  <p
    style={{
      fontSize: "32px",
      fontWeight: "bold",
      color: "#2c3e50",
```

```

        margin: 0,
      }}
    >
    {officeSpaces.filter((o) => o.rent >= 60000).length}
  </p>
</div>

<div
  style={{
    backgroundColor: "white",
    padding: "20px",
    borderRadius: "10px",
    textAlign: "center",
    boxShadow: "0 2px 4px rgba(0,0,0,0.1)",
  }}
>
  <h3 style={{ color: "red", margin: 0 }}>Budget Friendly</h3>
  <p
    style={{
      fontSize: "32px",
      fontWeight: "bold",
      color: "#2c3e50",
      margin: 0,
    }}
  >
    {officeSpaces.filter((o) => o.rent < 60000).length}
  </p>
</div>

<div

```

```

    style={{
      backgroundColor: "white",
      padding: "20px",
      borderRadius: "10px",
      textAlign: "center",
      boxShadow: "0 2px 4px rgba(0,0,0,0.1)",
    }}
  >
  <h3 style={{ color: "#1a5490", margin: 0 }}>Average Rent</h3>
  <p
    style={{
      fontSize: "32px",
      fontWeight: "bold",
      color: "#2c3e50",
      margin: 0,
    }}
  >
    ₹
    {Math.round(
      officeSpaces.reduce((sum, o) => sum + o.rent, 0) /
      officeSpaces.length,
    ).toLocaleString()}
  </p>
</div>
</div>
</div>
);
}

export default OfficeSpace;

```

Output :

