

4. ReactJS-HOL

Create a new react application with the name as “blogapp” :

```
import React from "react";
import Post from "./Post";

class Posts extends React.Component {
  constructor(props) {
    super(props);
    this.state = {
      posts: [],
      loading: true,
      error: null,
    };
  }

  loadPosts() {
    fetch("https://jsonplaceholder.typicode.com/posts")
      .then((response) => {
        if (!response.ok) {
          throw new Error("Network response was not ok");
        }
        return response.json();
      })
      .then((data) => {
        console.log("Data received:", data);

        // Check if data is an array
        if (Array.isArray(data)) {
```

```

    const posts = data
      .slice(0, 10)
      .map(
        (post) => new Post(post.userId, post.id, post.title, post.body),
      );
    this.setState({ posts, loading: false });
  } else {
    throw new Error("Data is not an array");
  }
})
.catch((error) => {
  console.error("Fetch error:", error);
  this.setState({ error: error.message, loading: false });
});
}

```

```

componentDidMount() {
  console.log("Component mounted - Loading posts...");
  this.loadPosts();
}

```

```

componentDidCatch(error, errorInfo) {
  alert(`Error caught: ${error.message}`);
  console.error("Error Details:", errorInfo);
  this.setState({ error: error.message });
}

```

```

render() {
  const { posts, loading, error } = this.state;

```

```
if (loading) {  
  return (  
    <div style={{ textAlign: "center", padding: "20px", fontSize: "18px" }}>  
      ⌚ Loading posts...  
    </div>  
  );  
}
```

```
if (error) {  
  return (  
    <div style={{ color: "red", padding: "20px", fontSize: "18px" }}>  
      ❌ Error: {error}  
    </div>  
  );  
}
```

```
return (  
  <div  
    style={{  
      padding: "20px",  
      backgroundColor: "#f5f5f5",  
      minHeight: "100vh",  
    }}  
  >  
    <h1 style={{ textAlign: "center", color: "#333" }}>  
      📖 Blog Posts ({posts.length})  
    </h1>  
  
    {posts.length > 0 ? (  
      posts.map((post) => (  

```

```

<div
  key={post.id}
  style={{
    backgroundColor: "white",
    padding: "15px",
    margin: "15px auto",
    maxWidth: "600px",
    borderRadius: "8px",
    boxShadow: "0 2px 4px rgba(0,0,0,0.1)",
    borderLeft: "4px solid #007bff",
  }}
>
  <h3 style={{ color: "#007bff", marginTop: 0 }}>
    Post #{post.id} - User {post.userId}
  </h3>
  <h4 style={{ color: "#333" }}>{post.title}</h4>
  <p style={{ color: "#666", lineHeight: "1.6" }}>{post.body}</p>
</div>

))
):(
  <div style={{ textAlign: "center", padding: "20px" }}>
    No posts available
  </div>

  )}
</div>

);
}
}

```

```

export default Posts;

```

Output :

