


## Contact Card

Create a simple React component using JSX to display a contact card. The contact card should include the following details:



```
1 import React from "react";
2
3 const ContactCard = ({ name, email, phone, address }) => {
4   return (
5     <div style={styles.card}>
6       <h3>{name}</h3>
7       <p>{email}</p>
8       <p>{phone}</p>
9       <p>{address}</p>
10    </div>
11  );
12 };
13
14 const styles = {
15   card: {
16     border: "1px solid #ddd",
17     borderRadius: "10px",
18     padding: "15px",
19     margin: "10px",
20     backgroundColor: "#f9f9f9",
21     boxShadow: "0 2px 5px rgba(0,0,0,0.1)",
22     width: "250px",
23   },
24 };
25
26 export default ContactCard;
```

```
File Edit Selection View Go ... < -> Untitled (Workspace)
JS App.js x JS ContactCard.js
ITV REACT > myfirstapp-cra > src > JS App.js > ...
1 import React from "react";
2 import ContactCard from "../ContactCard";
3
4 const contacts = [
5   {
6     name: "Alice Johnson",
7     email: "alice.johnson@example.com",
8     phone: "555-1234",
9     address: "123 Maple Street, Springfield",
10  },
11  {
12    name: "Bob Smith",
13    email: "bob.smith@example.com",
14    phone: "555-5678",
15    address: "456 Oak Avenue, Metropolis",
16  },
17  {
18    name: "Charlie Brown",
19    email: "charlie.brown@example.com",
20    phone: "555-8765",
21    address: "789 Pine Road, Gotham",
22  },
23 ];
```


Activate Windows  
Go to Settings to activate Windows.

Ln 60, Col 1 Spaces: 2 UTF-8 LF () JavaScript Go Live 2:31 PM 24-Sep-25

```
File Edit Selection View Go ... < -> Untitled (Workspace)
JS App.js x JS ContactCard.js
ITV REACT > myfirstapp-cra > src > JS App.js > ...
22 },
23 ];
24
25 const App = () => {
26   return (
27     <div style={styles.container}>
28       <h2>Contact List</h2>
29       <div style={styles.cardContainer}>
30         {contacts.map((contact, index) => (
31           <ContactCard
32             key={index}
33             name={contact.name}
34             email={contact.email}
35             phone={contact.phone}
36             address={contact.address}
37           />
38         ))}
39       </div>
40     </div>
41   );
42 };
43
```

Activate Windows  
Go to Settings to activate Windows.

Ln 60, Col 1 Spaces: 2 UTF-8 LF () JavaScript Go Live 2:31 PM 24-Sep-25



The screenshot shows the Visual Studio Code editor with a file named `ContactCard.js` open. The code defines a `styles` object with two nested objects: `container` and `cardContainer`. The `container` object has properties `textAlign`, `padding`, and `fontFamily`. The `cardContainer` object has properties `display`, `justifyContent`, `flexWrap`, `gap`, and `marginTop`. The file exports a default component named `App`.

```
43
44 const styles = {
45   container: {
46     textAlign: "center",
47     padding: "20px",
48     fontFamily: "Arial, sans-serif",
49   },
50   cardContainer: {
51     display: "flex",
52     justifyContent: "center",
53     flexWrap: "wrap",
54     gap: "20px",
55     marginTop: "20px",
56   },
57 };
58
59 export default App;
60
```

Output :

