

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Artificial Intelligence and Data Science

ASSESSMENT TOOL 3 – CODING CHALLENGE

Course Code:	DSA0305	Course Title:	Natural Language Processing
CO Assessed:	CO1 – Imitation (L1)	Assessment:	Assessment Tool 3 – Coding Challenge
Weightage:	30% of CIA		
CO5 Statement:	Analyse NLP models, regular expression patterns, finite state automata, morphological processing techniques and to interpret language processing. (BL-3)		
Student Name:	A Roja	Reg. No.:	192424226
Section / Batch:		Date:	

Code of Conduct

I A Roja [192424226] (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: A Roja

Instructions

- Develop a complete and modular Python program that meets all the functional requirements specified in the coding challenge using appropriate algorithms, data structures, and programming practices.
- Test the program using multiple valid and invalid test cases, and clearly display the input, processing, and output to verify the correctness of the implementation.
- Follow standard coding practices by using meaningful variable names, proper indentation, comments, exception handling (where applicable), and upload the source code, sample outputs, and README file to the designated GitHub repository.
- Duration: 40 minutes.

Section / Topic	Focus	Q Nos
Regular Expression Pattern Matching	Regular Expressions, Basic Regular Expression Patterns	1
Finite State Automata Implementation	Finite State Automata, Models and Algorithms	2
Advanced Regular Expression Search	Regular Expressions, Basic Regular Expression Patterns	3

Section 1: Intelligent Email and Password Validator using Regular Expressions

1. Problem Statement:

A software company is developing a user registration system. Before creating an account, the system must validate user credentials based on predefined security policies.

Develop a Python application that validates:

Email Address

Password

Mobile Number

using Regular Expressions.

Validation Rules

Email

Must start with an alphabet.

May contain letters, digits, '.', '_' before '@'.

Domain should contain only alphabets.

Valid extensions: .com, .org, .edu, .net, .in

Password

Minimum 8 characters

At least one uppercase letter

At least one lowercase letter

At least one digit

At least one special character (@, #, \$, %, &, !)

Mobile Number

Must contain exactly 10 digits.

First digit should be between 6–9.

Expected Output

Display:

Valid Email / Invalid Email

Strong Password / Weak Password

Valid Mobile Number / Invalid Mobile Number

PROGRAM:

```
import re
email = input("Enter Email Address: ")
password = input("Enter Password: ")
mobile = input("Enter Mobile Number: ")
email_pattern = r'^[A-Za-z][A-Za-z0-9._]*@[A-Za-z]+\.(com|org|edu|net|in)$'
password_pattern = r'^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[@#$$%&!])[A-Za-z\d@#$$%&!]{8,}$'
mobile_pattern = r'^[6-9]\d{9}$'
if re.fullmatch(email_pattern, email):
    print("Valid Email")
else:
    print("Invalid Email")
if re.fullmatch(password_pattern, password):
    print("Strong Password")
else:
    print("Weak Password")
if re.fullmatch(mobile_pattern, mobile):
    print("Valid Mobile Number")
else:
    print("Invalid Mobile Number")
```

OUTPUT:

```
File Edit Format Run Options Window Help
import re

# Input from user
email = input("Enter Email Address: ")
password = input("Enter Password: ")
mobile = input("Enter Mobile Number: ")

# Regular Expression Patterns

# Email Validation
email_pattern = r'^[A-Za-z][A-Za-z0-9._]*@[A-Za-z]+\.(com|org|edu|net|in)$'

# Password Validation
password_pattern = r'^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[@$%&!])[A-Za-z\d@#]
# Mobile Number Validation
mobile_pattern = r'^[6-9]\d{9}$'

# Email Validation
if re.fullmatch(email_pattern, email):
    print("Valid Email")
else:
    print("Invalid Email")

# Password Validation
if re.fullmatch(password_pattern, password):
    print("Strong Password")
else:
    print("Weak Password")

# Mobile Number Validation
if re.fullmatch(mobile_pattern, mobile):
    print("Valid Mobile Number")
else:
    print("Invalid Mobile Number")

File Edit Shell Debug Options Window Help
Python 3.13.3 (tags/v3.13.3:6280bb5, Apr 8 2025, 14:47:33) [MSC v.1943
64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/ROJAYADAV/Downloads/at3 1.py =====
Enter Email Address: preeti123@gmail.com
Enter Password: preeti123
Enter Mobile Number: 7654321890
Valid Email
Weak Password
Valid Mobile Number
>>>
```

Section 2: Design a Finite State Automata (FSA) Simulator

2. Problem Statement

Develop a Python-based Deterministic Finite Automata (DFA) simulator.

The program should:

- Accept the DFA description
 - States
 - Input alphabet
 - Transition table
 - Initial state
 - Final state(s)
- Accept multiple input strings.
- Simulate state transitions.
- Display whether the string is Accepted or Rejected.

Example

Language:
Strings ending with "ab"

Input
abaab

Output
Transition Path:
 $q_0 \rightarrow q_1 \rightarrow q_0 \rightarrow q_1 \rightarrow q_2$
Accepted

PROGRAM:
states = {'q0', 'q1', 'q2'}
alphabet = {'a', 'b'}
transition = {
 ('q0', 'a'): 'q1',
 ('q0', 'b'): 'q0',
 ('q1', 'a'): 'q1',
 ('q1', 'b'): 'q2',
 ('q2', 'a'): 'q1',
 ('q2', 'b'): 'q0'
}
initial_state = 'q0'
final_states = {'q2'}
Number of strings

```

n = int(input("Enter number of input strings: "))
for i in range(n):
    string = input("\nEnter input string: ")
    current_state = initial_state
    path = [current_state]
    valid = True
    for symbol in string:
        if symbol not in alphabet:
            valid = False
            break
        current_state = transition[(current_state, symbol)]
        path.append(current_state)
    if valid:
        print("Transition Path:", " → ".join(path))
        if current_state in final_states:
            print("Accepted")
        else:
            print("Rejected")
    else:
        print("Invalid Input String")

```

OUTPUT:

```

File Edit Format Run Options Window Help
Python 3.13.3 (tags/v3.13.3:6280bb5, Apr 8 2025, 14:47:33) [MSC v.1943
64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/ROJAYADAV/Downloads/at3 1.py =====
Enter number of input strings: 2
Enter input string: abaab
Transition Path: q0 -> q1 -> q2 -> q1 -> q1 -> q2
Accepted
Enter input string: abb
Transition Path: q0 -> q1 -> q2 -> q0
Rejected
>>>
===== RESTART: C:/Users/ROJAYADAV/Downloads/at3 1.py =====
Enter number of input strings: 1
Enter input string: bab
Transition Path: q0 -> q0 -> q1 -> q2
Accepted
>>>

```

Section 3: Smart Pattern Matching Engine using Regular Expressions

3. Problem Statement

Develop a Python-based text search engine that performs pattern matching using Regular Expressions.

The system should support:

- Word Search
- Prefix Search
- Suffix Search
- Date Search
- Phone Number Search
- Hashtag Search
- Mention (@username) Search

Example Input

Meeting on 12/09/2026
 Call 9876543210
 #NLP
 @OpenAI
 natural language processing

User Menu

- 1.Search Date
- 2.Search Phone Number

3.Search Hashtag

4.Search Mention

5.Search Prefix

6.Search Suffix

Expected Output

Display all matching patterns based on user selection.

PROGRAM:

```
import re
text = """Meeting on 12/09/2026
Call 9876543210
@OpenAI
natural language processing"""
while True:
    print("\n----- TEXT SEARCH ENGINE -----")
    print("1. Search Date")
    print("2. Search Phone Number")
    print("3. Search Hashtag")
    print("4. Search Mention")
    print("5. Search Prefix")
    print("6. Search Suffix")
    print("7. Search Word")
    print("8. Exit")
    choice = int(input("Enter your choice: "))
    if choice == 1:
        result = re.findall(r'\b\d{2}/\d{2}/\d{4}\b', text)
        print("Dates Found:", result)
    elif choice == 2:
        result = re.findall(r'\b[6-9]\d{9}\b', text)
        print("Phone Numbers Found:", result)
    elif choice == 3:
        result = re.findall(r'#\w+', text)
        print("Hashtags Found:", result)
    elif choice == 4:
        result = re.findall(r'@\w+', text)
        print("Mentions Found:", result)

    elif choice == 5:
        prefix = input("Enter Prefix: ")
        pattern = r'\b' + re.escape(prefix) + r'\w*\b'
        result = re.findall(pattern, text, re.IGNORECASE)
        print("Matching Words:", result)
    elif choice == 6:
        suffix = input("Enter Suffix: ")
        pattern = r'\b\w*' + re.escape(suffix) + r'\b'
        result = re.findall(pattern, text, re.IGNORECASE)
        print("Matching Words:", result)
    elif choice == 7:
        word = input("Enter Word: ")
        pattern = r'\b' + re.escape(word) + r'\b'
        result = re.findall(pattern, text, re.IGNORECASE)
        print("Word Found:", result)
    elif choice == 8:
        print("Exiting Program...")
        break

    else:
        print("Invalid Choice")
```

OUTPUT:

```
FILE EDIT FORMAT RUN OPTIONS WINDOW HELP
if choice == 1:
    result = re.findall(r'\b\d{2}/\d{2}/\d{4}\b', text)
    print("Dates Found:", result)
elif choice == 2:
    result = re.findall(r'\b[6-9]\d{9}\b', text)
    print("Phone Numbers Found:", result)
elif choice == 3:
    result = re.findall(r'#\w+', text)
    print("Hashtags Found:", result)
elif choice == 4:
    result = re.findall(r'@\w+', text)
    print("Mentions Found:", result)
elif choice == 5:
    prefix = input("Enter Prefix: ")
    pattern = r'\b' + re.escape(prefix) + r'\w'\b'
    result = re.findall(pattern, text, re.IGNORECASE)
    print("Matching Words:", result)
elif choice == 6:
    suffix = input("Enter Suffix: ")
    pattern = r'\w' + re.escape(suffix) + r'\b'
    result = re.findall(pattern, text, re.IGNORECASE)
    print("Matching Words:", result)
elif choice == 7:
    word = input("Enter Word: ")
    pattern = r'\b' + re.escape(word) + r'\b'
    result = re.findall(pattern, text, re.IGNORECASE)
    print("Word Found:", result)
elif choice == 8:
    print("Exiting Program...")
    break
else:
    print("Invalid choice")
```

```
FILE EDIT FORMAT RUN OPTIONS WINDOW HELP
TEXT SEARCH ENGINE
1. Search Date
2. Search Phone Number
3. Search Hashtag
4. Search Mention
5. Search Prefix
6. Search Suffix
7. Search Word
8. Exit
Enter your choice: 1
Dates Found: ['12/09/2026']
TEXT SEARCH ENGINE
1. Search Date
2. Search Phone Number
3. Search Hashtag
4. Search Mention
5. Search Prefix
6. Search Suffix
7. Search Word
8. Exit
Enter your choice: 2
Phone Numbers Found: ['9876543210']
TEXT SEARCH ENGINE
1. Search Date
2. Search Phone Number
3. Search Hashtag
4. Search Mention
5. Search Prefix
6. Search Suffix
7. Search Word
8. Exit
Enter your choice: 3
Hashtags Found: ['#NLP']
TEXT SEARCH ENGINE
1. Search Date
2. Search Phone Number
```

```
FILE EDIT FORMAT RUN OPTIONS WINDOW HELP
import re

# Input text
text = """Meeting on 12/09/2026
Call 9876543210
#NLP
@OpenAI
natural language processing"""

while True:
    print("\n----- TEXT SEARCH ENGINE -----")
    print("1. Search Date")
    print("2. Search Phone Number")
    print("3. Search Hashtag")
    print("4. Search Mention")
    print("5. Search Prefix")
    print("6. Search Suffix")
    print("7. Search Word")
    print("8. Exit")

    choice = int(input("Enter your choice: "))

    if choice == 1:
        result = re.findall(r'\b\d{2}/\d{2}/\d{4}\b', text)
        print("Dates Found:", result)
    elif choice == 2:
        result = re.findall(r'\b[6-9]\d{9}\b', text)
        print("Phone Numbers Found:", result)
    elif choice == 3:
        result = re.findall(r'#\w+', text)
        print("Hashtags Found:", result)
    elif choice == 4:
        result = re.findall(r'@\w+', text)
        print("Mentions Found:", result)
    elif choice == 5:
        prefix = input("Enter Prefix: ")
```

```
FILE EDIT FORMAT RUN OPTIONS WINDOW HELP
----- TEXT SEARCH ENGINE -----
1. Search Date
2. Search Phone Number
3. Search Hashtag
4. Search Mention
5. Search Prefix
6. Search Suffix
7. Search Word
8. Exit
Enter your choice: 5
Enter Prefix: nat
Matching Words: ['natural']
----- TEXT SEARCH ENGINE -----
1. Search Date
2. Search Phone Number
3. Search Hashtag
4. Search Mention
5. Search Prefix
6. Search Suffix
7. Search Word
8. Exit
Enter your choice: 6
Enter Suffix: ing
Matching Words: ['Meeting', 'processing']
----- TEXT SEARCH ENGINE -----
1. Search Date
2. Search Phone Number
3. Search Hashtag
4. Search Mention
5. Search Prefix
6. Search Suffix
7. Search Word
8. Exit
Enter your choice: 7
Enter Word: language
Word Found: ['language']
----- TEXT SEARCH ENGINE -----
```

Rubrics for Calculation

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Problem Understanding	20%	Clearly understands problem constraints, edge cases, and competitive requirements	Understands problem with minor gaps in constraints	Partial understanding; misses key constraints	Misinterprets problem or constraints
Algorithm	25%	Selects optimal algorithm with best time and space complexity for competitive constraints	Uses efficient algorithm with minor scope for improvement	Uses basic/inefficient approach	No clear algorithmic approach
Code Implementation	20%	Writes correct, efficient, and clean code that passes all constraints	Code works with minor errors or inefficiencies	Partially correct code; fails for some cases	Code does not execute or gives incorrect results
Competitive Performance	20%	Solves problem within time limits and handles large inputs effectively	Solves within acceptable time with minor delays	Struggles with time limits or larger inputs	Unable to solve within time constraints
Test Case Handling	15%	Handles all test cases including edge and hidden cases	Handles most test cases	Misses important edge cases	Fails on multiple test cases

Q. No. / Criteria	Problem Understanding	Algorithm	Code Implementation	Competitive Performance	Test Case Handling	Sub. Total	Total %
1							
2							
3							

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____