

Objektinio programavimo projektas

Generated by Doxygen 1.10.0

1 Hierarchical Index	1
1.1 Class Hierarchy	1
2 Class Index	3
2.1 Class List	3
3 File Index	5
3.1 File List	5
4 Class Documentation	7
4.1 studentas Class Reference	7
4.1.1 Constructor & Destructor Documentation	8
4.1.1.1 studentas() [1/4]	8
4.1.1.2 studentas() [2/4]	8
4.1.1.3 ~studentas()	8
4.1.1.4 studentas() [3/4]	8
4.1.1.5 studentas() [4/4]	9
4.1.2 Member Function Documentation	9
4.1.2.1 getErez()	9
4.1.2.2 getGbalas()	9
4.1.2.3 getNdrez()	9
4.1.2.4 getPavarde()	9
4.1.2.5 getVardas()	9
4.1.2.6 operator=() [1/2]	9
4.1.2.7 operator=() [2/2]	9
4.1.2.8 setErez()	9
4.1.2.9 setGbalas()	10
4.1.2.10 setNdrez()	10
4.1.2.11 setPavarde()	10
4.1.2.12 setVardas()	10
4.1.2.13 sortNdrez()	10
4.1.3 Friends And Related Symbol Documentation	10
4.1.3.1 operator<<	10
4.1.3.2 operator>>	10
4.1.4 Member Data Documentation	10
4.1.4.1 budas	10
4.1.4.2 erez	11
4.1.4.3 gbalas	11
4.1.4.4 line	11
4.1.4.5 ndrez	11
4.1.4.6 pavarde	11
4.1.4.7 vardas	11
4.2 zmogus Class Reference	11

4.2.1 Constructor & Destructor Documentation	12
4.2.1.1 ~zmogus()	12
4.2.1.2 zmogus()	12
5 File Documentation	13
5.1 build/CMakeFiles/3.29.2/CompilerIdC/CMakeCCompilerId.c File Reference	13
5.1.1 Macro Definition Documentation	13
5.1.1.1 __has_include	13
5.1.1.2 ARCHITECTURE_ID	14
5.1.1.3 C_VERSION	14
5.1.1.4 COMPILER_ID	14
5.1.1.5 DEC	14
5.1.1.6 HEX	14
5.1.1.7 PLATFORM_ID	14
5.1.1.8 STRINGIFY	14
5.1.1.9 STRINGIFY_HELPER	15
5.1.2 Function Documentation	15
5.1.2.1 main()	15
5.1.3 Variable Documentation	15
5.1.3.1 info_arch	15
5.1.3.2 info_compiler	15
5.1.3.3 info_language_extensions_default	15
5.1.3.4 info_language_standard_default	15
5.1.3.5 info_platform	15
5.2 build/CMakeFiles/3.29.2/CompilerIdCXX/CMakeCXXCompilerId.cpp File Reference	16
5.2.1 Macro Definition Documentation	16
5.2.1.1 __has_include	16
5.2.1.2 ARCHITECTURE_ID	16
5.2.1.3 COMPILER_ID	16
5.2.1.4 CXX_STD	16
5.2.1.5 DEC	17
5.2.1.6 HEX	17
5.2.1.7 PLATFORM_ID	17
5.2.1.8 STRINGIFY	17
5.2.1.9 STRINGIFY_HELPER	17
5.2.2 Function Documentation	17
5.2.2.1 main()	17
5.2.3 Variable Documentation	18
5.2.3.1 info_arch	18
5.2.3.2 info_compiler	18
5.2.3.3 info_language_extensions_default	18
5.2.3.4 info_language_standard_default	18

5.2.3.5 info_platform	18
5.3 build/CMakeFiles/mytests.dir/mytests.cpp.o.d File Reference	19
5.4 build/CMakeFiles/mytests.dir/studentas.cpp.o.d File Reference	19
5.5 build/googletest/googlemock/CMakeFiles/gmock.dir/src/gmock-all.cc.o.d File Reference	19
5.6 build/googletest/googlemock/CMakeFiles/gmock_main.dir/src/gmock_main.cc.o.d File Reference	19
5.7 build/googletest/googletest/CMakeFiles/gtest.dir/src/gtest-all.cc.o.d File Reference	19
5.8 build/googletest/googletest/CMakeFiles/gtest_main.dir/src/gtest_main.cc.o.d File Reference	19
5.9 errorfinder.cpp File Reference	19
5.9.1 Function Documentation	19
5.9.1.1 budaspatikra()	19
5.9.1.2 dskaitpatikra()	20
5.9.1.3 erezpatikra()	20
5.9.1.4 fgeneravimopatikra()	20
5.9.1.5 isvedbudpatikra()	20
5.9.1.6 ivedbudpatikra()	20
5.9.1.7 pazymiopatikra()	20
5.9.1.8 rikbudpatikra()	20
5.9.1.9 skirststratpat()	20
5.9.1.10 skirstymopatikra()	20
5.9.1.11 studskpatikra()	20
5.10 errorfinder.h File Reference	21
5.10.1 Function Documentation	21
5.10.1.1 budaspatikra()	21
5.10.1.2 dskaitpatikra()	21
5.10.1.3 erezpatikra()	21
5.10.1.4 fgeneravimopatikra()	21
5.10.1.5 isvedbudpatikra()	21
5.10.1.6 ivedbudpatikra()	21
5.10.1.7 pazymiopatikra()	22
5.10.1.8 rikbudpatikra()	22
5.10.1.9 skirststratpat()	22
5.10.1.10 skirstymopatikra()	22
5.10.1.11 studskpatikra()	22
5.11 errorfinder.h	22
5.12 filegenerator.cpp File Reference	22
5.12.1 Function Documentation	23
5.12.1.1 failugeneravimas()	23
5.13 filegenerator.h File Reference	23
5.13.1 Function Documentation	23
5.13.1.1 failugeneravimas()	23
5.14 filegenerator.h	23
5.15 functions.cpp File Reference	23

5.15.1 Function Documentation	24
5.15.1.1 irasymasifaila()	24
5.15.1.2 irasymasifailaK()	24
5.15.1.3 isvedimas()	24
5.15.1.4 pazymiuiwed()	24
5.15.1.5 rikiavimas()	25
5.15.1.6 rikiavimasgbalas()	25
5.15.1.7 rikiavimaspavarde()	25
5.15.1.8 rikiavimasvardas()	25
5.15.1.9 skaiciavimas()	25
5.15.1.10 skaitymasisfailo()	25
5.15.1.11 skirstymas1()	25
5.15.1.12 skirstymas2()	26
5.15.1.13 skirstymas3()	26
5.15.2 Variable Documentation	26
5.15.2.1 tlaikas	26
5.16 functions.h File Reference	26
5.16.1 Function Documentation	27
5.16.1.1 irasymasifaila()	27
5.16.1.2 irasymasifailaK()	27
5.16.1.3 isvedimas()	27
5.16.1.4 pazymiuiwed()	27
5.16.1.5 rikiavimas()	27
5.16.1.6 rikiavimasgbalas()	27
5.16.1.7 rikiavimaspavarde()	28
5.16.1.8 rikiavimasvardas()	28
5.16.1.9 skaiciavimas()	28
5.16.1.10 skaitymasisfailo()	28
5.16.1.11 skirstymas1()	28
5.16.1.12 skirstymas2()	28
5.16.1.13 skirstymas3()	28
5.16.2 Variable Documentation	29
5.16.2.1 tlaikas	29
5.17 functions.h	29
5.18 main.cpp File Reference	29
5.18.1 Function Documentation	30
5.18.1.1 main()	30
5.18.1.2 testCopyAssignment()	30
5.18.1.3 testCopyConstruction()	30
5.18.1.4 testMoveAssignment()	30
5.18.1.5 testMoveConstruction()	30
5.19 mytests.cpp File Reference	30

5.19.1 Function Documentation	31
5.19.1.1 main()	31
5.19.1.2 TEST() [1/3]	31
5.19.1.3 TEST() [2/3]	31
5.19.1.4 TEST() [3/3]	31
5.20 studentas.cpp File Reference	31
5.21 studentas.h File Reference	31
5.22 studentas.h	32
5.23 zmogus.h File Reference	33
5.24 zmogus.h	33
Index	35

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

zmogus	11
studentas	7

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

studentas	7
zmogus	11

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

errorfinder.cpp	19
errorfinder.h	21
filegenerator.cpp	22
filegenerator.h	23
functions.cpp	23
functions.h	26
main.cpp	29
mytests.cpp	30
studentas.cpp	31
studentas.h	31
zmogus.h	33
build/CMakeFiles/3.29.2/CompilerIdC/CMakeCCompilerId.c	13
build/CMakeFiles/3.29.2/CompilerIdCXX/CMakeCXXCompilerId.cpp	16
build/CMakeFiles/mytests.dir/ mytests.cpp.o.d	19
build/CMakeFiles/mytests.dir/ studentas.cpp.o.d	19
build/googletest/googmock/CMakeFiles/gmock.dir/src/ gmock-all.cc.o.d	19
build/googletest/googmock/CMakeFiles/gmock_main.dir/src/ gmock_main.cc.o.d	19
build/googletest/googletest/CMakeFiles/gtest.dir/src/ gtest-all.cc.o.d	19
build/googletest/googletest/CMakeFiles/gtest_main.dir/src/ gtest_main.cc.o.d	19


Chapter 4

Class Documentation

4.1 studentas Class Reference

```
#include <studentas.h>
```

Inheritance diagram for studentas:



Public Member Functions

- [studentas](#) ()
- [studentas](#) (const string &v, const string &p, const vector< int > &nd, int e, double g)
- [~studentas](#) ()
- [studentas](#) (const [studentas](#) &kit)
- [studentas](#) & [operator=](#) (const [studentas](#) &kit)
- [studentas](#) ([studentas](#) &&kit) noexcept
- [studentas](#) & [operator=](#) ([studentas](#) &&kit) noexcept
- string [getVardas](#) () const
- string [getPavarde](#) () const
- vector< int > [getNdrez](#) () const
- int [getErez](#) () const
- double [getGbalas](#) () const
- void [setVardas](#) (const string &v)
- void [setPavarde](#) (const string &p)
- void [setNdrez](#) (const vector< int > &nd)
- void [setErez](#) (int e)
- void [setGbalas](#) (double g)
- void [sortNdrez](#) ()

Public Member Functions inherited from [zmogus](#)

- virtual [~zmogus](#) ()=default

Public Attributes

- string [line](#)
- char [budas](#)

Private Attributes

- string [vardas](#)
- string [pavarde](#)
- vector< int > [ndrez](#)
- int [erez](#)
- double [gbalas](#)

Friends

- std::istream & [operator>>](#) (std::istream &in, [studentas](#) &kit)
- std::ostream & [operator<<](#) (std::ostream &out, const [studentas](#) &kit)

Additional Inherited Members

Protected Member Functions inherited from [zmogus](#)

- [zmogus](#) ()

4.1.1 Constructor & Destructor Documentation

4.1.1.1 [studentas\(\)](#) [1/4]

```
studentas::studentas ( )
```

4.1.1.2 [studentas\(\)](#) [2/4]

```
studentas::studentas (
    const string & v,
    const string & p,
    const vector< int > & nd,
    int e,
    double g )
```

4.1.1.3 [~studentas\(\)](#)

```
studentas::~~studentas ( )
```

4.1.1.4 [studentas\(\)](#) [3/4]

```
studentas::studentas (
    const studentas & kit )
```


4.1.1.5 studentas() [4/4]

```
studentas::studentas (
    studentas && kit ) [noexcept]
```

4.1.2 Member Function Documentation

4.1.2.1 getErez()

```
int studentas::getErez ( ) const [inline]
```

4.1.2.2 getGbalas()

```
double studentas::getGbalas ( ) const [inline]
```

4.1.2.3 getNdrez()

```
vector< int > studentas::getNdrez ( ) const [inline]
```

4.1.2.4 getPavarde()

```
string studentas::getPavarde ( ) const [inline]
```

4.1.2.5 getVardas()

```
string studentas::getVardas ( ) const [inline]
```

4.1.2.6 operator=() [1/2]

```
studentas & studentas::operator= (
    const studentas & kit )
```

4.1.2.7 operator=() [2/2]

```
studentas & studentas::operator= (
    studentas && kit ) [noexcept]
```

4.1.2.8 setErez()

```
void studentas::setErez (
    int e ) [inline]
```

4.1.2.9 setGbalas()

```
void studentas::setGbalas (
    double g ) [inline]
```

4.1.2.10 setNdrez()

```
void studentas::setNdrez (
    const vector< int > & nd ) [inline]
```

4.1.2.11 setPavarde()

```
void studentas::setPavarde (
    const string & p ) [inline]
```

4.1.2.12 setVardas()

```
void studentas::setVardas (
    const string & v ) [inline]
```

4.1.2.13 sortNdrez()

```
void studentas::sortNdrez ( ) [inline]
```

4.1.3 Friends And Related Symbol Documentation

4.1.3.1 operator<<

```
std::ostream & operator<< (
    std::ostream & out,
    const studentas & kit ) [friend]
```

4.1.3.2 operator>>

```
std::istream & operator>> (
    std::istream & in,
    studentas & kit ) [friend]
```

4.1.4 Member Data Documentation

4.1.4.1 budas

```
char studentas::budas
```

4.1.4.2 erez

```
int studentas::erez [private]
```

4.1.4.3 gbalas

```
double studentas::gbalas [private]
```

4.1.4.4 line

```
string studentas::line
```

4.1.4.5 ndrez

```
vector<int> studentas::ndrez [private]
```

4.1.4.6 pavarde

```
string studentas::pavarde [private]
```

4.1.4.7 vardas

```
string studentas::vardas [private]
```


The documentation for this class was generated from the following files:

- [studentas.h](#)
- [studentas.cpp](#)

4.2 zmogus Class Reference

```
#include <zmogus.h>
```

Inheritance diagram for zmogus:



Public Member Functions

- virtual [~zmogus](#) ()=default

Protected Member Functions

- [zmogus\(\)](#)

4.2.1 Constructor & Destructor Documentation

4.2.1.1 ~zmogus()

```
virtual zmogus::~~zmogus ( ) [virtual], [default]
```

4.2.1.2 zmogus()

```
zmogus::zmogus ( ) [inline], [protected]
```

The documentation for this class was generated from the following file:

- [zmogus.h](#)

Chapter 5

File Documentation

5.1 build/CMakeFiles/3.29.2/CompilerIdC/CMakeCCompilerId.c File Reference

Macros

- `#define __has_include(x) 0`
- `#define COMPILER_ID ""`
- `#define STRINGIFY_HELPER(X) #X`
- `#define STRINGIFY(X) STRINGIFY_HELPER(X)`
- `#define PLATFORM_ID`
- `#define ARCHITECTURE_ID`
- `#define DEC(n)`
- `#define HEX(n)`
- `#define C_VERSION`

Functions

- `int main (int argc, char *argv[])`

Variables

- `char const * info_compiler = "INFO" ":" "compiler[" COMPILER_ID "]"`
- `char const * info_platform = "INFO" ":" "platform[" PLATFORM_ID "]"`
- `char const * info_arch = "INFO" ":" "arch[" ARCHITECTURE_ID "]"`
- `const char * info_language_standard_default`
- `const char * info_language_extensions_default`

5.1.1 Macro Definition Documentation

5.1.1.1 __has_include

```
#define __has_include(  
    x ) 0
```

5.1.1.2 ARCHITECTURE_ID

```
#define ARCHITECTURE_ID
```

5.1.1.3 C_VERSION

```
#define C_VERSION
```

5.1.1.4 COMPILER_ID

```
#define COMPILER_ID ""
```

5.1.1.5 DEC

```
#define DEC(  
    n )
```

Value:

```
('0' + ((n) / 10000000) % 10), \
('0' + ((n) / 1000000) % 10), \
('0' + ((n) / 100000) % 10), \
('0' + ((n) / 10000) % 10), \
('0' + ((n) / 1000) % 10), \
('0' + ((n) / 100) % 10), \
('0' + ((n) / 10) % 10), \
('0' + ((n) % 10))
```

5.1.1.6 HEX

```
#define HEX(  
    n )
```

Value:

```
('0' + ((n) >> 28 & 0xF)), \
('0' + ((n) >> 24 & 0xF)), \
('0' + ((n) >> 20 & 0xF)), \
('0' + ((n) >> 16 & 0xF)), \
('0' + ((n) >> 12 & 0xF)), \
('0' + ((n) >> 8 & 0xF)), \
('0' + ((n) >> 4 & 0xF)), \
('0' + ((n) & 0xF))
```

5.1.1.7 PLATFORM_ID

```
#define PLATFORM_ID
```

5.1.1.8 STRINGIFY

```
#define STRINGIFY(  
    X ) STRINGIFY_HELPER(X)
```

5.1.1.9 STRINGIFY_HELPER

```
#define STRINGIFY_HELPER(  
    X ) #X
```

5.1.2 Function Documentation

5.1.2.1 main()

```
int main (  
    int argc,  
    char * argv[] )
```

5.1.3 Variable Documentation

5.1.3.1 info_arch

```
char const* info_arch = "INFO" ":" "arch[" ARCHITECTURE_ID "]"
```

5.1.3.2 info_compiler

```
char const* info_compiler = "INFO" ":" "compiler[" COMPILER_ID "]"
```

5.1.3.3 info_language_extensions_default

```
const char* info_language_extensions_default
```

Initial value:

```
= "INFO" ":" "extensions_default["
```

```
    "OFF"  
    "]"
```

5.1.3.4 info_language_standard_default

```
const char* info_language_standard_default
```

Initial value:

```
=  
    "INFO" ":" "standard_default[" C_VERSION "]"
```

5.1.3.5 info_platform

```
char const* info_platform = "INFO" ":" "platform[" PLATFORM_ID "]"
```

5.2 build/CMakeFiles/3.29.2/CompilerIdCXX/CMakeCXXCompilerId.cpp

File Reference

Macros

- `#define __has_include(x) 0`
- `#define COMPILER_ID ""`
- `#define STRINGIFY_HELPER(X) #X`
- `#define STRINGIFY(X) STRINGIFY_HELPER(X)`
- `#define PLATFORM_ID`
- `#define ARCHITECTURE_ID`
- `#define DEC(n)`
- `#define HEX(n)`
- `#define CXX_STD __cplusplus`

Functions

- `int main (int argc, char *argv[])`

Variables

- `char const * info_compiler = "INFO" ":" "compiler[" COMPILER_ID "]"`
- `char const * info_platform = "INFO" ":" "platform[" PLATFORM_ID "]"`
- `char const * info_arch = "INFO" ":" "arch[" ARCHITECTURE_ID "]"`
- `const char * info_language_standard_default`
- `const char * info_language_extensions_default`

5.2.1 Macro Definition Documentation

5.2.1.1 __has_include

```
#define __has_include(  
    x ) 0
```

5.2.1.2 ARCHITECTURE_ID

```
#define ARCHITECTURE_ID
```

5.2.1.3 COMPILER_ID

```
#define COMPILER_ID ""
```

5.2.1.4 CXX_STD

```
#define CXX_STD __cplusplus
```


5.2.1.5 DEC

```
#define DEC(
    n )
```

Value:

```
('0' + ((n) / 10000000) % 10), \
('0' + ((n) / 1000000) % 10), \
('0' + ((n) / 100000) % 10), \
('0' + ((n) / 10000) % 10), \
('0' + ((n) / 1000) % 10), \
('0' + ((n) / 100) % 10), \
('0' + ((n) / 10) % 10), \
('0' + ((n) % 10))
```

5.2.1.6 HEX

```
#define HEX(
    n )
```

Value:

```
('0' + ((n) >> 28 & 0xF)), \
('0' + ((n) >> 24 & 0xF)), \
('0' + ((n) >> 20 & 0xF)), \
('0' + ((n) >> 16 & 0xF)), \
('0' + ((n) >> 12 & 0xF)), \
('0' + ((n) >> 8 & 0xF)), \
('0' + ((n) >> 4 & 0xF)), \
('0' + ((n) & 0xF))
```

5.2.1.7 PLATFORM_ID

```
#define PLATFORM_ID
```

5.2.1.8 STRINGIFY

```
#define STRINGIFY(
    X ) STRINGIFY_HELPER(X)
```

5.2.1.9 STRINGIFY_HELPER

```
#define STRINGIFY_HELPER(
    X ) #X
```

5.2.2 Function Documentation

5.2.2.1 main()

```
int main (
    int argc,
    char * argv[] )
```

5.2.3 Variable Documentation

5.2.3.1 info_arch

```
char const* info_arch = "INFO" ":" "arch[" ARCHITECTURE_ID "]"
```

5.2.3.2 info_compiler

```
char const* info_compiler = "INFO" ":" "compiler[" COMPILER_ID "]"
```

5.2.3.3 info_language_extensions_default

```
const char* info_language_extensions_default
```

Initial value:

```
= "INFO" ":" "extensions_default["
```

```
"OFF"
```

```
"]"
```

5.2.3.4 info_language_standard_default

```
const char* info_language_standard_default
```

Initial value:

```
= "INFO" ":" "standard_default["
```

```
"98"
```

```
"]"
```

5.2.3.5 info_platform

```
char const* info_platform = "INFO" ":" "platform[" PLATFORM_ID "]"
```

5.3 build/CMakeFiles/mytests.dir/mytests.cpp.o.d File Reference

5.4 build/CMakeFiles/mytests.dir/studentas.cpp.o.d File Reference

5.5 build/googletest/googlemock/CMakeFiles/gmock.dir/src/gmock-all.cc.o.d File Reference

5.6 build/googletest/googlemock/CMakeFiles/gmock_↵ main.dir/src/gmock_main.cc.o.d File Reference

5.7 build/googletest/googletest/CMakeFiles/gtest.dir/src/gtest-all.cc.o.d File Reference

5.8 build/googletest/googletest/CMakeFiles/gtest_↵ main.dir/src/gtest_↵ main.cc.o.d File Reference

5.9 errorfinder.cpp File Reference

```
#include "errorfinder.h"  
#include "studentas.h"
```

Functions

- int ivedbudpatikra ()
- char budaspatikra ()
- char dskaitpatikra ()
- int studsapatikra ()
- char isvedbudpatikra ()
- int erezpatikra ()
- char rikbudpatikra ()
- int pazymiopatikra ()
- char skirstymopatikra ()
- char fgeneravimopatikra ()
- int skirststratpat ()

5.9.1 Function Documentation

5.9.1.1 budaspatikra()

```
char budaspatikra ( )
```

5.9.1.2 dskaitpatikra()

```
char dskaitpatikra ( )
```

5.9.1.3 erezpatikra()

```
int erezpatikra ( )
```

5.9.1.4 fgeneravimopatikra()

```
char fgeneravimopatikra ( )
```

5.9.1.5 isvedbudpatikra()

```
char isvedbudpatikra ( )
```

5.9.1.6 ivedbudpatikra()

```
int ivedbudpatikra ( )
```

5.9.1.7 pazymiopatikra()

```
int pazymiopatikra ( )
```

5.9.1.8 rikbudpatikra()

```
char rikbudpatikra ( )
```

5.9.1.9 skirststratpat()

```
int skirststratpat ( )
```

5.9.1.10 skirstymopatikra()

```
char skirstymopatikra ( )
```

5.9.1.11 studskpatikra()

```
int studskpatikra ( )
```

5.10 errorfinder.h File Reference

```
#include <iostream>
#include <limits>
```

Functions

- int [ivedbudpatikra](#) ()
- char [budaspatikra](#) ()
- char [dskaitpatikra](#) ()
- int [studskpatikra](#) ()
- char [isvedbudpatikra](#) ()
- int [erezpatikra](#) ()
- char [rikbudpatikra](#) ()
- int [pazymiopatikra](#) ()
- char [skirstymopatikra](#) ()
- int [skirststratpat](#) ()
- char [fgeneravimopatikra](#) ()

5.10.1 Function Documentation

5.10.1.1 budaspatikra()

```
char budaspatikra ( )
```

5.10.1.2 dskaitpatikra()

```
char dskaitpatikra ( )
```

5.10.1.3 erezpatikra()

```
int erezpatikra ( )
```

5.10.1.4 fgeneravimopatikra()

```
char fgeneravimopatikra ( )
```

5.10.1.5 isvedbudpatikra()

```
char isvedbudpatikra ( )
```

5.10.1.6 ivedbudpatikra()

```
int ivedbudpatikra ( )
```

5.10.1.7 pazymiopatikra()

```
int pazymiopatikra ( )
```

5.10.1.8 rikbudpatikra()

```
char rikbudpatikra ( )
```

5.10.1.9 skirststratpat()

```
int skirststratpat ( )
```

5.10.1.10 skirstymopatikra()

```
char skirstymopatikra ( )
```

5.10.1.11 studskpatikra()

```
int studskpatikra ( )
```

5.11 errorfinder.h

[Go to the documentation of this file.](#)

```
00001 #include <iostream>
00002 #include <limits>
00003
00004 using namespace std;
00005
00006 int ivedbudpatikra();
00007 char budaspatikra();
00008 char dskaitpatikra();
00009 int studskpatikra();
00010 char isvedbudpatikra();
00011 int erezpatikra();
00012 char rikbudpatikra();
00013 int pazymiopatikra();
00014 char skirstymopatikra();
00015 int skirststratpat();
00016 char fgeneravimopatikra();
```

5.12 filegenerator.cpp File Reference

```
#include "filegenerator.h"
#include "errorfinder.h"
#include "functions.h"
#include "studentas.h"
```

Functions

- int [failugeneravimas](#) ()

5.12.1 Function Documentation

5.12.1.1 failugeneravimas()

```
int failugeneravimas ( )
```

5.13 filegenerator.h File Reference

```
#include <iostream>
#include <iomanip>
#include <fstream>
#include <sstream>
#include <chrono>
```

Functions

- int [failugeneravimas](#) ()

5.13.1 Function Documentation

5.13.1.1 failugeneravimas()

```
int failugeneravimas ( )
```

5.14 filegenerator.h

[Go to the documentation of this file.](#)

```
00001 #include<iostream>
00002 #include<iomanip>
00003 #include<fstream>
00004 #include <sstream>
00005 #include <chrono>
00006
00007
00008 using namespace std;
00009 using namespace std::chrono;
00010
00011 int failugeneravimas();
```

5.15 functions.cpp File Reference

```
#include "functions.h"
#include "errorfinder.h"
#include "studentas.h"
```

Functions

- void `skaitymasisfailo` (vector< `studentas` > &A, char budas, char ivedbudas)
- void `irasymasifaila` (vector< `studentas` > &A, char budas)
- void `isvedimas` (vector< `studentas` > &A, char budas)
- void `pazymiuiaved` (`studentas` &new_studentas, char budas, int ivedbudas)
- void `skaiciavimas` (`studentas` &new_studentas, char budas)
- bool `rikiavimasgbalas` (const `studentas` &a, const `studentas` &b)
- bool `rikiavimasvardas` (const `studentas` &a, const `studentas` &b)
- bool `rikiavimaspavarde` (const `studentas` &a, const `studentas` &b)
- void `rikiavimas` (vector< `studentas` > &A)
- void `skirstymas1` (vector< `studentas` > &A, vector< `studentas` > &K, vector< `studentas` > &V)
- void `skirstymas2` (vector< `studentas` > &A, vector< `studentas` > &V)
- void `skirstymas3` (vector< `studentas` > &A, vector< `studentas` > &K, vector< `studentas` > &V)
- void `irasymasifailaK` (vector< `studentas` > &A, vector< `studentas` > &K, vector< `studentas` > &V, char budas, int skistr)

Variables

- int `tlaikas` = 0

5.15.1 Function Documentation

5.15.1.1 irasymasifaila()

```
void irasymasifaila (
    vector< studentas > & A,
    char budas )
```

5.15.1.2 irasymasifailaK()

```
void irasymasifailaK (
    vector< studentas > & A,
    vector< studentas > & K,
    vector< studentas > & V,
    char budas,
    int skistr )
```

5.15.1.3 isvedimas()

```
void isvedimas (
    vector< studentas > & A,
    char budas )
```

5.15.1.4 pazymiuiaved()

```
void pazymiuiaved (
    studentas & new_studentas,
    char budas,
    int ivedbudas )
```


5.15.1.5 rikiavimas()

```
void rikiavimas (
    vector< studentas > & A )
```

5.15.1.6 rikiavimasgbalas()

```
bool rikiavimasgbalas (
    const studentas & a,
    const studentas & b )
```

5.15.1.7 rikiavimaspavarde()

```
bool rikiavimaspavarde (
    const studentas & a,
    const studentas & b )
```

5.15.1.8 rikiavimasvardas()

```
bool rikiavimasvardas (
    const studentas & a,
    const studentas & b )
```

5.15.1.9 skaiciavimas()

```
void skaiciavimas (
    studentas & new_studentas,
    char budas )
```

5.15.1.10 skaitymasisfailo()

```
void skaitymasisfailo (
    vector< studentas > & A,
    char budas,
    char ivedbudas )
```

5.15.1.11 skirstymas1()

```
void skirstymas1 (
    vector< studentas > & A,
    vector< studentas > & K,
    vector< studentas > & V )
```

5.15.1.12 skirstymas2()

```
void skirstymas2 (
    vector< studentas > & A,
    vector< studentas > & V )
```

5.15.1.13 skirstymas3()

```
void skirstymas3 (
    vector< studentas > & A,
    vector< studentas > & K,
    vector< studentas > & V )
```

5.15.2 Variable Documentation

5.15.2.1 tlaikas

```
int tlaikas = 0
```

5.16 functions.h File Reference

```
#include <iostream>
#include <iomanip>
#include <limits>
#include <algorithm>
#include <vector>
#include <cstdlib>
#include <ctime>
#include <string>
#include <fstream>
#include <sstream>
#include <chrono>
#include "studentas.h"
```

Functions

- void [skaitymasifailo](#) (vector< [studentas](#) > &A, char budas, char ivedbudas)
- void [isvedimas](#) (vector< [studentas](#) > &A, char budas)
- void [pazymiui](#) ([studentas](#) &new_studentas, char budas, int ivedbudas)
- void [skaiciavimas](#) ([studentas](#) &new_studentas, char budas)
- void [irasymasifaila](#) (vector< [studentas](#) > &A, char budas)
- bool [rikiavimasgbalas](#) (const [studentas](#) &a, const [studentas](#) &b)
- bool [rikiavimasvardas](#) (const [studentas](#) &a, const [studentas](#) &b)
- bool [rikiavimasparvarda](#) (const [studentas](#) &a, const [studentas](#) &b)
- void [rikiavimas](#) (vector< [studentas](#) > &A)
- void [skirstymas1](#) (vector< [studentas](#) > &A, vector< [studentas](#) > &K, vector< [studentas](#) > &V)
- void [skirstymas2](#) (vector< [studentas](#) > &A, vector< [studentas](#) > &V)
- void [skirstymas3](#) (vector< [studentas](#) > &A, vector< [studentas](#) > &K, vector< [studentas](#) > &V)
- void [irasymasifailaK](#) (vector< [studentas](#) > &A, vector< [studentas](#) > &K, vector< [studentas](#) > &V, char budas, int skistr)

Variables

- int [tlaikas](#)

5.16.1 Function Documentation

5.16.1.1 irasymasifaila()

```
void irasymasifaila (
    vector< studentas > & A,
    char budas )
```

5.16.1.2 irasymasifailaK()

```
void irasymasifailaK (
    vector< studentas > & A,
    vector< studentas > & K,
    vector< studentas > & V,
    char budas,
    int skistr )
```

5.16.1.3 isvedimas()

```
void isvedimas (
    vector< studentas > & A,
    char budas )
```

5.16.1.4 pazymiuived()

```
void pazymiuived (
    studentas & new_studentas,
    char budas,
    int ivedbudas )
```

5.16.1.5 rikiavimas()

```
void rikiavimas (
    vector< studentas > & A )
```

5.16.1.6 rikiavimasgbalas()

```
bool rikiavimasgbalas (
    const studentas & a,
    const studentas & b )
```

5.16.1.7 rikiavimaspavarde()

```
bool rikiavimaspavarde (
    const studentas & a,
    const studentas & b )
```

5.16.1.8 rikiavimasvardas()

```
bool rikiavimasvardas (
    const studentas & a,
    const studentas & b )
```

5.16.1.9 skaiciavimas()

```
void skaiciavimas (
    studentas & new_studentas,
    char budas )
```

5.16.1.10 skaitymasisfailo()

```
void skaitymasisfailo (
    vector< studentas > & A,
    char budas,
    char ivedbudas )
```

5.16.1.11 skirstymas1()

```
void skirstymas1 (
    vector< studentas > & A,
    vector< studentas > & K,
    vector< studentas > & V )
```

5.16.1.12 skirstymas2()

```
void skirstymas2 (
    vector< studentas > & A,
    vector< studentas > & V )
```

5.16.1.13 skirstymas3()

```
void skirstymas3 (
    vector< studentas > & A,
    vector< studentas > & K,
    vector< studentas > & V )
```

5.16.2 Variable Documentation

5.16.2.1 tlaikas

```
int tlaikas [extern]
```

5.17 functions.h

[Go to the documentation of this file.](#)

```
00001 #ifndef FUNCTIONS_H
00002 #define FUNCTIONS_H
00003
00004 #include <iostream>
00005 #include <iomanip>
00006 #include <limits>
00007 #include <algorithm>
00008 #include <vector>
00009 #include <cstdlib>
00010 #include <ctime>
00011 #include <string>
00012 #include <fstream>
00013 #include <sstream>
00014 #include <chrono>
00015 #include "studentas.h"
00016
00017 using namespace std;
00018 using namespace std::chrono;
00019
00020 // struct studentas
00021 // {
00022 //     string vardas;
00023 //     string pavarde;
00024 //     vector<int> ndrez; //sudaromas vektorius
00025 //     int erez;
00026 //     double gbalas;
00027 // };
00028
00029 extern int tlaikas;
00030
00031 void skaitymasisfailo(vector<studentas> &A, char budas, char ivedbudas);
00032 void isvedimas(vector<studentas> &A, char budas);
00033 void pazymiuived(studentas &new_studentas, char budas, int ivedbudas);
00034 void skaiciavimas(studentas &new_studentas, char budas);
00035 void irasymasifaila(vector<studentas> &A, char budas);
00036 bool riklavimasgbalas(const studentas &a, const studentas &b);
00037 bool rikiavimasvardas(const studentas &a, const studentas &b);
00038 bool rikiavimaspavarde(const studentas &a, const studentas &b);
00039 void riklavimas(vector<studentas> &A);
00040 void skirstymas1(vector<studentas> &A, vector<studentas> &K, vector<studentas> &V);
00041 void skirstymas2(vector<studentas> &A, vector<studentas> &V);
00042 void skirstymas3(vector<studentas> &A, vector<studentas> &K, vector<studentas> &V);
00043 void irasymasifailaK(vector<studentas> &A, vector<studentas> &K, vector<studentas> &V, char budas, int
    skistr);
00044
00045 #endif // FUNCTIONS_H
```

5.18 main.cpp File Reference

```
#include "functions.h"
#include "errorfinder.h"
#include "filegenerator.h"
#include "studentas.h"
```

Functions

- void [testCopyConstruction](#) ()
- void [testMoveConstruction](#) ()
- void [testCopyAssignment](#) ()
- void [testMoveAssignment](#) ()
- int [main](#) ()

5.18.1 Function Documentation

5.18.1.1 [main\(\)](#)

```
int main ( )
```

5.18.1.2 [testCopyAssignment\(\)](#)

```
void testCopyAssignment ( )
```

5.18.1.3 [testCopyConstruction\(\)](#)

```
void testCopyConstruction ( )
```

5.18.1.4 [testMoveAssignment\(\)](#)

```
void testMoveAssignment ( )
```

5.18.1.5 [testMoveConstruction\(\)](#)

```
void testMoveConstruction ( )
```

5.19 mytests.cpp File Reference

```
#include "studentas.h"  
#include "gtest/gtest.h"
```

Functions

- [TEST](#) (StudentasTest, ConstructorAndGetters)
- [TEST](#) (StudentasTest, Setters)
- [TEST](#) (StudentasTest, SortNdrez)
- int [main](#) (int argc, char **argv)

5.19.1 Function Documentation

5.19.1.1 main()

```
int main (
    int argc,
    char ** argv )
```

5.19.1.2 TEST() [1/3]

```
TEST (
    StudentasTest ,
    ConstructorAndGetters )
```

5.19.1.3 TEST() [2/3]

```
TEST (
    StudentasTest ,
    Setters )
```

5.19.1.4 TEST() [3/3]

```
TEST (
    StudentasTest ,
    SortNdrez )
```

5.20 studentas.cpp File Reference

```
#include "studentas.h"
#include <utility>
```

5.21 studentas.h File Reference

```
#include "zmogus.h"
#include "errorfinder.h"
#include <iostream>
#include <iomanip>
#include <vector>
#include <string>
#include <algorithm>
#include <sstream>
```

Classes

- class [studentas](#)

5.22 studentas.h

[Go to the documentation of this file.](#)

```

00001 #ifndef STUDENTAS_H
00002 #define STUDENTAS_H
00003
00004 #include "zmogus.h"
00005 #include "errorfinder.h"
00006 #include <iostream>
00007 #include <iomanip>
00008 #include <vector>
00009 #include <string>
00010 #include <algorithm>
00011 #include <sstream>
00012
00013 using namespace std;
00014
00015 class studentas : public zmogus {
00016 private:
00017     string vardas;
00018     string pavarde;
00019     vector<int> ndrez;
00020     int erez;
00021     double gbalas;
00022     // interfeisas
00023 public:
00024     string line;
00025     char budas;
00026     studentas(); // default konstruktorius
00027     studentas(const string &v, const string &p, const vector<int> &nd, int e, double g);
00028
00029     ~studentas(); // destruktorius
00030
00031     studentas(const studentas &kit); // copy konstruktorius
00032
00033     studentas &operator=(const studentas &kit); // priskyrimo operatorius
00034
00035     studentas(studentas &&kit) noexcept; // move konstruktorius
00036
00037     studentas &operator=(studentas &&kit) noexcept;
00038
00039 friend std::istream &operator>(std::istream &in, studentas &kit){
00040     kit.ndrez.clear();
00041     int sum = 0;
00042
00043     if(kit.budas == 'f'){
00044         istringstream my_buffer(kit.line);
00045
00046         my_buffer >> kit.vardas >> kit.pavarde;
00047         int pazymys;
00048         while (my_buffer >> pazymys)
00049         {
00050             kit.ndrez.push_back(pazymys); // prisikiriamas elSementas
00051             sum += pazymys;
00052         }
00053
00054         if (!kit.ndrez.empty()) {
00055             kit.erez = kit.ndrez.back();
00056             kit.ndrez.pop_back();
00057             sum -= kit.erez;
00058         }
00059         kit.gbalas = sum;
00060         if(kit.budas == 'r')
00061         {
00062             cout << "Iveskite studento varda ir pavarde arba „11“, jeigu norite uzbaigti studentu vedima: ";
00063             in >> kit.vardas;
00064             if (kit.vardas != "11")
00065             {
00066                 in >> kit.pavarde;
00067             }
00068         }
00069         return in;
00070     }
00071
00072     friend std::ostream &operator<<(std::ostream &out, const studentas &kit)
00073     {

```



```

00074         out << setw(25) << left << kit.vardas << setw(25) << left << kit.pavarde << setprecision(3) << left <<
    kit.gbalas << '\n';
00075         return out;
00076     }
00077
00078     string getVardas() const { return vardas; } // get'eriai
00079     string getPavarde() const { return pavarde; } // get'eriai
00080     vector<int> getNdrez() const { return ndrez; }
00081     int getErez() const { return erez; }
00082     double getGbalas() const { return gbalas; } // get'eriai
00083
00084     void setVardas(const string &v) { vardas = v; }
00085     void setPavarde(const string &p) { pavarde = p; }
00086     void setNdrez(const vector<int> &nd) { ndrez = nd; }
00087     void setErez(int e) { erez = e; }
00088     void setGbalas(double g) { gbalas = g; } // set'eriai
00089
00090     void sortNdrez() { sort(ndrez.begin(), ndrez.end()); }
00091
00092 };
00093
00094
00095 #endif // STUDENTAS_H

```

5.23 zmogus.h File Reference

```

#include <iostream>
#include <vector>
#include <string>

```

Classes

- class [zmogus](#)

5.24 zmogus.h

[Go to the documentation of this file.](#)

```

00001 #ifndef ZMOGUS_H
00002 #define ZMOGUS_H
00003
00004 #include <iostream>
00005 #include <vector>
00006 #include <string>
00007
00008 using namespace std;
00009
00010 class zmogus {
00011 public:
00012     virtual ~zmogus() = default;
00013     protected:
00014     zmogus() {}
00015 };
00016
00017 #endif // ZMOGUS_H

```


Index

- `__has_include`
 - `CMakeCCompilerId.c`, [13](#)
 - `CMakeCXXCompilerId.cpp`, [16](#)
 - `~studentas`
 - `studentas`, [8](#)
 - `~zmogus`
 - `zmogus`, [12](#)
- `ARCHITECTURE_ID`
 - `CMakeCCompilerId.c`, [13](#)
 - `CMakeCXXCompilerId.cpp`, [16](#)
- `budas`
 - `studentas`, [10](#)
- `budaspatikra`
 - `errorfinder.cpp`, [19](#)
 - `errorfinder.h`, [21](#)
- `build/CMakeFiles/3.29.2/CompilerIdC/CMakeCCompilerId.c`, [13](#)
- `build/CMakeFiles/3.29.2/CompilerIdCXX/CMakeCXXCompilerId.cpp`, [16](#)
- `build/CMakeFiles/mytests.dir/mytests.cpp.o.d`, [19](#)
- `build/CMakeFiles/mytests.dir/studentas.cpp.o.d`, [19](#)
- `build/googletest/googmock/CMakeFiles/gmock.dir/src/gmock-all.cc.o.d`, [19](#)
- `build/googletest/googmock/CMakeFiles/gmock_main.dir/src/gmock_main.cc.o.d`, [19](#)
- `build/googletest/googletest/CMakeFiles/gtest.dir/src/gtest-all.cc.o.d`, [19](#)
- `build/googletest/googletest/CMakeFiles/gtest_main.dir/src/gtest_main.cc.o.d`, [19](#)
- `C_VERSION`
 - `CMakeCCompilerId.c`, [14](#)
- `CMakeCCompilerId.c`
 - `__has_include`, [13](#)
 - `ARCHITECTURE_ID`, [13](#)
 - `C_VERSION`, [14](#)
 - `COMPILER_ID`, [14](#)
 - `DEC`, [14](#)
 - `HEX`, [14](#)
 - `info_arch`, [15](#)
 - `info_compiler`, [15](#)
 - `info_language_extensions_default`, [15](#)
 - `info_language_standard_default`, [15](#)
 - `info_platform`, [15](#)
 - `main`, [15](#)
 - `PLATFORM_ID`, [14](#)
 - `STRINGIFY`, [14](#)
 - `STRINGIFY_HELPER`, [14](#)
- `CMakeCXXCompilerId.cpp`
 - `__has_include`, [16](#)
 - `ARCHITECTURE_ID`, [16](#)
 - `COMPILER_ID`, [16](#)
 - `CXX_STD`, [16](#)
 - `DEC`, [16](#)
 - `HEX`, [17](#)
 - `info_arch`, [18](#)
 - `info_compiler`, [18](#)
 - `info_language_extensions_default`, [18](#)
 - `info_language_standard_default`, [18](#)
 - `info_platform`, [18](#)
 - `main`, [17](#)
 - `PLATFORM_ID`, [17](#)
 - `STRINGIFY`, [17](#)
 - `STRINGIFY_HELPER`, [17](#)
- `COMPILER_ID`
 - `CMakeCCompilerId.c`, [14](#)
 - `CMakeCXXCompilerId.cpp`, [16](#)
- `CXX_STD`
 - `CMakeCXXCompilerId.cpp`, [16](#)
- `DEC`
 - `CMakeCCompilerId.c`, [14](#)
 - `CMakeCXXCompilerId.cpp`, [16](#)
- `dskaitpatikra`
 - `errorfinder.cpp`, [19](#)
 - `errorfinder.h`, [21](#)
- `erezpatikra`
 - `errorfinder.cpp`, [20](#)
 - `errorfinder.h`, [21](#)
- `errorfinder.cpp`, [19](#)
 - `budaspatikra`, [19](#)
 - `dskaitpatikra`, [19](#)
 - `erezpatikra`, [20](#)
 - `fgeneravimopatikra`, [20](#)
 - `isvedbudpatikra`, [20](#)
 - `ivedbudpatikra`, [20](#)
 - `pazymiopatikra`, [20](#)
 - `rikbudpatikra`, [20](#)
 - `skirststratpat`, [20](#)
 - `skirstymopatikra`, [20](#)
 - `studskpatikra`, [20](#)
- `errorfinder.h`, [21
 - `budaspatikra`, \[21\]\(#\)
 - `dskaitpatikra`, \[21\]\(#\)
 - `erezpatikra`, \[21\]\(#\)](#)

- fgeneravimopatikra, [21](#)
- isvedbudpatikra, [21](#)
- ivedbudpatikra, [21](#)
- pazymiopatikra, [21](#)
- rikbudpatikra, [22](#)
- skirststratpat, [22](#)
- skirstymopatikra, [22](#)
- studskpatikra, [22](#)
- failugeneravimas
 - filegenerator.cpp, [23](#)
 - filegenerator.h, [23](#)
- fgeneravimopatikra
 - errorfinder.cpp, [20](#)
 - errorfinder.h, [21](#)
- filegenerator.cpp, [22](#)
- failugeneravimas, [23](#)
- filegenerator.h, [23](#)
- failugeneravimas, [23](#)
- functions.cpp, [23](#)
- irasymasifaila, [24](#)
- irasymasifailaK, [24](#)
- isvedimas, [24](#)
- pazymiuived, [24](#)
- rikiavimas, [24](#)
- rikiavimasgbalas, [25](#)
- rikiavimaspavarde, [25](#)
- rikiavimasvardas, [25](#)
- skaiciavimas, [25](#)
- skaitymasisfailo, [25](#)
- skirstymas1, [25](#)
- skirstymas2, [25](#)
- skirstymas3, [26](#)
- tlaikas, [26](#)
- functions.h, [26](#)
- irasymasifaila, [27](#)
- irasymasifailaK, [27](#)
- isvedimas, [27](#)
- pazymiuived, [27](#)
- rikiavimas, [27](#)
- rikiavimasgbalas, [27](#)
- rikiavimaspavarde, [27](#)
- rikiavimasvardas, [28](#)
- skaiciavimas, [28](#)
- skaitymasisfailo, [28](#)
- skirstymas1, [28](#)
- skirstymas2, [28](#)
- skirstymas3, [28](#)
- tlaikas, [29](#)
- gbalas
 - studentas, [11](#)
- getErez
 - studentas, [9](#)
- getGbalas
 - studentas, [9](#)
- getNdrez
 - studentas, [9](#)
- getPavarde
 - studentas, [9](#)
- getVardas
 - studentas, [9](#)
- HEX
 - CMakeCCompilerId.c, [14](#)
 - CMakeCXXCompilerId.cpp, [17](#)
- info_arch
 - CMakeCCompilerId.c, [15](#)
 - CMakeCXXCompilerId.cpp, [18](#)
- info_compiler
 - CMakeCCompilerId.c, [15](#)
 - CMakeCXXCompilerId.cpp, [18](#)
- info_language_extensions_default
 - CMakeCCompilerId.c, [15](#)
 - CMakeCXXCompilerId.cpp, [18](#)
- info_language_standard_default
 - CMakeCCompilerId.c, [15](#)
 - CMakeCXXCompilerId.cpp, [18](#)
- info_platform
 - CMakeCCompilerId.c, [15](#)
 - CMakeCXXCompilerId.cpp, [18](#)
- irasymasifaila
 - functions.cpp, [24](#)
 - functions.h, [27](#)
- irasymasifailaK
 - functions.cpp, [24](#)
 - functions.h, [27](#)
- isvedbudpatikra
 - errorfinder.cpp, [20](#)
 - errorfinder.h, [21](#)
- isvedimas
 - functions.cpp, [24](#)
 - functions.h, [27](#)
- ivedbudpatikra
 - errorfinder.cpp, [20](#)
 - errorfinder.h, [21](#)
- line
 - studentas, [11](#)
- main
 - CMakeCCompilerId.c, [15](#)
 - CMakeCXXCompilerId.cpp, [17](#)
 - main.cpp, [30](#)
 - mytests.cpp, [31](#)
- main.cpp, [29](#)
- main, [30](#)
- testCopyAssignment, [30](#)
- testCopyConstruction, [30](#)
- testMoveAssignment, [30](#)
- testMoveConstruction, [30](#)
- mytests.cpp, [30](#)
- main, [31](#)
- TEST, [31](#)
- ndrez
 - studentas, [11](#)

operator<<
 studentas, 10
operator>>
 studentas, 10
operator=
 studentas, 9

pavarde
 studentas, 11
pazymiopatikra
 errorfinder.cpp, 20
 errorfinder.h, 21
pazymiuived
 functions.cpp, 24
 functions.h, 27
PLATFORM_ID
 CMakeCCompilerId.c, 14
 CMakeCXXCompilerId.cpp, 17

rikbudpatikra
 errorfinder.cpp, 20
 errorfinder.h, 22
rikiavimas
 functions.cpp, 24
 functions.h, 27
rikiavimasgbalas
 functions.cpp, 25
 functions.h, 27
rikiavimaspavarde
 functions.cpp, 25
 functions.h, 27
rikiavimasvardas
 functions.cpp, 25
 functions.h, 28

setErez
 studentas, 9
setGbalas
 studentas, 9
setNdrež
 studentas, 10
setPavarde
 studentas, 10
setVardas
 studentas, 10
skaiciavimas
 functions.cpp, 25
 functions.h, 28
skaitymasifailo
 functions.cpp, 25
 functions.h, 28
skirststratpat
 errorfinder.cpp, 20
 errorfinder.h, 22
skirstymas1
 functions.cpp, 25
 functions.h, 28
skirstymas2
 functions.cpp, 25
 functions.h, 28
skirstymas3
 functions.cpp, 26
 functions.h, 28
skirstymopatikra
 errorfinder.cpp, 20
 errorfinder.h, 22
sortNdrež
 studentas, 10
STRINGIFY
 CMakeCCompilerId.c, 14
 CMakeCXXCompilerId.cpp, 17
STRINGIFY_HELPER
 CMakeCCompilerId.c, 14
 CMakeCXXCompilerId.cpp, 17
studentas, 7
 ~studentas, 8
 budas, 10
 erez, 10
 gbalas, 11
 getErez, 9
 getGbalas, 9
 getNdrež, 9
 getPavarde, 9
 getVaras, 9
 line, 11
 ndrez, 11
 operator<<, 10
 operator>>, 10
 operator=, 9
 pavarde, 11
 setErez, 9
 setGbalas, 9
 setNdrež, 10
 setPavarde, 10
 setVardas, 10
 sortNdrež, 10
 studentas, 8
 vardas, 11
studentas.cpp, 31
studentas.h, 31
studskpatikra
 errorfinder.cpp, 20
 errorfinder.h, 22

TEST
 mytests.cpp, 31
testCopyAssignment
 main.cpp, 30
testCopyConstruction
 main.cpp, 30
testMoveAssignment
 main.cpp, 30
testMoveConstruction
 main.cpp, 30
tlaikas
 functions.cpp, 26
 functions.h, 29

vardas

 studentas, [11](#)

zmogus, [11](#)

 ~zmogus, [12](#)

 zmogus, [12](#)

zmogus.h, [33](#)