users	
id	bigint
name	varchar
email	varchar(255)
email_varified_at	timestamp
password	varchar(255)
remember_token	varchar(100)
user_type	tinyint
contact_number	varchar(15)
parmanent_address	text
deleted_at	timestamp

categories	
id	bigint
name	varchar(100)
slug	varchar(100)
is_active	boolean
deleted_at	timestamp

## id bigint user\_id bigint shipping\_address text billing\_address text order\_number varchar(100) total\_amount decimal(8,2) deleted\_at timestamp

id	bigint
category_id	int
name	varchar(100)
slug	varchar(100)
image	varchar(100)
description	text
is_active	boolean
deleted_at	timestamp

products

## payment\_details int id payment\_method\_id int int order\_id order\_details payment\_meta text id bigint deleted\_at timestamp order\_id bigint product\_id bigint payment\_methods product\_name varchar(100) id int decimal(8,2) price varchar(100) name int(11) quantity boolean is\_active

timestamp

product_prices	
id	bigint
product_id	int
price_type_id	int –
amount	double(8,2)
start_date	timestamp
end_date	timestamp
deleted_at	timestamp

deleted\_at

price_types	
id	int
name	varchar(100)
is_active	boolean
deleted_at	timestamp

timestamp

deleted\_at



