beam_search3.log detail: fixed prefix 50

Selected training path



Beam-round candidate losses



Selected LR_MULT



Parsed metrics

```
prefix              50
k                   1
val_bpb             1.17242
best_avg_loss       3.30693
final_lr_mult       0.00885444
num_steps           1040
training_seconds    481.3
mfu_percent         6.03
total_tokens_M      136.3
selected rounds     99
fixed points parsed 50
candidate trials parsed 198
```

beam_search3.log detail: fixed prefix 200

Selected training path



Beam-round candidate losses



Selected LR_MULT



Parsed metrics

prefix	200
k	1
val_bpb	1.11851
best_avg_loss	3.1327
final_lr_mult	0.00885444
num_steps	1340
training_seconds	575.8
mfu_percent	6.5
total_tokens_M	175.6
selected rounds	114
fixed points parsed	200
candidate trials parsed	228

beam_search3.log detail: fixed prefix 800

Selected training path



Beam-round candidate losses



Selected LR_MULT



Parsed metrics

```
prefix              800
k                   1
val_bpb             1.05946
best_avg_loss       2.90803
final_lr_mult       0.00885444
num_steps           1600
training_seconds    555
mfu_percent         8.05
total_tokens_M      209.7
selected rounds     80
fixed points parsed 800
candidate trials parsed 160
```

beam_search3.log detail: fixed prefix 1600

Selected training path



Beam-round candidate losses



Selected LR_MULT



Parsed metrics

prefix	1600
k	1
val_bpb	1.02603
best_avg_loss	2.88361
final_lr_mult	0.00885444
num_steps	2310
training_seconds	696.9
mfu_percent	9.25
total_tokens_M	302.8
selected rounds	71
fixed points parsed	1600
candidate trials parsed	142