SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Name of substance/Trade name: OUDOR FLORALIS (Geruchsüberdecker odor inhibitor odorant)

Material Number: 5326

Use of the substance/mixture

ODORANT, AIR REFRESHING AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

AIR FRESHNER, AIR REFRESHING AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use

1.3 Details of the supplier of the safety data sheet

Address

Mösslein Products GmbH
Dr.-Birkner-Str. 7 97816 Lohr am Main
Phone: +49 9352 60576-0
E-Mail: info@wassermeister.com

1.4 Emergency telephone number: +49 9352 6057627 (24h Emergency Service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Aquatic Chronic 3; H412

Text of hazard phrases: see SECTION 16.

2.2 Label elements

Regulation (EC) No. 1272/2008

Hazard statements (warnings)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements (warnings)

P103 Read carefully and follow all instructions.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Labelling of packages containing not more than 125 ml

Hazard (warnings) indications

H412.

2.3 Other hazards

Primary danger of slipping due to product leakage/spillage.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Relevant components

CAS No.:	Name of the substance			Quota
	EC No.	Index-No.	REACH No.	
	Classification (Regulation (EC) No 1272/2008)			
64-17-5	Ethanol			1 - < 5 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2: H225 H319			
69227-22-1	Alcohols, C10-16, ethoxylated, propoxylated			1 - < 5 %
	614-942-0			
	Eye Irrit. 2: H319			
68424-85-1	Quaternary ammonium compounds. Benzyl chloride C12-16 alkyldimethyl (Alkyl chloride (C12-16) dimethylbenzyl)			0,1 - < 1 %
	270-325-2			
	Acute Toxicity. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			

Text of H-phrases and EUH: see section 16.

Specific concentration limits, M factors and ATE

CAS No.:	EC No.	Name of the substance	Quota
	Specific concentration limits, M factors and ATE		
64-17-5	200-578-6	Ethanol	1 - < 5 %
	inhalation: LC50 = 124.7 mg/l (vapour); dermal (cutanate): LD50 = 17100 mg/kg; oral: DL50 = 10470 mg/kg Eye Irrit. 2; H319 >= 50 - 100		
69227-22-1	614-942-0	Alcohols, C10-16, ethoxylate, propoxylate	1 - < 5 %
	oral: LD50 = > 5000 mg/kg		
68424-85-1	270-325-2	Quaternary ammonium compounds. Benzyl chloride C12-16 alkyldimethyl (Alkyl chloride (C12-16) dimethylbenzyl)	0,1 - < 1 %
	oral: LD50 = 344 - 600 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1		

SECTION 4: First aid measures

4.1 Description of first aid measures

General guidelines

In all cases of doubt or if symptoms are present, seek medical advice.

After Inhalation

Provide fresh air.

After skin contact

Rinse with plenty of water. Remove contaminated clothes and wash them before wearing them again.

After eye contact

Immediately rinse carefully and thoroughly with eye shower or with water.

After swallowing

Rinse your mouth immediately and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No information.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing substances

Correlate fire-fighting measures with the surroundings (neighborhoods).

5.2 Special hazards arising from the substance or mixture

Non-flammable

5.3 Advice for firefighters

In case of fire, use a self-contained breathing apparatus.

Particular danger of slipping due to product leakage/spillage.

Additional indications

Collect contaminated firefighting water separately. Do not allow to enter drains or water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General notes

Use personal protective equipment!

6.2 Environmental protection

Do not allow to enter drains or watercourses.

6.3 Methods and material for containment and cleaning up

Other information

It is absorbed (eliminated) with liquid binding (absorbent) material (sand, diatomite (diatomaceous earth), acid binder, universal binder). Treat the collected material according to the Disposal section.

6.4 Reference to other sections

Safe handling: see section 7

Personal protective equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Indications for safe handling

No special precautions are required.

Protection Indications against Fire and Explosion

No special fire protection measures are required.

Indications on general occupational hygiene measures

Remove contaminated clothing. Wash hands before breaks and at the end of work. Do not eat, drink, smoke or snort at work.

7.2 Conditions for safe storage, taking into account incompatibilities

Requirements for storage rooms and containers

Keep container tightly closed.

Associated storage

No special precautions are required.

Storage class according to TRGS 510: 10 (flammable liquids not attributable to any of the above-mentioned storage classes)

7.3 Specific end use(s)

ODORANT,: AIR REFRESHING AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Limit values at work

CAS No.:	Denomination:	ppm	mg/m³	F/m³	Peak limiting factor	Indication	Fel
112-27-6	2,2'-(ethylenedioxy) diethanol (triethylene glycol)		1000 E		2(II)	Y	TRGS 900
64-17-5	Ethanol	200	380		4(II)	Y	TRGS 900

DNEL/DMEL Values

CAS No. | Name				
DNEL Type		Exposure way	Effect	Value
64-17-5	Ethanol			
Worker DNEL, long term		inhalation:	systemic	380 mg/m³
Worker DNEL, acute		inhalation:	local	1900 mg/m³
Worker DNEL, long term		dermal	systemic	343 mg/kg KG/d
Consumer DNEL, long term		inhalation:	systemic	114 mg/m 3
Consumer DNEL, acute		inhalation:	local	950 mg/m 3
Consumer DNEL, long term		dermal	systemic	206 mg/kg KG/d
Consumer DNEL, long term		oral	systemic	87 mg/kg KG/d
112-27-6	Triethylenglykol			
Worker DNEL, long term		dermal	systemic	40 mg/kg KG/d
Worker DNEL, long term		inhalation:	local	50 mg/m³
Consumer DNEL, long term		dermal	systemic	20 mg/kg KG/d
Consumer DNEL, long term		inhalation:	local	25 mg/m³
68424-85-1	Quaternary ammonium compounds. Benzyl chloride C12-16 alkyldimethyl (Alkyl chloride (C12-16) dimethylbenzyl)			
Worker DNEL, long term		inhalation:	systemic	3.96 mg/m³
Worker DNEL, long term		dermal	systemic	5,7 mg/kg KG/d
Consumer DNEL, long term		inhalation:	systemic	3.96 mg/m 3
Consumer DNEL, long term		dermal	systemic	3,4 mg/kg KG/d
Consumer DNEL, long term		oral	systemic	3,4 mg/kg KG/d

PNEC Values

CAS No.:	Denomination:	
Environmental compartment		Value
64-17-5	Ethanol	
Fresh water		0.96 mg/l
Fresh water (intermittent release/loss)		2,75 mg/l
Sea water		0,79 mg/l
Freshwater sediment		3.6 mg/kg
Seawater sediment		2,9 mg/kg
Secondary intoxication		380 mg/kg
Microorganisms in wastewater treatment plants		580 mg/l
Soil		0.63 mg/kg
112-27-6	(triethylene glycol)	
Fresh water		10 mg/l
Sea water		1 mg/l
Freshwater sediment		46 mg/kg
Microorganisms in wastewater treatment plants		10 mg/l
Soil		3,32 mg/kg
68424-85-1	Quaternary ammonium compounds. Benzyl chloride C12-16 alkyldimethyl (Alkyl chloride (C12-16) dimethylbenzyl)	
Fresh water		0,0009 mg/l
Fresh water (intermittent release/loss)		0,00016 mg/l
Sea water		0,00096 mg/l
Freshwater sediment		12.27 mg/kg
Seawater sediment		13,09 mg/kg
Microorganisms in wastewater treatment plants		0,4 mg/l
Soil		7 mg/kg

8.2 Exposure controls

Personal protective measures, e.g. personal protective equipment

Eye/face protection

Eye protection: not required.

Respiratory protection:

No individual (personal) respiratory protection is normally required.

Skin protection

Skin protection is not required.

Body protection

Body protection: not required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Aggregation state	Liquid
Colour:	colourless, limpid (clear)
Odour:	fresh-floral
Melting point/freezing point:	Indefinite
Boiling point or start of boiling and boiling range:	100 °C
Flammability:	not applicable
Lower explosive limit:	undetermined
Upper explosive limit:	undetermined
Ignition point:	>100 °C
Ignition temperature:	400 °C
Decomposition temperature:	undetermined
pH-value at 20 °C:	pH 5.5
Solubility in water:	fully miscible
Solubility in others	undetermined
Solvents	
Partition coefficient	Indefinite
n-octanol/water:	
Indefinite	
Vapour pressure:	23,4 hPa
(at 20 °C)	
Density:	0.99 g/cm^3
Relative vapour density	undetermined

9.2 Other information

Information on physical hazard classes

Explosion Hazards

The product do not produce: Explosion Hazards

Self-ignition temperature

Solid substance: not applicable

Gas: not applicable

Oxidizing properties

Not fuel (not carburant).

Other technical security parameters

Evaporation rate: not determined

Solids content: not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

In the case of handling and storage as intended, no dangerous reactions occur.

10.2 Chemical stability:

The product is stable when stored at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid:

none

10.5 Incompatible materials:

No data available

10.6 Hazardous decomposition products:

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

ATEmix, calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritant and corrosive effects

Skin corrosive effect/skin irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic, Mutagenic and Toxic to Reproduction Effects

Germ cell mutagenicity; Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity after single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity after repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

CAS No.:	Denomination:					
	Aquatic toxicity	Dose	[h] I [d]	Species	Source	Method
64-17-5	Ethanol					
	Acute Toxicity to Fish	LC50 124.7 mg/l	96 h	Lepomis macrochirus (Bluegill)	Publishing (1986)	others: US EPA 660/3-75-009
	Acute Toxicity to Algae	ErC50 ca. 22000 mg/l	96 h	Raphidocelis subcapitala	Publishing (2006)	OECD 201
	Acute toxicity for crustaceans	EC50 > 10000 mg/l	48 h	Daphnia magna (Big water flea)	Publishing (1989)	DIN 38412 Part 11
	Toxicity to fish	NOEC > 79 mg/l	100 d	Oryzias latipes (Rice fish (Japanese medaka))	Publishing (2001)	others:
	Toxicity to algae	NOEC 5400 mg/l	5 D	Skeletonema costatum	Publishing (1989)	others: US EPA. OPPTS 850,540
	Toxicity to crustaceans	NOEC 2 mg/l	10 d	Ceriodaphna dubia	Publishing (1191)	others:
	Acute Toxicity to Bacteria	EC50 440 mg/l ( )	3 h	Selenastrum capricornutum		OECD 201
69227-22-1	Alcohols, C10-16, ethoxylate, propoxylate					
	Acute Toxicity to Fish	LC50 > 1-10` mg/l	96 h	Oncorhynchus mykiss (rainbow trout)		OECD 203
	Acute Toxicity to Algae:	ErC50 > 1-10` mg/l	72 h	Skeletonema costatum		OECD 201
	Acute toxicity for crustaceans	EL50 > 1-10` mg/l	48h	Daphnia magna (Big water flea)		OECD 202
68424-85-1	Quaternary ammonium compounds. Benzyl chloride C12-16 alkyldimethyl (Alkyl chloride (C12-16) dimethylbenzyl)					
	Acute Toxicity to Fish	LC50 0.93` mg/l	96 h	Oncorhynchus mykiss (rainbow trout)		OECD 203
	Acute Toxicity to Algae:	ErC50 0.02 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute toxicity for crustaceans	EC50 0.016 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
	Toxicity to crustaceans	NOEC 0.025 mg/l	21 d	Daphnia magna (Big water flea)		OECD 211
	Acute Toxicity to Bacteria	EC50 5 mg/l	0.5 h	Activated sludge	Supplier's Safety Data Sheet	OECD 209

12.2 Persistence and degradability

The product has not been verified.

CAS No.:	Denomination:			
	Method	Value	d	Source
	Estimate			
64-17-5	Ethanol			
	Biodegradation, OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	97 %	28	
	Easily biodegradable (according to OECD criteria).			
69227-22-1	Alcohols, C10-16, ethoxylate, propoxylate			
	Biological decomposition, OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60 %	28	
	Easily biodegradable (according to OECD criteria).			
68424-85-1	Quaternary ammonium compounds, Benzyl chloride C12-16 alkyldimethyl (Alkyl (C12-16) dimethylbenzyl chloride)			
	Biodegradation, OECD 303A	> 90%		
	Easily biodegradable (according to OECD criteria).			
	Biodegradation, OECD 301D	> 60%		Activated sludge

12.3 Bioaccumulative potential

The product has not been verified.

Partition coefficient: n-Octanol/water

CAS No.:	Denomination:	Log Pow
64-17-5	Ethanol	-0,35
68424-85-1	Quaternary ammonium compounds. Benzyl chloride C12-16 alkyldimethyl (Alkyl chloride (C12-16) dimethylbenzyl)	2,88

BCF

CAS No.:	Denomination:	BCF	Species	Source
64-17-5	Ethanol	1	Cyprinus carpio	Comparative biochemistry

12.4 Mobility in soil:

The product has not been verified.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

12.6 Endocrine disrupting properties (Endocrine Harmful Properties)

This product does not contain any substance that has or indicates endocrine disrupting properties (endocrine disruptors) towards non-target organisms (intransitive/non-target), as no ingredient meets the criteria.

12.7 Other adverse effects

No data available

Other Indications

Do not allow to enter drains or water courses. Do not allow to reach in underground/earth.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal recommendations

Do not allow to enter drains or water courses. Do not allow to reach in underground/earth. Disposal according to official provisions.

Waste code - unused product

200129 MUNICIPAL WASTE (HOUSEHOLD AND SIMILAR COMMERCIAL AND INDUSTRIAL WASTE AND WASTE FROM INSTITUTIONS), INCLUDING SEPARATELY COLLECTED FRACTIONS; Fractions collected separately (except 15 01); detergents containing hazardous substances; hazardous waste

Waste code - uncleaned packaging

150102 PACKAGING WASTE, ABSORBENT MATERIALS, POLISHING MATERIAL (WIPING CLOTHS), FILTERING MATERIALS AND PROTECTIVE CLOTHING (N.E.C.); packaging (including separately collected municipal packaging waste); Plastic packaging

Disposal of uncleaned packaging and recommended cleaning agents

Uncontaminated and completely empty packaging can be recycled (taken to a recycling company).

Contaminated packaging should be treated as the substance.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: Not a dangerous commodity within the meaning of these transport provisions.

14.2. UN proper shipping name: Not a dangerous commodity within the meaning of these transport provisions.

14.3. Transport hazard class(es): Not a dangerous commodity within the meaning of these transport provisions.

14.4. Packing group: Not a dangerous commodity within the meaning of these transport provisions.

Inland waterway transport (ADN)

14.1. UN number or ID number: Not a dangerous commodity within the meaning of these transport provisions.

14.2. UN proper shipping name

for shipment:Not a dangerous commodity within the meaning of these transport provisions.

14.3. Transport hazard class(es): Not a dangerous commodity within the meaning of these transport provisions.

14.4. Packing group: Not a dangerous commodity within the meaning of these transport provisions.

Maritime transport (IMDG)

14.1. UN number or ID number: Not a dangerous commodity within the meaning of these transport provisions.

14.2. UN proper shipping name: Not a dangerous commodity within the meaning of these transport provisions.

14.3. Transport hazard class(-es): Not a dangerous commodity within the meaning of these transport provisions.

14.4. Packing group: Not a dangerous commodity within the meaning of these transport provisions.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: Not a dangerous commodity within the meaning of these transport provisions.

14.2. UN proper shipping name: Not a dangerous commodity within the meaning of these transport provisions.

14.3. Transport hazard class(-es): Not a dangerous commodity within the meaning of these transport provisions.

14.4. Packing group: Not a dangerous commodity within the meaning of these transport provisions.

14.5. Environmental hazards

ENVIRONMENTAL HAZARDS No

14.6. Special precautions for user

Not a dangerous commodity within the meaning of these transport provisions.

14.7. Transport in bulk by sea according to IMO instruments

Not a dangerous commodity within the meaning of these transport provisions.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Provisions

Restriction of use (REACH, Annex XVII): Note 3, Note 40, Note 75

Directive 2010/75/EU concerning industrial emissions: 6.3% (62.3g/l)

Information to the SEVESO III Directive 2012/18/EU: Not subject to the SEVESO III Directive

National provisions

Employment Restriction (Activity):	Observe teen employment restrictions (§ 22 JarbSchG (Teen Labour Protection Act)).
Technical instructions air I:	5.2.5: Organics, given as total carbon at m >=0.50 kg/h: concentration 50 mg/m^3
Quota:	6,05 %
Technical instructions air II:	5.2.1: Total dust, including fine dust at 0.2 < m <= 0.4 kg/h: concentration 20 mg/m3 respectively at m <= 0.2 kg/h: concentration 0.15 g/m3 respectively at m > 0.4 kg/h: concentration 10 mg/m3
Quota:	0.69 %
Water endangerment class:	2 – clearly endangers water
Status:	

15.2 Chemical Safety Assessment

A chemical safety assessment has been carried out for the following substances in this mixture:

Ethanol

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in the sections: 5,9,14.

Abbreviations and acronyms

Flam . Liq.: Flammable liquids
Acute Tox: Acute Toxicity.
Skin Corr: Skin Corrosive effect
Eye Dam.: Severe eye damage
Eye Irrit.: Eye irritation
Aquatic Acute: Acutely endangers water
Aquatic Chronic: Chronically endangers water
CLP: Classification, Labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative
ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Water-ways
(Accord europeen relatif au transport international des marchandises dangereuses par voies de navigation interieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG : Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from
Ships IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Abbreviations and acronyms see list at http://abk.esdscom.eu

16.3. Classification of mixtures and evaluation method used according to Regulation (EC) No 1272/2008[CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Text of H-phrases and EUH-phrases (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and serious eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Other information

The information is based on our current level of knowledge, but is not a guarantee of product properties and does not constitute a contractual legal relationship. The recipient of our products is responsible for compliance with existing laws and regulations.

The data for the relevant components was taken from the latest safety data sheet from the preliminary (upstream) supplier.)