


Passkey

Processus de paramétrage



MERCK

Passkey

Points clés et informations de base

Afin d'améliorer la sécurité informatique, une nouvelle technologie est en cours de mise en place.

Ceci implique dès à présent des actions de votre part. Vous aurez en effet besoin d'une clé d'accès (Passkey) afin d'accéder aux systèmes Merck, réinitialiser votre mot de passe ou celui de vos comptes associés (SADM, SUID).

Cette procédure permet de paramétrer de manière guidée un compte informatique principal d'un nouvel utilisateur (MUID interne et XUID externe) ainsi que des appareils compatibles Passkey.


Passkey

Table des matières

1. Qu'est-ce que Passkey?
2. Processus de paramétrage (à suivre dans tous les cas lors d'une première connexion)
 1. Différents scénarios (à sélectionner selon votre configuration)
 1. Vous êtes employé Merck (MUID) et disposez d'un PC Merck ainsi qu'un iPhone Merck
 2. Vous êtes employé Merck (MUID) et disposez d'un PC Merck uniquement
 3. Vous êtes employé Merck (MUID) et disposez d'un PC Merck uniquement et vous acceptez d'activer un appareil mobile personnel
 4. Vous êtes employé Merck (MUID) et utilisez un PC partagé
 5. Vous êtes externe (XUID) et ne disposez pas d'un PC Merck mais vous pouvez enregistrer un appareil compatible Passkey
 6. Vous êtes externe (XUID), ne disposez pas d'un PC Merck et vous ne pouvez enregistrer aucun appareil compatible
3. Advanced Protection
4. Configuration Azure MFA (double authentification via SMS)
5. Liens utiles

Qu'est-ce que Passkey?

[Retour table des matières](#)



MERCK

Passkey


Qu'est-ce que Passkey?

- **La méthode Passkey remplace les mots de passe** pour les applications et les sites Web et utilise la reconnaissance d'empreintes digitales, d'un visage ou d'un code PIN. Vous pouvez utiliser la même méthode pour déverrouiller votre téléphone pour vous connecter aux applications.
- **La méthode Passkey est requise sur chaque appareil que vous utilisez** (p. ex., ordinateurs et téléphones mobiles). L'appareil peut provenir de notre entreprise ou d'une entreprise externe. Tous les systèmes d'exploitation courants, tels que Windows, iOS et Android, sont techniquement pris en charge. Veuillez noter que notre Global Service Desk peut uniquement fournir une assistance pour les appareils gérés par Merck/EMD.
- **Apple et Google synchronisent automatiquement les clés d'accès (Passkey)** entre les appareils liés au même compte cloud, entre un iPhone et un iPad par exemple. Cependant, pour tous les autres appareils, une clé d'accès (Passkey) unique doit être créée.
- **De plus, les clés d'accès (Passkey) peuvent être créées sur des clés physiques** ou des cartes de sécurité, ce qui est nécessaire pour les appareils partagés ou les cas d'utilisation spécifiques. Les utilisateurs externes rencontrant des problèmes avec Passkeys sur leur ordinateur ou leur téléphone mobile doivent [acheter](#) et utiliser des clés de sécurité.
- **Les clés d'accès (Passkey) sont protégées par le mécanisme de déverrouillage de l'appareil** et sont stockées localement sur votre appareil.

Processus de paramétrage

A suivre dans tous les cas lors d'une première connexion

[Retour table des matières](#)



MERCK

Passkey

Processus de paramétrage

1. Suivre le processus de démarrage commun à toutes les configurations.
2. Enregistrer une option biométrique ou un PIN (PIN Windows Hello, clé de sécurité, clé d'accès Passkey iOS, etc.) sur votre compte Merck selon votre configuration.
3. Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.
4. Enregistrer la méthode par défaut Azure Multi-Factor-Authentication (application, SMS ou appel).



Il est préférable d'enregistrer au moins deux appareils (p. ex., téléphone mobile ou clé de sécurité). Le deuxième appareil fait office de secours, si l'un des deux est défectueux ou perdu.



En activant l'option Passkey sur un mobile personnel, **Merck n'aura accès à aucune donnée.** Il s'agit uniquement d'utiliser la technologie Passkey embarquée sur votre appareil.

Passkey

Ouvrez <https://me.merckgroup.com/> et cliquez sur "Cannot sign in or new at Merck"

Credential Self-Service Portal

Dear users, here you can manage your access to our centralized Merck IT systems.



Manage your sign-in options

Manage your passkeys.

Reset your password.

Sign in

Cannot sign in or new at Merck

Passkey

Entrez votre identifiant Merck

Cannot sign in or new joiner?



Please enter your Windows logon name (e.g. M123456@one.merckgroup.com):



In case of any issues, please contact the IT Global Service Desk.

Next

Passkey

Connectez-vous avec le mot de passe initial et avec l'aide d'un collègue

Onboarding of your IT account



1. Account name ✓

2. Sign-in

3. Onboard your IT Account

Select a sign-in method

Please use biometrics or pin if available for **X216512@ONE.MERCKGROUP.COM**

Sign in with

☒ Password + Colleague

First: Enter your password.

Second: Choose a department colleague to assist you. Your colleague will have 10 min time to provide you a verification code which he will receive.

CANCEL NEXT

Passkey

Connectez-vous avec le mot de passe initial

Onboarding of your IT account



The diagram illustrates a three-step onboarding process for an IT account. Step 1, '1. Account name', shows a laptop screen with a user icon and the word 'Account'. Step 2, '2. Sign-in', shows a laptop screen with a shield icon and a checkmark. Step 3, '3. Onboard your IT Account', shows a hand holding a smartphone displaying a code, next to a laptop screen also displaying a code.

1. Account name ✓

2. Sign-in ⌛

3. Onboard your IT Account

Enter Windows Password (not PIN)

To sign in X216512@ONE.MERCKGROUP.COM please enter your Windows password.

Password (Hint: Too many bad attempts will lock out your IT Account).


••••••••

CANCEL NEXT

Passkey

Sélectionnez un collègue afin qu'il reçoive le code de vérification

Onboarding of your IT account



1. Account name ✓



2. Sign-in



3. Onboard your IT Account

Sign-in
Here's how it works: Choose a colleague you know from the list below. We will send this colleague an e-mail with an access code. Now you have 10 minutes to contact them, request the verification code and enter it in the field provided on the following page.

For example, if you don't know your colleague's number, you can also ask them to call you back.

To confirm your identity, we will contact one of your colleagues.

To do this, you can enter the number of your Merck managed mobile phone or a mobile phone registered with Merck.

☐ **Yes, I want to add my mobile phone* number to the e-mail for my colleague.**

* A mobile number can be provided via <https://aka.ms/mfasetup>.

Please choose one of your colleagues below:

Search colleague from the list below


Note: To search for a colleague from the list below, it is best to enter the first letter of his or her first or last name, thus narrowing down the search results.

☒ **An*** Be*****

☐ **La*** Er*** Ol*****

Passkey


Ceci est un aperçu du code de vérification reçu par votre collègue et qu'il doit vous communiquer



Passkey

Entrez le code de vérification et cliquez sur Next

Onboarding of your IT account



1. Account name ✓



2. Sign-in



3. Onboard your IT Account

Sign-in


Enter verification code to continue. It was sent via e-mail to the colleague you choose before. If the time runs out you can restart the service.

You will have 10 min to get in touch with the colleague and enter the code in the next form.

Verification code:

Passkey

Démarrer la procédure de configuration de votre compte informatique



The image shows a user interface for 'Onboarding of your IT account'. At the top, the title 'Onboarding of your IT account' is centered. Below it, there are three steps represented by icons and labels: 1. Account name (with a laptop icon showing a person icon and the word 'Account'), 2. Sign-in (with a laptop icon showing a shield and a checkmark), and 3. Onboard your IT Account (with a hand holding a smartphone and a laptop icon showing a code). The first two steps are in yellow boxes with checkmarks, and the third is in a purple box with a circular progress indicator. Below the steps, the text 'Sign in with Biometrics or Pin' is followed by instructions: 'Learn how you can skip your password the next time. Biometrics and Pin are stored and never leave the security chip of your personal device. More Information in Intranet [Moving-Beyond-Passwords](#).' Below this, it says 'This Onboarding guides you through 3 steps' with a downward arrow. A list of three items follows: 'Register Biometrics, Pin or Security Key', 'Set your password (if required)', and 'Register a phone number or Authenticator App'. At the bottom right, there are two buttons: 'CANCEL' and 'NEXT'.

Onboarding of your IT account

1. Account name ✓

2. Sign-in ✓

3. Onboard your IT Account

Sign in with Biometrics or Pin

Learn how you can skip your password the next time.

Biometrics and Pin are stored and never leave the security chip of your personal device.

More Information in Intranet [Moving-Beyond-Passwords](#).

This Onboarding guides you through 3 steps ▼


- Register Biometrics, Pin or Security Key
- Set your password (if required)
- Register a phone number or Authenticator App

CANCEL **NEXT**

Passkey

Enregistrez votre appareil

Rendez-vous dans la table des matières en [cliquant ici](#) afin de sélectionner la procédure à suivre selon votre configuration.



The screenshot shows the 'Onboarding of your IT account' screen. At the top, there are three steps: 1. Account name (checked), 2. Sign-in (checked), and 3. Onboard your IT Account (active). Below the steps, the title 'Start the registration' is followed by instructions: 'Select the biometrics, pin or security key you want to register. Then continue with "Next".' There are three options: 'Register Windows Hello' (marked as 'Recommended' and 'The device you are currently using'), 'Register a security key', and 'Switch to a different device'. The 'Register Windows Hello' option includes a green circle with a checkmark and the text 'Sign-in with Windows Hello Pin, Face or Fingerprint.' At the bottom, there are 'CANCEL', 'SKIP', and 'NEXT' buttons.

Onboarding of your IT account

1. Account name ✓ 2. Sign-in ✓ 3. Onboard your IT Account

Start the registration

Select the biometrics, pin or security key you want to register. Then continue with "Next".


Recommended (The device you are currently using)

☒ **Register Windows Hello**
Sign-in with Windows Hello Pin, Face or Fingerprint.

☐ **Register a security key**

☐ **Switch to a different device**

CANCEL SKIP NEXT



The screenshot shows two dropdown menus. The first is titled 'Your operation system' and has a list of options: Windows, OS X, iOS, and Android. The second is titled 'Your authenticator type' and has a list of options: Windows Hello PIN and Security Key or Card.

Your operation system

Windows

OS X

iOS

Android

Your authenticator type

Windows Hello PIN

Security Key or Card

Passkey

Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.

Onboarding of your IT account

1. Account name ✓

2. Sign-in ✓

3. Onboard your IT Account

Reset your initial password

Protect Merck by choosing a secure password to sign in "X216512@ONE.merckgroup.com":

New Windows password:

Repeat new Windows password:

- At least 10 characters
- At least three of the following: uppercase letters, lowercase letters, numbers and special characters
(~!@#\$%^&*_-+=`\'|(){}[]:;'"<>.,?/)
- Different from previous passwords
- NO keyboard patterns
- NOT derived from your MUID/XMUID
- NO commonly used words at Merck
- NO words listed in a dictionary or guessable from your personality
- Use complex and non-obvious passwords

CANCEL

CONFIRM

Passkey

Vous avez à présent modifié votre mot de passe initial en un mot de passe personnalisé sécurisé

Onboarding of your IT account



1. Account name ✓

2. Sign-in ✓

3. Onboard your IT Account



**CONGRATS!
YOU HAVE RESET
YOUR PASSWORD**

You have set a new password


If you are using a company laptop which is not connected to the intranet, please follow the ["Pre-Logon Instructions"](#).

The password automatically synchronises to the company computer when you are connected to the intranet.

NEXT

Passkey


Mail de confirmation de changement de mot de passe



Passkey

Configuration Azure MFA – Méthode de double authentification SMS

- Rendez-vous dans la partie Azure MFA [en cliquant ici](#) afin de procéder à la configuration.



Onboarding of your IT account

1. Account name ✓

2. Sign-in ✓

3. Onboard your IT Account


Check your phone number or authenticator app

Please register at least one sign-in method. You will be redirected to a Microsoft page by clicking on "Register".

CANCEL **BACK TO PORTAL** **REGISTER**

Différents scénarios

A sélectionner selon votre configuration
depuis la table des matières [en cliquant ici.](#)




MERCK


Passkey

Vous êtes employé Merck (MUID) et disposez d'un PC Merck ainsi qu'un iPhone Merck

1. Rendez-vous sur <https://me.merckgroup.com/userguide>
2. Suivez la procédure en sélectionnant Windows et Windows Hello PIN:



3. Suivez ensuite la procédure en sélectionnant iOS et Touch ID afin d'enregistrer votre deuxième appareil:




4. Retour à l'étape [Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.](#)

Passkey

Vous êtes employé Merck (MUID) et disposez d'un PC Merck uniquement

1. Rendez-vous sur <https://me.merckgroup.com/userguide>
2. Suivez la procédure en sélectionnant Windows et Windows Hello PIN:



3. Retour à l'étape [Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.](#)



Il est préférable d'enregistrer un moins deux appareils (p. ex., téléphone mobile ou clé de sécurité). Le deuxième appareil fait office de secours, si l'un des deux est défectueux ou perdu.


Passkey

Vous êtes employé Merck (MUID) et disposez d'un PC Merck uniquement et acceptez d'activer un appareil mobile personnel

1. Rendez-vous sur <https://me.merckgroup.com/userguide>
2. Suivez la procédure en sélectionnant Windows et Windows Hello PIN:



3. Suivez ensuite la procédure en sélectionnant le système souhaité et l'option clé de sécurité



4. Retour à l'étape [Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.](#)



En activant l'option Passkey sur votre mobile personnel, **Merck n'aura accès à aucune donnée.** Il s'agit uniquement d'utiliser la technologie Passkey embarquée sur votre appareil.


Passkey

Vous êtes employé Merck (MUID) et utilisez un PC partagé

Passkey

Vous êtes externe (XUID) et ne disposez pas d'un PC Merck mais vous pouvez enregistrer un appareil compatible Passkey

1. Rendez-vous sur <https://me.merckgroup.com/userguide>
2. Suivez la procédure en sélectionnant le système souhaité



3. Retour à l'étape [Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.](#)



Il est préférable d'enregistrer un moins deux appareils (p. ex., téléphone mobile ou clé de sécurité). Le deuxième appareil fait office de secours, si l'un des deux est défectueux ou perdu.




En activant l'option Passkey sur un mobile personnel, **Merck n'aura accès à aucune donnée.** Il s'agit uniquement d'utiliser la technologie Passkey embarquée sur votre appareil.

Passkey

Vous êtes externe (XUID), ne disposez pas d'un PC Merck et vous ne pouvez enregistrer aucun appareil compatible


1. Achetez une clé de sécurité qui prend en charge le standard FIDO2 ([lien externe](#)) ou utilisez celle de votre entreprise si vous utilisez déjà la technologie Passkey.
2. Rendez-vous sur <https://me.merckgroup.com/userguide>
3. Suivez la procédure en sélectionnant le système souhaité et l'option clé de sécurité



4. Retour à l'étape [Remplacer le mot de passe initial de Windows par un mot de passe personnalisé sécurisé.](#)

Advanced protection

[Retour table des matières](#)



MERCK

Passkey

Advanced Protection

1. Une fois vos deux appareils configurés, rendez-vous sur le portail <https://me.merckgroup.com>
2. Identifiez-vous et cochez l'option « Advanced Protection »

Ceci permettra à votre mot de passe Windows de ne plus expirer. La double authentification se fera alors également uniquement via vos appareils enregistrés sur le portail <https://me.merckgroup.com>

Dear **Julian Merck**

Welcome to a faster sign-in. Your passkey is stored and will never leave the security chip of your personal device.

Checklist



Switch to faster sign-in

Create at least 2 passkeys.



Sign in with your devices

Use at least 2 of your Passkeys regularly to ensure they can still be used.



Advanced Protection


You can only use devices with Passkeys. Disables SMS, Call, Authenticator App. Your password will no longer expire. You can deactivate Advanced Protection for up to 72 hours if required.



Azure MFA

Configuration méthode double authentification via SMS

[Retour table des matières](#)



MERCK

Passkey


Configuration Azure MFA – Méthode de double authentification SMS

- La méthode de double authentification via SMS (Azure MFA) vient en complément de Passkey. Il est à noter que cette solution va tendre à disparaître à terme.
- Il est toujours nécessaire de passer par l'étape [du processus de démarrage](#) dans un premier temps afin de pouvoir configurer Azure MFA.

Passkey

Configuration Azure MFA – Méthode de double authentification SMS


- Ouvrez un navigateur internet (Chrome  ou Edge )



Passkey

Configuration Azure MFA – Méthode de double authentification SMS


- Se rendre sur la page Azure Authenticator via le lien suivant: <https://aka.ms/mfasetup>
- Entrez vos identifiants Merck comme suit: MXXXXXXX@one.merckgroup.com
- Cliquez sur **Next**



Passkey

Configuration Azure MFA – Méthode de double authentification SMS


- Choisissez l'option « *I want to set up a different method* »



Passkey

Configuration Azure MFA – Méthode de double authentification SMS


- Dans le choix de la méthode d'authentification, sélectionnez **Phone**.



Passkey

Configuration Azure MFA – Méthode de double authentification SMS

- Confirmez le choix et entrez votre numéro de mobile en sélectionnant au préalable le suffixe **France (+33)**



The screenshot shows a web browser window with the URL <https://mysignins>. The page displays a list of countries with their respective phone number prefixes. A red box highlights the 'France (+33)' option, and a red arrow points to it. Below the list, there are two radio buttons: 'Text me a code' (selected) and 'Call me'. A 'Next' button is visible at the bottom right of the form. The background shows a blurred view of the same page with the text 'following methods of proving who you are.' and 'Enter phone number'.

Diego Garcia (+246)
Djibouti (+253)
Dominica (+1767)
Dominican Republic (+1829)
Dominican Republic (+1849)
Dominican Republic (+1809)
Ecuador (+593)
Egypt (+20)
El Salvador (+503)
Equatorial Guinea (+240)
Eritrea (+291)
Estonia (+372)
Ethiopia (+251)
Falkland Islands (Islas Malvinas) (+500)
Faroe Islands (+298)
Fiji Islands (+679)
Finland (+358)
France (+33)
France (+33)

☒ Text me a code
☐ Call me

Message and data rates may apply. Choosing Next means that you agree to the [Terms of service](#) and [Privacy and cookies statement](#).


Next

[I want to set up a different method](#)

Passkey

Configuration Azure MFA – Méthode de double authentification SMS

- Gardez l'option **Text me a code** afin de recevoir un SMS avec le code à 6 chiffres.




The screenshot shows a web browser window with the URL `https://mysignins.microsoft.com/register?csrf_token=G1BRAZ47U1opDmUaFMWQpLYy2Q3wTAIRX_CtGB0N-S3UJnc...`. The page title is "Keep your account secure" and the subtitle is "Your organization requires you to set up the following methods of proving who you are." The main content area is titled "Phone" and contains the text "We just sent a 6 digit code to +33 [redacted] Enter the code below." Below this text is a text input field labeled "Enter code". At the bottom right of the form are two buttons: "Back" and "Next". At the bottom left of the form is a link that says "I want to set up a different method".

Passkey


Configuration Azure MFA – Méthode de double authentification SMS

- Une fois le code renseigné, bravo, vous avez finalisé l'enregistrement d'Azure authenticator.
- Dorénavant, vous recevrez un SMS avec le code qui vous permettra de sécuriser votre compte.



Liens utiles

[Retour table des matières](#)



MERCK

Passkey

Liens utiles

- [Guide de l'utilisateur avec captures d'écran \(Internet\)](#)
- [Page EVA du projet \(Intranet\)](#)
- [Foire aux questions \(intranet\)](#)
- [Achat clé de sécurité Yubico \(si employé externe – XUID\)](#)

[Retour table des matières](#)