



1.




$$C = \begin{bmatrix} 1 & 2 \\ 2 & 3 \\ 2 & 4 \end{bmatrix}$$

1-1




$$C = \begin{bmatrix} 2 & 3 \\ 2 & 4 \\ 1 & 2 \end{bmatrix}$$

1-2.




$$C = \begin{bmatrix} 2 & 3 \\ 3 & 4 \\ 1 & 3 \end{bmatrix}$$

1-3-




$$C = \begin{bmatrix} 1 & 2 \\ 2 & 3 \\ 2 & 4 \\ 3 & 5 \\ 1 & 6 \end{bmatrix}$$

1-4- $C = \begin{bmatrix} 1 & 2 \\ 2 & 3 \\ 3 & 4 \\ 1 & 4 \\ 1 & 3 \\ 2 & 4 \end{bmatrix}$ $\begin{matrix} 1 (0;0) \\ 2 (1;0) \\ 3 (1;1) \\ 4 (0;1) \end{matrix}$




2-



$$C = \begin{bmatrix} 1 & 2 \\ 2 & 3 \\ 2 & 4 \end{bmatrix}$$


$$Eqn = \begin{bmatrix} 1 & 2 & 3 & 4 \\ 3 & 4 & 5 & 6 \\ 3 & 4 & 7 & 8 \end{bmatrix}$$

2. 1 -



$$Eqn = \begin{bmatrix} 3 & 4 & 7 & 8 \\ 3 & 4 & 5 & 6 \\ 1 & 2 & 3 & 4 \end{bmatrix}$$

2. 2 -



$$Eqn = \begin{bmatrix} 3 & 4 & 5 & 6 \\ 5 & 6 & 7 & 8 \\ 5 & 6 & 1 & 2 \end{bmatrix}$$

peut-on changer seulement les indices des dde ou sont-ils
inchangeables pour les nœuds