


OOD Transfer: the Re=1000 baseline and its fine-tune across regimes


Both models at every regime $Re=1000-8000$, unguided and with the statistics dials, on held-out sequences, fixed $K3 \times 86$ chain. $Re=1000$ uses seqs 34-39 of the 40-seed file (held out from base pretraining AND the fine-tune); other regimes use validation seqs 8-19 of their generated pools. 120 triplets per regime. 2026-08-26.

1 . The transfer picture



Retention, placement, residual and MSE across regimes (left to right), then per-band retention. Solid = unguided, dashed = v2 dose dial, dotted = all dials.

2 . Spectra, regime by regime



2b . Where plain sampling stops being enough

plain sampling	Re=1000	Re=1500	Re=2000	Re=3000	Re=4000	Re=5000	Re=6000	Re=7000	Re=8000
retention									
base	0.46	0.36	0.31	0.25	0.22	0.20	0.19	0.18	0.18
ft Re=1000	0.99	0.76	0.62	0.48	0.41	0.37	0.35	0.32	0.30
ft Re=2000	-	1.00	0.82	0.64	0.54	0.49	0.46	0.43	0.41
ft Re=8000	-	-	-	-	-	-	-	-	0.67
placement									
base	0.908	0.888	0.875	0.860	0.835	0.824	0.810	0.784	0.777
ft Re=1000	0.863	0.838	0.830	0.815	0.786	0.777	0.766	0.739	0.741
ft Re=2000	-	0.852	0.844	0.828	0.808	0.794	0.786	0.767	0.764
ft Re=8000	-	-	-	-	-	-	-	-	0.694
in-band									
base	0%	0%	0%	0%	0%	0%	0%	0%	0%
ft Re=1000	78%	38%	3%	0%	0%	0%	0%	0%	0%
ft Re=2000	-	89%	66%	3%	0%	0%	0%	0%	0%
ft Re=8000	-	-	-	-	-	-	-	-	9%
v2 dose dial	Re=1000	Re=1500	Re=2000	Re=3000	Re=4000	Re=5000	Re=6000	Re=7000	Re=8000
retention									
base	1.00	1.02	0.92	0.86	0.79	0.74	0.74	0.75	0.68
ft Re=1000	1.06	1.08	0.98	0.91	0.84	0.78	0.78	0.78	0.72
ft Re=2000	-	1.16	1.06	0.99	0.90	0.84	0.84	0.85	0.77
ft Re=8000	-	-	-	-	-	-	-	-	0.84
placement									
base	0.750	0.819	0.797	0.760	0.723	0.730	0.719	0.665	0.675
ft Re=1000	0.736	0.791	0.779	0.742	0.705	0.706	0.698	0.651	0.655
ft Re=2000	-	0.806	0.794	0.759	0.730	0.728	0.719	0.676	0.680
ft Re=8000	-	-	-	-	-	-	-	-	0.657
in-band									
base	38%	52%	49%	50%	48%	40%	35%	40%	26%
ft Re=1000	38%	52%	52%	52%	55%	50%	43%	47%	32%
ft Re=2000	-	44%	49%	51%	59%	62%	60%	52%	39%
ft Re=8000	-	-	-	-	-	-	-	-	52%
all dials (v2)	Re=1000	Re=1500	Re=2000	Re=3000	Re=4000	Re=5000	Re=6000	Re=7000	Re=8000
retention									
base	1.00	1.01	0.92	0.86	0.79	0.74	0.74	0.74	0.68


ft Re=1000	1.05	1.08	0.98	0.91	0.83	0.77	0.77	0.78	0.71
ft Re=2000	-	1.15	1.05	0.98	0.90	0.84	0.84	0.84	0.77
ft Re=8000	-	-	-	-	-	-	-	-	0.84
placement									
base	0.732	0.813	0.809	0.772	0.743	0.743	0.734	0.681	0.691
ft Re=1000	0.726	0.801	0.795	0.759	0.728	0.723	0.717	0.668	0.670
ft Re=2000	-	0.810	0.805	0.773	0.748	0.743	0.736	0.690	0.693
ft Re=8000	-	-	-	-	-	-	-	-	0.673
in-band									
base	39%	52%	48%	48%	45%	40%	35%	37%	25%
ft Re=1000	38%	52%	53%	52%	54%	48%	42%	46%	32%
ft Re=2000	-	44%	51%	51%	59%	62%	59%	50%	39%
ft Re=8000	-	-	-	-	-	-	-	-	48%
taper + scaling + gate									
	Re=1000	Re=1500	Re=2000	Re=3000	Re=4000	Re=5000	Re=6000	Re=7000	Re=8000
retention									
base	0.96	0.99	0.91	0.86	0.80	0.75	0.75	0.75	0.69
ft Re=1000	1.07	1.08	0.96	0.90	0.83	0.78	0.78	0.79	0.72
ft Re=2000	-	-	-	-	-	0.83	-	-	0.77
ft Re=8000	-	-	-	-	-	-	-	-	-
placement									
base	0.908	0.878	0.856	0.823	0.782	0.775	0.752	0.707	0.715
ft Re=1000	0.874	0.845	0.833	0.809	0.767	0.755	0.735	0.691	0.698
ft Re=2000	-	-	-	-	-	0.779	-	-	0.727
ft Re=8000	-	-	-	-	-	-	-	-	-
in-band									
base	94%	98%	93%	84%	49%	26%	23%	28%	5%
ft Re=1000	83%	83%	96%	89%	72%	43%	42%	45%	14%
ft Re=2000	-	-	-	-	-	70%	-	-	35%
ft Re=8000	-	-	-	-	-	-	-	-	-

Grouped by sampling configuration: within each block the four models are listed across all regimes for retention, placement and per-frame dose accuracy. Read a column downwards to see whether the sampler or the weights carry the reconstruction at that regime. The last block stacks three changes on the v2 dial: tapered band edge, per-sample target scaling, and the target gate (each sample's guidance fades to zero at its own target, deadband 20%).

2c . Per-triplet dose and placement

Every number computed once per reconstructed triplet against that triplet's own ground truth, then aggregated - never pooled into one global correlation, which folds frame-to-frame dose error into what looks like a spatial score.

Per-triplet dose and placement across regimes — every metric computed against each triplet's own ground truth



unguided

Re	ret base	ret ft	in-band base	in-band ft	D in-band	place base	place ft	D place
1000	0.46	1.01	0%	79%	+79	0.906	0.856	-0.050
1500	0.36	0.77	0%	39%	+39	0.887	0.854	-0.032
2000	0.31	0.63	0%	3%	+3	0.878	0.840	-0.038
3000	0.25	0.49	0%	0%	+0	0.864	0.823	-0.041
4000	0.22	0.41	0%	0%	+0	0.832	0.804	-0.029
5000	0.20	0.38	0%	0%	+0	0.818	0.783	-0.035
6000	0.19	0.35	0%	0%	+0	0.804	0.760	-0.044
7000	0.18	0.32	0%	0%	+0	0.785	0.743	-0.042
8000	0.18	0.30	0%	0%	+0	0.782	0.743	-0.040

v2 dose dial

Re	ret base	ret ft	in-band base	in-band ft	D in-band	place base	place ft	D place
1000	1.04	1.10	39%	38%	-1	0.912	0.861	-0.051
1500	1.05	1.13	54%	52%	-2	0.888	0.856	-0.032
2000	0.95	1.03	47%	52%	+6	0.867	0.833	-0.033
3000	0.87	0.94	48%	50%	+2	0.835	0.810	-0.025
4000	0.78	0.82	39%	48%	+9	0.792	0.774	-0.018
5000	0.72	0.76	34%	41%	+7	0.788	0.759	-0.030
6000	0.70	0.74	28%	35%	+7	0.776	0.733	-0.043
7000	0.76	0.80	40%	47%	+7	0.723	0.701	-0.022
8000	0.61	0.66	20%	22%	+2	0.740	0.708	-0.032

all dials (v2)

Re	ret base	ret ft	in-band base	in-band ft	D in-band	place base	place ft	D place
1000	1.03	1.10	39%	38%	-1	0.870	0.853	-0.016
1500	1.05	1.12	53%	52%	-2	0.882	0.861	-0.021
2000	0.95	1.02	48%	52%	+4	0.866	0.849	-0.017
3000	0.87	0.93	48%	49%	+2	0.840	0.822	-0.018
4000	0.77	0.82	39%	48%	+8	0.817	0.794	-0.023
5000	0.72	0.76	34%	40%	+6	0.797	0.777	-0.020
6000	0.70	0.73	25%	33%	+8	0.783	0.757	-0.026
7000	0.76	0.79	37%	46%	+9	0.734	0.716	-0.018
8000	0.61	0.65	20%	22%	+2	0.753	0.730	-0.022

target-gated stack

Re	ret base	ret ft	in-band base	in-band ft	D in-band	place base	place ft	D place
----	----------	--------	--------------	------------	-----------	------------	----------	---------

1000	0.98	1.08	93%	84%	-9	0.907	0.863	-0.044
1500	0.98	1.07	98%	83%	-14	0.890	0.852	-0.038
2000	0.90	0.96	93%	96%	+3	0.864	0.834	-0.030
3000	0.87	0.90	84%	89%	+5	0.822	0.806	-0.016
4000	0.80	0.83	49%	72%	+23	0.785	0.765	-0.020
5000	0.76	0.79	26%	43%	+18	0.769	0.751	-0.018
6000	0.75	0.79	23%	42%	+18	0.747	0.720	-0.027
7000	0.76	0.79	28%	45%	+17	0.720	0.701	-0.019
8000	0.69	0.72	5%	14%	+9	0.723	0.692	-0.031

The fine-tune buys per-triplet DOSE out of regime (+7 to +10 points under any dial from Re=4000 up, +23 under the gated stack at Re=4000) and pays a near-constant 0.011-0.051 of placement for it at every regime. Unguided, its dose advantage is the opposite shape: +78 points at home, gone by Re=3000. In regime with the gate the base wins outright on dose (94% vs 83%), with no training.

2d . Does fine-tuning nearer the target regime help?

All four checkpoints under the same sampling configuration. Everything earlier uses the Re=1000 fine-tune at every regime; this asks whether a checkpoint trained closer to the evaluation regime beats it, and whether either beats the base once both are guided.

v2 dose dial

Re	base ret	base in-band	base place	ft 1k ret	ft 1k in-band	ft 1k place	ft 2k ret	ft 2k in-band	ft 2k place	ft 8k ret	ft 8k in-band	ft 8k place
1000	1.00	39%	0.912	1.06	38%	0.861	-	-	-	-	-	-
1500	1.02	54%	0.888	1.08	52%	0.856	1.16	42%	0.865	-	-	-
2000	0.92	47%	0.867	0.98	52%	0.833	1.06	50%	0.849	-	-	-
3000	0.86	48%	0.835	0.91	50%	0.810	0.99	53%	0.822	-	-	-
4000	0.79	39%	0.792	0.84	48%	0.774	0.90	57%	0.799	-	-	-
5000	0.74	34%	0.788	0.78	41%	0.759	0.84	57%	0.782	-	-	-
6000	0.74	28%	0.776	0.78	35%	0.733	0.84	49%	0.755	-	-	-
7000	0.75	40%	0.723	0.78	47%	0.701	0.85	52%	0.731	-	-	-
8000	0.68	20%	0.740	0.72	22%	0.708	0.77	33%	0.737	0.84	45%	0.692

all three dials

Re	base ret	base in-band	base place	ft 1k ret	ft 1k in-band	ft 1k place	ft 2k ret	ft 2k in-band	ft 2k place	ft 8k ret	ft 8k in-band	ft 8k place
1000	1.00	39%	0.870	1.05	38%	0.853	-	-	-	-	-	-
1500	1.01	53%	0.882	1.08	52%	0.861	1.15	42%	0.874	-	-	-
2000	0.92	48%	0.866	0.98	52%	0.849	1.05	51%	0.859	-	-	-
3000	0.86	48%	0.840	0.91	49%	0.822	0.98	52%	0.839	-	-	-
4000	0.79	39%	0.817	0.83	48%	0.794	0.90	58%	0.811	-	-	-
5000	0.74	34%	0.797	0.77	40%	0.777	0.84	58%	0.793	-	-	-
6000	0.74	25%	0.783	0.77	33%	0.757	0.84	48%	0.776	-	-	-
7000	0.74	37%	0.734	0.78	46%	0.716	0.84	50%	0.742	-	-	-
8000	0.68	20%	0.753	0.71	22%	0.730	0.77	34%	0.753	0.84	44%	0.711

target-gated stack

Re	base ret	base in-band	base place	ft 1k ret	ft 1k in-band	ft 1k place	ft 2k ret	ft 2k in-band	ft 2k place	ft 8k ret	ft 8k in-band	ft 8k place
1000	0.96	93%	0.907	1.07	84%	0.863	-	-	-	-	-	-
1500	0.99	98%	0.890	1.08	83%	0.852	-	-	-	-	-	-
2000	0.91	93%	0.864	0.96	96%	0.834	-	-	-	-	-	-
3000	0.86	84%	0.822	0.90	89%	0.806	-	-	-	-	-	-
4000	0.80	49%	0.785	0.83	72%	0.765	-	-	-	-	-	-
5000	0.75	26%	0.769	0.78	43%	0.751	0.83	70%	0.772	-	-	-
6000	0.75	23%	0.747	0.78	42%	0.720	-	-	-	-	-	-
7000	0.75	28%	0.720	0.79	45%	0.701	-	-	-	-	-	-

8000	0.69	5%	0.723	0.72	14%	0.692	0.77	35%	0.721	-	-	-
------	------	----	-------	------	-----	-------	------	-----	-------	---	---	---

Yes, monotonically, and the ordering is exactly the distance from the training regime. At Re=8000 with the dose dial the per-triplet agreement runs 20% (base), 22% (Re=1000 fine-tune), 33% (Re=2000), 45% (Re=8000), retention 0.68/0.72/0.77/0.84 in the same order; at Re=5000 the figures are 34%, 41%, 57%. The benefit is dose and placement pays for it: at Re=8000 the placements are 0.740, 0.708, 0.737, 0.692, so the base is best and the checkpoint that dominates on dose is worst. Transport is asymmetric - a fine-tune evaluated ABOVE its training regime under-delivers, and BELOW it over-delivers (the Re=2000 fine-tune at Re=1500 reaches retention 1.16 and only 42%, worse than the base). Caveat: the gated stack has been run for the base and the Re=1000 fine-tune everywhere but for the Re=2000 fine-tune only at Re=5000 and 8000, so configuration rankings at Re=6000-8000 are provisional.

3 . Placement / retention band by band, four variants

Re — band [16,32)	base ung.	base+dial	r1k ung.	r1k+dial
1000	0.977 / 0.71	0.875 / 0.97	0.970 / 0.81	0.874 / 0.99
1500	0.971 / 0.68	0.915 / 0.98	0.962 / 0.79	0.908 / 1.00
2000	0.968 / 0.66	0.923 / 0.94	0.960 / 0.75	0.916 / 0.95
3000	0.965 / 0.65	0.920 / 0.92	0.957 / 0.73	0.912 / 0.94
4000	0.959 / 0.64	0.922 / 0.90	0.951 / 0.71	0.914 / 0.91
5000	0.956 / 0.63	0.920 / 0.88	0.946 / 0.70	0.911 / 0.89
6000	0.956 / 0.63	0.926 / 0.88	0.947 / 0.69	0.916 / 0.89
7000	0.946 / 0.62	0.914 / 0.91	0.935 / 0.69	0.902 / 0.92
8000	0.952 / 0.62	0.918 / 0.86	0.943 / 0.68	0.907 / 0.86
Re — band [32,64)	base ung.	base+dial	r1k ung.	r1k+dial
1000	0.905 / 0.46	0.750 / 0.99	0.859 / 0.97	0.734 / 1.06
1500	0.886 / 0.38	0.820 / 1.01	0.832 / 0.77	0.787 / 1.08
2000	0.875 / 0.33	0.798 / 0.91	0.824 / 0.64	0.773 / 0.98
3000	0.862 / 0.28	0.778 / 0.84	0.810 / 0.52	0.748 / 0.91
4000	0.836 / 0.26	0.748 / 0.78	0.776 / 0.45	0.715 / 0.83
5000	0.826 / 0.24	0.758 / 0.74	0.771 / 0.42	0.724 / 0.79
6000	0.820 / 0.23	0.751 / 0.74	0.763 / 0.40	0.715 / 0.78
7000	0.790 / 0.22	0.714 / 0.74	0.734 / 0.38	0.684 / 0.79
8000	0.792 / 0.21	0.722 / 0.69	0.745 / 0.36	0.690 / 0.73
Re — band [64,96)	base ung.	base+dial	r1k ung.	r1k+dial
1000	0.795 / 0.35	0.570 / 1.18	0.753 / 1.33	0.549 / 1.09
1500	0.752 / 0.18	0.659 / 1.12	0.691 / 0.64	0.617 / 1.13
2000	0.711 / 0.12	0.637 / 1.01	0.649 / 0.40	0.596 / 1.01
3000	0.668 / 0.08	0.547 / 0.98	0.600 / 0.23	0.521 / 0.97
4000	0.648 / 0.06	0.495 / 0.85	0.562 / 0.16	0.469 / 0.85
5000	0.604 / 0.05	0.469 / 0.77	0.524 / 0.13	0.427 / 0.76
6000	0.582 / 0.04	0.466 / 0.76	0.508 / 0.12	0.434 / 0.76
7000	0.552 / 0.04	0.392 / 0.76	0.474 / 0.10	0.367 / 0.75
8000	0.496 / 0.04	0.398 / 0.68	0.443 / 0.09	0.366 / 0.67

Each cell is placement / retention. The fine-tune gains retention and loses placement in every band at every regime; the retention gain decays with regime distance while the placement cost does not, so the trade worsens monotonically (deep band: +0.98 ret for -0.042 place at Re=1000; +0.05 for -0.053 at Re=8000).

4 . What the fine-tune buys once the dial is on

Re	ret base+dial	ret r1k+dial	dRet	place base+dial	place r1k+dial	dPlace	in-band base ung	in-band r1k ung	in-band base+dial	in-band r1k+dial
1000	1.002	1.057	+0.055	0.750	0.736	-0.014	0%	78%	38%	38%
1500	1.017	1.083	+0.065	0.819	0.791	-0.029	0%	38%	52%	52%
2000	0.924	0.984	+0.060	0.797	0.779	-0.019	0%	3%	49%	52%
3000	0.863	0.915	+0.052	0.760	0.742	-0.019	0%	0%	50%	52%
4000	0.793	0.836	+0.043	0.723	0.705	-0.018	0%	0%	48%	55%
5000	0.743	0.781	+0.038	0.730	0.706	-0.024	0%	0%	40%	50%
6000	0.742	0.779	+0.037	0.719	0.698	-0.020	0%	0%	35%	43%
7000	0.747	0.782	+0.035	0.665	0.651	-0.014	0%	0%	40%	47%
8000	0.685	0.716	+0.031	0.675	0.655	-0.020	0%	0%	26%	32%

Once the dial is on the fine-tune adds only +0.03-0.07 retention against -0.014 to -0.029 placement and higher MSE. Its conditional-dose ability - the one thing the dial cannot supply - is an in-regime property that evaporates by Re=2000 (78% to 38% to 3% to 0% of frames within +-20% of their own truth). OOD the DIAL provides per-frame accuracy (0% to 26-52%). Out of distribution the dial does the work; in regime the fine-tune does.

5 . Full tables

Baseline (no fine-tune)

Re	strategy	ret [1,5)	ret [5,16)	ret [16,32)	ret [32,64)	ret [64,96)	place	pl[32,64)	pl[64,96)	MSE	resid	in-band
1000	unguided	0.99	0.94	0.71	0.46	0.35	0.908	0.91	0.79	0.40	0.62	0%
1000	v2 dose dial	0.99	0.95	0.97	0.99	1.18	0.750	0.75	0.57	0.46	1.82	38%
1000	all dials (v2)	0.99	0.95	0.97	0.99	1.18	0.732	0.73	0.55	0.46	1.62	39%
1500	unguided	0.99	0.94	0.68	0.38	0.18	0.888	0.89	0.75	0.50	0.30	0%
1500	v2 dose dial	0.99	0.95	0.98	1.01	1.12	0.819	0.82	0.66	0.55	0.70	52%
1500	all dials (v2)	0.99	0.95	0.98	1.00	1.12	0.813	0.81	0.66	0.55	0.54	52%
2000	unguided	0.99	0.94	0.66	0.33	0.12	0.875	0.87	0.71	0.65	0.18	0%
2000	v2 dose dial	0.99	0.95	0.94	0.91	1.01	0.797	0.80	0.64	0.71	0.49	49%
2000	all dials (v2)	0.99	0.95	0.94	0.91	1.00	0.809	0.81	0.64	0.70	0.37	48%
3000	unguided	0.99	0.94	0.65	0.28	0.08	0.860	0.86	0.67	0.89	0.10	0%
3000	v2 dose dial	0.99	0.95	0.92	0.84	0.98	0.760	0.78	0.55	0.98	0.36	50%
3000	all dials (v2)	0.99	0.95	0.92	0.84	0.97	0.772	0.79	0.55	0.98	0.25	48%
4000	unguided	0.99	0.94	0.64	0.26	0.06	0.835	0.84	0.65	1.14	0.06	0%
4000	v2 dose dial	0.99	0.95	0.90	0.78	0.85	0.723	0.75	0.49	1.26	0.26	48%
4000	all dials (v2)	0.99	0.95	0.90	0.77	0.85	0.743	0.78	0.49	1.25	0.19	45%
5000	unguided	0.99	0.94	0.63	0.24	0.05	0.824	0.83	0.60	1.29	0.05	0%
5000	v2 dose dial	0.99	0.94	0.88	0.74	0.77	0.730	0.76	0.47	1.42	0.23	40%
5000	all dials (v2)	0.99	0.94	0.88	0.73	0.76	0.743	0.78	0.47	1.40	0.16	40%
6000	unguided	0.99	0.94	0.63	0.23	0.04	0.810	0.82	0.58	1.35	0.04	0%
6000	v2 dose dial	0.99	0.95	0.88	0.74	0.76	0.719	0.75	0.47	1.49	0.21	35%
6000	all dials (v2)	0.99	0.95	0.88	0.73	0.76	0.734	0.78	0.46	1.48	0.15	35%
7000	unguided	0.99	0.94	0.62	0.22	0.04	0.784	0.79	0.55	1.49	0.04	0%
7000	v2 dose dial	0.99	0.95	0.91	0.74	0.76	0.665	0.71	0.39	1.67	0.19	40%
7000	all dials (v2)	0.99	0.95	0.91	0.74	0.75	0.681	0.74	0.39	1.66	0.13	37%
8000	unguided	0.99	0.94	0.62	0.21	0.04	0.777	0.79	0.50	1.65	0.03	0%
8000	v2 dose dial	0.99	0.94	0.86	0.69	0.68	0.675	0.72	0.40	1.82	0.15	26%
8000	all dials (v2)	0.99	0.94	0.86	0.68	0.68	0.691	0.75	0.39	1.81	0.10	25%

Re=1000 fine-tune

Re	strategy	ret [1,5)	ret [5,16)	ret [16,32)	ret [32,64)	ret [64,96)	place	pl[32,64)	pl[64,96)	MSE	resid	in-band
1000	unguided	0.97	0.95	0.81	0.97	1.33	0.863	0.86	0.75	0.43	0.79	78%
1000	v2 dose dial	0.97	0.95	0.99	1.06	1.09	0.736	0.73	0.55	0.48	1.32	38%
1000	all dials (v2)	0.97	0.95	0.99	1.05	1.08	0.726	0.72	0.53	0.48	1.20	38%
1500	unguided	0.97	0.95	0.79	0.77	0.64	0.838	0.83	0.69	0.52	0.34	38%
1500	v2 dose dial	0.97	0.95	1.00	1.08	1.13	0.791	0.79	0.62	0.58	0.47	52%
1500	all dials (v2)	0.97	0.95	1.00	1.07	1.12	0.801	0.80	0.62	0.58	0.41	52%
2000	unguided	0.97	0.95	0.75	0.64	0.40	0.830	0.82	0.65	0.67	0.20	3%
2000	v2 dose dial	0.97	0.95	0.95	0.98	1.01	0.779	0.77	0.60	0.75	0.33	52%
2000	all dials (v2)	0.97	0.95	0.95	0.97	1.00	0.795	0.79	0.60	0.74	0.27	53%
3000	unguided	0.97	0.95	0.73	0.52	0.23	0.815	0.81	0.60	0.89	0.10	0%
3000	v2 dose dial	0.97	0.95	0.94	0.91	0.97	0.742	0.75	0.52	1.03	0.24	52%
3000	all dials (v2)	0.97	0.95	0.94	0.90	0.97	0.759	0.77	0.52	1.02	0.19	52%
4000	unguided	0.97	0.95	0.71	0.45	0.16	0.786	0.78	0.56	1.14	0.07	0%
4000	v2 dose dial	0.97	0.95	0.91	0.83	0.85	0.705	0.71	0.47	1.31	0.18	55%
4000	all dials (v2)	0.97	0.95	0.91	0.83	0.84	0.728	0.75	0.47	1.30	0.14	54%
5000	unguided	0.97	0.94	0.70	0.42	0.13	0.777	0.77	0.52	1.29	0.05	0%
5000	v2 dose dial	0.97	0.94	0.89	0.79	0.76	0.706	0.72	0.43	1.47	0.15	50%
5000	all dials (v2)	0.97	0.94	0.89	0.78	0.76	0.723	0.75	0.43	1.46	0.12	48%
6000	unguided	0.97	0.95	0.69	0.40	0.12	0.766	0.76	0.51	1.35	0.04	0%
6000	v2 dose dial	0.97	0.94	0.89	0.78	0.76	0.698	0.72	0.43	1.55	0.15	43%
6000	all dials (v2)	0.97	0.94	0.89	0.78	0.75	0.717	0.75	0.43	1.54	0.11	42%
7000	unguided	0.97	0.94	0.69	0.38	0.10	0.739	0.73	0.47	1.49	0.04	0%
7000	v2 dose dial	0.97	0.94	0.92	0.79	0.75	0.651	0.68	0.37	1.73	0.13	47%
7000	all dials (v2)	0.97	0.94	0.92	0.78	0.74	0.668	0.72	0.37	1.72	0.10	46%
8000	unguided	0.97	0.94	0.68	0.36	0.09	0.741	0.75	0.44	1.65	0.03	0%
8000	v2 dose dial	0.97	0.94	0.86	0.73	0.67	0.655	0.69	0.37	1.88	0.10	32%
8000	all dials (v2)	0.97	0.94	0.86	0.72	0.67	0.670	0.72	0.37	1.86	0.08	32%