

Yokosuka (naval port)

Then-and-now aerial photographs, how the ground was made, and the disasters people chose to remember — compiled automatically from public Japanese government data.



横須賀（神奈川県横須賀市）

Study area	2.6 km × 1.7 km around 35.2830° N, 139.6680° E
Oldest aerial photograph	1945–1950
Aerial series in this brief	1945–1950, 1961–1969, 1974–1978, 1979–1983, 1987–1990, 2021
Main natural landform	Former water area (31%)
Former river channels	none mapped
Filled, reclaimed or drained land	45%
Former sea, river or pond	31%
Meiji-era paddies, marsh and flats	tidal flat or beach 2.9%
Disaster memorials within 3 km	2 (earthquake 2, landslide or debris flow 1)

What this brief is. A reading aid for comparing the same ground across decades. It shows what the photographs and GSI's land surveys record; it does not describe current conditions, access or opening hours.

What it is not. Not a hazard assessment or a property survey. Landform classes describe typical tendencies of the ground; for present-day risk, read the official hazard map of the municipality.

Edition 2026-09-27. Aerial photographs, landform and Meiji-era lowland data: Geospatial Information Authority of Japan (GSI), processed by Japan Time Atlas. Memorial data: GSI Natural Disaster Memorials, summarised and translated by Japan Time Atlas.

The same ground, 1945–1950 and 2021



1945–1950 aerial photograph (US military photography) — GSI Tiles *ort_USA10*, cropped and annotated by Japan Time Atlas. North is up; the frame is identical in both images.



2021 annual orthophoto — GSI Tiles *nendophoto2021*, cropped and annotated by Japan Time Atlas. Capture dates within a mosaic can differ from place to place.

How to compare. Anchor on features that rarely move — river banks, rail lines, shrine and temple grounds, main roads — then look for what changed around them. Differences in tone come from film, camera and season, not from the land itself.

The decades in between

Every further GSI series that covers the same frame, oldest first. Each series is a compilation: photographs within one series were taken on different dates, which is why seams and changes of tone can appear inside a frame.



1961–1969 · GSI Tiles *ort_old10*, processed



1974–1978 · GSI Tiles *gazo1*, processed



1979–1983 · GSI Tiles *gazo2*, processed



1987–1990 · GSI Tiles *gazo4*, processed

Rivers, shorelines and terraces



Natural landforms as classified by GSI, over a recent aerial photograph in gray. Dark blue outlines mark former river channels.

Former water area 31%	Mountain and hill slopes 29%
Water 24%	Floodplain and coastal plain 8.3%
Foothill deposits 7.1%	Sandbars and dunes under 0.5%

What the main landforms mean

Former water area (31%). Land shown by old maps and aerial photographs to have been sea, lake, pond, reservoir or river, later turned into land. Soft ground: very strong liquefaction tendency where filled, strong where drained. Storm surge near the coast.


Mountain and hill slopes (29%). Ridges, valleys and fairly steep ground, including terrace-scarp slopes and volcanic ground. Heavy rain or earthquakes can trigger slope failures, debris flows and landslides.

Floodplain and coastal plain (8.3%). Low, flat ground of little relief, built from sand and mud left by floods, or former seabed that emerged. River flooding. Ground is softer nearer the coast and shakes somewhat more; liquefaction tendency is strong on coastal plains and somewhat strong on floodplains. Storm surge near the coast.


Foothill deposits (7.1%). Gentler ground below mountains and scarps, built from debris brought down by slope failures and debris flows. Debris flows are possible in heavy rain; the ground is unstable and slopes may fail in earthquakes.

Descriptions translated and condensed from GSI's landform-classification legend. They describe tendencies of each landform type, not the condition of any individual plot.

Fill, reclamation and the fields beneath the town



Hatching: man-made ground as classified by GSI. Teal outlines: former sea, river or pond. Dark blue outlines: former river channels.



GSI “Meiji-era lowland” data, traced from topographic maps of the 1880s–1900s; GSI warns that positions can be off by a considerable distance, especially in the Kanto and Kinki regions. Only low, wet or open ground was traced: towns, dry fields and forest of the period are left blank.

Man-made ground

-  Filled and reclaimed land 45%
-  Cut ground 6.1%


Meiji-era lowland

-  River, pond or sea 46%
-  Tidal flat or beach 2.9%
-  Rice paddy under 0.5%

Filled and reclaimed land (45%). Ground raised with fill, land made by dumping soil into the sea, rivers or ponds, or valleys filled in. May flood if not raised enough; on hills, rain or earthquakes can make the fill fail; in lowlands the liquefaction tendency is very strong, especially on filled sea, lake or river beds.

Cut ground (6.1%). Ground made by cutting into slopes of mountains or terrace edges. Depending on the cut slope, heavy rain or earthquakes may bring it down; the ground itself is generally firm.

Memorials to natural disasters nearby



Numbered memorials; the black rectangle is the study area of this brief. Frame 16 km across.

Fewer than three memorials stand within 3 km of the study area, so the nearest ones within 8 km are listed.

	Memorial	Disaster	Erected	Distance
1	Memorial to the refuge at Suwa Shrine after the 1923 Great Kanto Earthquake 大震災避難記念碑	Great Kanto Earthquake (1 Sep 1923) · earthquake	1925	0.3 km
2	Memorial to the Yokosuka victims of the 1923 Great Kanto Earthquake 大震災遭難者供養塔	Great Kanto Earthquake (1 Sep 1923) · landslide or debris flow / earthquake	1929	0.8 km
3	Memorial to the 1923 earthquake dead who washed ashore at Mabori 大震災歿死者之霊	Great Kanto Earthquake (1 Sep 1923) · earthquake / other	1930	5.0 km
4	Memorial tower to the victims of the 1923 Great Kanto Earthquake in Uraga 関東大震災慰霊塔	Great Kanto Earthquake (1 Sep 1923) · landslide or debris flow / earthquake	1972	6.6 km

What the memorials record

- Memorial to the refuge at Suwa Shrine after the 1923 Great Kanto Earthquake.** After the Great Kanto Earthquake of 1 September 1923, the number of people sheltering at Suwa Shrine reached 400 by 5 September, and some lived at the shrine for a while. The monument was put up by the evacuees themselves.
- Memorial to the Yokosuka victims of the 1923 Great Kanto Earthquake.** The Great Kanto Earthquake of 1 September 1923 was a disaster without precedent. Yokosuka did not escape: there were scenes of devastation everywhere, and 517 people in the city died. The memorial was moved to this site in 1936; nearby are a stone listing the victims' names and a Jizo statue dedicated to them.
- Memorial to the 1923 earthquake dead who washed ashore at Mabori.** In the days and weeks after the Great Kanto Earthquake of 1 September 1923, around 10 bodies, thought to be victims from Tokyo and Yokohama, washed ashore on the Mabori coast of Yokosuka and were buried here. The memorial was erected in 1930, seven years after the disaster.
- Memorial tower to the victims of the 1923 Great Kanto Earthquake in Uraga.** The Great Kanto Earthquake of 1 September 1923 caused slope collapses and fires in Uraga. In Nishi-Uraga, Mount Atago collapsed, burying 74 houses and about 100 people, and at Dokkuhara a slide buried 7 passers-by alive. The former town of Uraga alone lost 202 people. Rebuilt after the war, the tower honours victims of the earthquake and of shipwrecks.

Source: GSI Natural Disaster Memorials (自然災害伝承碑). English names and notes are Japan Time Atlas translations and summaries of GSI's Japanese descriptions; the memorials' own inscriptions may say more. "Erected" is the year GSI records for the monument.

Where every element comes from

- **Aerial photographs** (pp. 2–3) — Geospatial Information Authority of Japan (GSI), GSI Tiles: series *ort_USA10* (1945–1950, US military photography), *ort_old10* (1961–1969), *gazo1* (1974–1978), *gazo2* (1979–1983), *gazo4* (1987–1990) and *nendophoto2021*. Cropped, resized and annotated by Japan Time Atlas. List of GSI Tiles: <https://maps.gsi.go.jp/development/ichiran.html>
- **Landform classification** (pp. 4–5) — GSI landform-classification vector tiles (natural and artificial landforms), compiled by GSI from its Land Condition Maps, Flood Control Terrain Classification Maps and vulnerable-landform surveys. Rendered, measured and translated into English by Japan Time Atlas. https://github.com/gsi-cyberjapan/experimental_landformclassification
- **Meiji-era lowland** (p. 5) — GSI “明治期の低湿地” tiles and legend (https://maps.gsi.go.jp/legend/lw_legend.pdf), measured and translated by Japan Time Atlas.
- **Natural disaster memorials** (p. 6) — GSI Natural Disaster Memorials (自然災害伝承碑), registered by municipalities, <https://www.gsi.go.jp/bousaichiri/denshouhi.html>; processed by Japan Time Atlas (selection by distance, English translation and summary). Memorial photographs are not reproduced.
- GSI content is used under the GSI Content Terms of Use, which follow the Public Data License v1.0 (PDL1.0, compatible with CC BY 4.0). Data retrieved 2026-09-27.
- **Outline of Japan** — Data of Japan / JapanPrefGeoJson (public domain), simplified.

Method

The study area is a fixed rectangle of 2.6 × 1.7 km. Every GSI photo series that covers at least 85% of it is included; the newest annual orthophoto covering at least 90% of it is used as “now”, with any gap filled from GSI's latest seamless mosaic. Landform shares are areas of the rectangle measured on GSI's polygons at zoom level 14, each class merged before measuring. Meiji-era shares count map pixels by legend color. Memorials are selected by straight-line distance from the center of the study area.

Limits

Historical series are mosaics of photographs taken on different dates; GSI publishes the flight date of each photograph. Landform data record conditions at the time of survey. Nothing in this brief shows present-day access, safety or opening hours.

Area Dossier. The same district with a 4–8 page English history, written from Japanese library sources and cited page by page.

Deep Research. A single hamlet or address, researched in libraries and archives.

Compiled by Japan Time Atlas; not produced, reviewed or endorsed by GSI, MLIT or any Japanese government agency. Not an official hazard map and not for statutory real-estate disclosure. Generated 2026-09-27 by an automated pipeline ([research/lab-07/scripts/basic.py](#)).