

Kin, Okinawa (emigration pioneer town & Camp Hansen)

Then-and-now aerial photographs, how the ground was made, and the disasters people chose to remember — compiled automatically from public Japanese government data.



金武町（沖縄県）

Study area	2.8 km × 1.8 km around 26.4640° N, 127.9200° E
Oldest aerial photograph	1974–1978
Aerial series in this brief	1974–1978, 2023
Main natural landform	Mountain and hill slopes (36%)
Former river channels	none mapped
Filled, reclaimed or drained land	7.5%
Former sea, river or pond	none mapped
Meiji-era paddies, marsh and flats	none mapped
Disaster memorials within 3 km	0

What this brief is. A reading aid for comparing the same ground across decades. It shows what the photographs and GSI's land surveys record; it does not describe current conditions, access or opening hours.

What it is not. Not a hazard assessment or a property survey. Landform classes describe typical tendencies of the ground; for present-day risk, read the official hazard map of the municipality.

Edition 2026-09-28. Aerial photographs, landform and Meiji-era lowland data: Geospatial Information Authority of Japan (GSI), processed by Japan Time Atlas. Memorial data: GSI Natural Disaster Memorials, summarised and translated by Japan Time Atlas.

The same ground, 1974–1978 and 2023




1974–1978 aerial photograph — GSI Tiles *gazo1*, cropped and annotated by Japan Time Atlas. North is up; the frame is identical in both images.



2023 annual orthophoto — GSI Tiles *nendophoto2023*, cropped and annotated by Japan Time Atlas. Capture dates within a mosaic can differ from place to place.

How to compare. Anchor on features that rarely move — river banks, rail lines, shrine and temple grounds, main roads — then look for what changed around them. Differences in tone come from film, camera and season, not from the land itself.

Rivers, shorelines and terraces



Natural landforms as classified by GSI, over a recent aerial photograph in gray. Dark blue outlines mark former river channels.

 Mountain and hill slopes 36%	 Plateaus and terraces 27%
 Floodplain and coastal plain 4.8%	 Hollows and shallow valleys 3.3%
 Water 2.0%	

What the main landforms mean


Mountain and hill slopes (36%). Ridges, valleys and fairly steep ground, including terrace-scarp slopes and volcanic ground. Heavy rain or earthquakes can trigger slope failures, debris flows and landslides.

Plateaus and terraces (27%). Flat ground standing in steps above its surroundings, left behind as the land around it was eroded. River flooding is rarely a threat unless the terrace is only slightly above the river; watch the slopes at its edges. Firm ground: shaking is relatively weak and liquefaction is unlikely.

Floodplain and coastal plain (4.8%). Low, flat ground of little relief, built from sand and mud left by floods, or former seabed that emerged. River flooding. Ground is softer nearer the coast and shakes somewhat more; liquefaction tendency is strong on coastal plains and somewhat strong on floodplains. Storm surge near the coast.

Descriptions translated and condensed from GSI's landform-classification legend. They describe tendencies of each landform type, not the condition of any individual plot.

Fill, reclamation and the fields beneath the town



Hatching: man-made ground as classified by GSI. Teal outlines: former sea, river or pond. Dark blue outlines: former river channels.

Man-made ground

-  Cut ground 32%
-  Filled and reclaimed land 7.5%
-  Under construction when mapped 1.7%


Meiji-era lowland

GSI has not traced Meiji-era lowland for this frame.

Cut ground (32%). Ground made by cutting into slopes of mountains or terrace edges. Depending on the cut slope, heavy rain or earthquakes may bring it down; the ground itself is generally firm.

Filled and reclaimed land (7.5%). Ground raised with fill, land made by dumping soil into the sea, rivers or ponds, or valleys filled in. May flood if not raised enough; on hills, rain or earthquakes can make the fill fail; in lowlands the liquefaction tendency is very strong, especially on filled sea, lake or river beds.

Memorials to natural disasters nearby



Numbered memorials; the black rectangle is the study area of this brief. Frame 60 km across.

Fewer than three memorials stand within 3 km of the study area, so the nearest ones within 30 km are listed.

	Memorial	Disaster	Erected	Distance
1	Monument to the 1960 Chile tsunami at Oura 津波襲来の碑	Chile tsunami (24 May 1960) · tsunami	2012	15.9 km
2	Site of the 1960 Chile tsunami disaster at Makiya 津波被災地跡	Chile tsunami (24 May 1960) · tsunami	1995	22.1 km
3	History of Yagaji Bridge, washed away by the 1960 Chile tsunami 屋我地大橋の歴史	Chile tsunami (24 May 1960) · tsunami	unknown	22.8 km

What the memorials record

1. **Monument to the 1960 Chile tsunami at Oura.** In May 1960 a magnitude 8.5 earthquake in Chile set off a great tsunami that crossed the Pacific to the seas around Japan. It struck here several times, reaching up to 5 m, destroying Oura Bridge and breaking the seawall.
2. **Site of the 1960 Chile tsunami disaster at Makiya.** On 23 May 1960 a magnitude 8.5 earthquake off Chile set off a great tsunami that crossed the Pacific. Makiya Elementary School stood here, and all of its buildings were destroyed by the tsunami; 3 people died in the area.
3. **History of Yagaji Bridge, washed away by the 1960 Chile tsunami.** The first Yagaji Bridge, completed in 1953, was washed away only seven years later by the 1960 tsunami from an earthquake in Chile, almost on the opposite side of the globe.

Source: GSI Natural Disaster Memorials (自然災害伝承碑). English names and notes are Japan Time Atlas translations and summaries of GSI's Japanese descriptions; the memorials' own inscriptions may say more. "Erected" is the year GSI records for the monument.

Where every element comes from

- **Aerial photographs** (pp. 2) — Geospatial Information Authority of Japan (GSI), GSI Tiles: series *gazo1* (1974–1978) and *nendophoto2023*. Cropped, resized and annotated by Japan Time Atlas. List of GSI Tiles: <https://maps.gsi.go.jp/development/ichiran.html>
- **Landform classification** (pp. 3–4) — GSI landform-classification vector tiles (natural and artificial landforms), compiled by GSI from its Land Condition Maps, Flood Control Terrain Classification Maps and vulnerable-landform surveys. Rendered, measured and translated into English by Japan Time Atlas. https://github.com/gsi-cyberjapan/experimental_landformclassification
- **Meiji-era lowland** (p. 4) — GSI “明治期の低湿地” tiles and legend (https://maps.gsi.go.jp/legend/lw_legend.pdf), measured and translated by Japan Time Atlas.
- **Natural disaster memorials** (p. 5) — GSI Natural Disaster Memorials (自然災害伝承碑), registered by municipalities, <https://www.gsi.go.jp/bousaichiri/denshouhi.html>; processed by Japan Time Atlas (selection by distance, English translation and summary). Memorial photographs are not reproduced.
- GSI content is used under the GSI Content Terms of Use, which follow the Public Data License v1.0 (PDL1.0, compatible with CC BY 4.0). Data retrieved 2026-09-28.
- **Outline of Japan** — Data of Japan / JapanPrefGeoJson (public domain), simplified.

Method

The study area is a fixed rectangle of 2.8 × 1.8 km. Every GSI photo series that covers at least 85% of it is included; the newest annual orthophoto covering at least 90% of it is used as “now”, with any gap filled from GSI's latest seamless mosaic. Landform shares are areas of the rectangle measured on GSI's polygons at zoom level 14, each class merged before measuring. Meiji-era shares count map pixels by legend color. Memorials are selected by straight-line distance from the center of the study area.

Limits

Historical series are mosaics of photographs taken on different dates; GSI publishes the flight date of each photograph. Landform data record conditions at the time of survey. Nothing in this brief shows present-day access, safety or opening hours.

Area Dossier. The same district with a 4–8 page English history, written from Japanese library sources and cited page by page.

Deep Research. A single hamlet or address, researched in libraries and archives.

Compiled by Japan Time Atlas; not produced, reviewed or endorsed by GSI, MLIT or any Japanese government agency. Not an official hazard map and not for statutory real-estate disclosure. Generated 2026-09-28 by an automated pipeline (research/lab-07/scripts/basic.py).