

Real-Time Object Detection for Advanced Driver Assistance Systems that Uses YOLOv3

Roman Guerra

Department of Computer Science

University of Houston

Houston, TX 77204, USA

rguerra6@cougarnet.uh.edu

Abstract—In this paper explores the implementation of real-time object detection techniques using YOLOv3 for Advanced Driver Assistance Systems (ADAS). We investigate the performance of YOLOv3 on driving videos from the BDD100K dataset, and discuss its implications for enhancing road safety in autonomous vehicles.

Index Terms—Object Detection, CNN, TinyML, Autonomous Vehicle, ADAS, RTOS, YOLOv3.

I. INTRODUCTION

Advancements in machine learning have transformed the landscape of object detection, particularly within the context of autonomous vehicles [1]. These developments have led to the creation of faster and more accurate YOLO models which are significant to real-time safety features in Advanced Driver Assistance Systems (ADAS). ADAS uses intelligent technologies designed to assist drivers in operating the vehicle autonomously, and perform critical functions without the need of any human intervention. This deployment of machine learning based object detection within ADAS is instrumental in enhancing overall road safety and driving experience.

II. BACKGROUND

A. Advanced Driver Assistance Systems

ADAS incorporates intelligent technologies to assist drivers operating the vehicle that uses sensors and algorithms to augment driver capabilities. Sensors such as cameras, lidar, radar, and ultrasound are used to implement the real-time safety features. The features in ADAS systems commonly rely on cameras as part of their vision sensor technology. Cameras play a vital role in features like:

- **Lane Departure Warning (LDW):** Cameras detect lane markings and monitor the vehicle's position within the lanes.
- **Adaptive Cruise Control (ACC):** Cameras identify vehicles ahead, monitoring their speed, and measuring the distance between vehicles. Working in conjunction with radar and lidar sensors.
- **Automatic Emergency Braking (AEB):** Cameras detect obstacles or pedestrians in the vehicle's path, enabling the system to apply brakes promptly to prevent collisions. Working in conjunction with radar and lidar sensors.

In fact, some car manufactures have showcased their vehicles performing real-time collision avoidance in real life

scenarios by detecting large animals [2]. In one scenario, there is a deer crossing the road at night which is not seen visually, but detected by the cameras, and the ADAS system is able to take over the vehicle's steering and operate the car in order to avoid collision. This scenario used thermal camera systems. Implementation of these safety features has been vital in enhancing road safety.

B. Object Detection

Object detection techniques encompass non-neural methods, and neural network methods. Non-neural methods like Viola-Jones, SIFT (Scale Invariant Feature Transform), and HOG (Histogram of Oriented Gradients), rely on handcrafted features and traditional machine learning algorithms [3]. Algorithms include logistical regression, and support vector machines to build models for these non-neural methods.

In contrast, neural network approaches use two-stage or one-stage frameworks for object detection. Two-stage frameworks like R-CNN (Region Based Convolutional Neural Networks), Fast R-CNN, Faster R-CNN, and Mask R-CNN, use separate models for region proposal and classification. One-stage methods like YOLO (You Only Look Once) and SSD (Single Shot Multibox Detector) employ a single model to directly predict object bounding boxes and class probabilities from the entire image. These approaches offer varying trade-offs between accuracy, speed, and complexity, with YOLO standing out for its efficiency in real-time object detection tasks.

C. You Only Look Once

YOLO (You Only Look Once) is an advanced real-time object detection model renowned for its exceptional accuracy and processing speed [4]. Unlike traditional methods, YOLO treats object detection as a single regression problem. Since it is a single-stage method, it processes the entire image in one pass for all classes in an image simultaneously through a convolutional neural network (CNN), predicting bounding boxes and class probabilities. YOLO operates by dividing the input image into a grid and makes predictions based on this grid to optimize both localization accuracy and object classification. This approach enables YOLO to achieve impressive efficiency, capable of processing images in real-time on GPU hardware. YOLO has evolved through versions like YOLOv1, YOLOv2,

YOLOv3 [5], and subsequent iterations up to YOLOv9, continually improving accuracy and performance. Figures 1 and 2 show an implementation of YOLOv3 within a frame of time. Its speed, accuracy, and simplicity make YOLO a popular choice for a wide range of real-time applications, especially autonomous driving.



Fig. 1. Before Executing YOLO




Fig. 2. After Executing YOLO

D. BDD100K

Datasets are important to machine learning, as they provide the means to train, and test learning models. The Berkeley DeepDrive (BDD100K) dataset [6] is critical for training and evaluating machine learning models in computer vision, particularly for autonomous driving applications. BDD100K consist of a video dataset with 100K videos, and each video having 40 seconds high resolution footage of vehicles, people, cyclists, and traffic signs. Conditions include various weather, lighting, and traffic scenarios. This dataset is instrumental benchmarking models for real-time object detection in autonomous vehicles.

III. METHODOLOGY

In this study, we employed a Google Colab [7], a cloud-based platform offering access to CPUs and GPUs, to implement an object detection model that uses YOLOv3. Google Colab provides a convenient environment for developing and testing machine learning models, with seamless integration of popular libraries and GPU resources. For our experiment, we

selected driving videos from the BDD100K dataset, which is well suited for evaluating object detection models in autonomous driving scenarios. We opted to use YOLOv3 due to its efficiency, and developer documentation. To deploy YOLOv3 for object detection, we utilized OpenCV, a popular Python computer vision library. OpenCV provides tools for real-time image processing, enabling seamless integration with YOLOv3. The experiments performed in Google Colab, used an Intel Xeon CPU @2.2GHz with 39.42 MB cache and an NVIDIA A100-SXM4-40GB GPU. This hardware setup is more than sufficient to run YOLOv3 efficiently, enabling real-time object detection on driving videos from the BDD100K dataset.

IV. RESULTS AND ANALYSIS

We evaluated the performance of YOLOv3 on driving videos from the BDD100K dataset. Figures 3 depict the frames per second (FPS) achieved during model execution for two sample videos. The results show that YOLOv3 achieves a high FPS, making it suitable for real-time application like Advanced Driver Assistance Systems (ADAS)



Fig. 3. FPS vs. Model Execution of Video 1.

V. DISCUSSION AND FUTURE RESEARCH

The results indicate YOLOv3 can effectively detect objects in driving scenarios, showing promise for ADAS. However, there are opportunities for future research to enhance this growing field further:

- **Exploring YOLO Models:** Future work will involve implementing other YOLO models.
- **Improving Accuracy:** Investigate techniques to improve accuracy, especially in challenging conditions [8].
- **Sensor Fusion Integration:** Explore methods to integrate YOLO with other sensors such as lidar, and radar.
- **Real-time Systems:** Implement YOLO on embedded systems with limited computational resources [9].

VI. CONCLUSION

In conclusion, our study demonstrates the feasibility of using YOLOv3 for real-time object detection in driving scenarios, especially for ADAS applications. YOLOv3 offers a

balance between speed and accuracy, making it suitable choice for enhancing road safety and autonomy in vehicles.

REFERENCES

- [1] J. Bian et al., "Machine Learning in Real-Time Internet of Things (IoT) Systems: A Survey," in *IEEE Internet of Things Journal*, vol. 9, no. 11, pp. 8364-8386, 1 June1, 2022, doi: 10.1109/JIOT.2022.3161050.
- [2] A. Rahimpour, N. Fallahinia, D. Upadhyay and J. Miller, "Deer in the headlights: FIR-based Future Trajectory Prediction in Nighttime Autonomous Driving," 2023 IEEE Intelligent Vehicles Symposium (IV), Anchorage, AK, USA, 2023, pp. 1-6, doi: 10.1109/IV55152.2023.10186756.
- [3] A. Møgelmoose, A. Prioletti, M. M. Trivedi, A. Broggi and T. B. Moeslund, "Two-stage part-based pedestrian detection," 2012 15th International IEEE Conference on Intelligent Transportation Systems, Anchorage, AK, USA, 2012, pp. 73-77, doi: 10.1109/ITSC.2012.6338898.
- [4] J. Redmon, S. Divvala, R. Girshick and A. Farhadi, "You Only Look Once: Unified, Real-Time Object Detection," 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), Las Vegas, NV, USA, 2016, pp. 779-788, doi: 10.1109/CVPR.2016.91.
- [5] Y. Yu, S. Yan and X. Hao, "Pedestrian Detection Based on Improved YOLOv3 Network," 2023 IEEE International Conference on Control, Electronics and Computer Technology (ICCECT), Jilin, China, 2023, pp. 297-301, doi: 10.1109/ICCECT57938.2023.10141270.
- [6] F. Yu et al., "BDD100K: A Diverse Driving Dataset for Heterogeneous Multitask Learning," 2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), Seattle, WA, USA, 2020, pp. 2633-2642, doi: 10.1109/CVPR42600.2020.00271.
- [7] Google. (2024). Google Colaboratory. Retrieved May 6, 2024, from <https://colab.research.google.com/>
- [8] M. Hnawa and H. Radha, "Object Detection Under Rainy Conditions for Autonomous Vehicles: A Review of State-of-the-Art and Emerging Techniques," in *IEEE Signal Processing Magazine*, vol. 38, no. 1, pp. 53-67, Jan. 2021, doi: 10.1109/MSP.2020.2984801
- [9] V. Shahane, H. Jadhav, M. Sansare and P. Gunjgur, "A Self-Driving Car Platform Using Raspberry Pi and Arduino," 2022 6th International Conference On Computing, Communication, Control And Automation (ICCUBEA, Pune, India, 2022, pp. 1-6, doi: 10.1109/ICCUBEA54992.2022.10010814.