

ql_m_1

P(2) = 0.53

ql_m_2 ≤ 0.55

ql_m_2 > 0.55

P(2) = 0.48

P(2) = 0.56

ql_m_1 ≤ 0.99

ql_m_1 > 0.99

ql_m_1 ≤ 0.80

ql_m_1 > 0.80

P(2) = 0.31

P(2) = 0.7

P(2) = 0.68

P(2) = 0.41

no_39 ≤ -0.08

no_39 > -0.08

no_13 ≤ 1.14

no_13 > 1.14

no_36 ≤ 0.98

no_36 > 0.98

ql_m_2 ≤ 1.34

ql_m_2 > 1.34

P(2) = 0.3

P(2) = 0.33

P(2) = 0.69

P(2) = 0.8


P(2) = 0.68

P(2) = 0.71

P(2) = 0.56

P(2) = 0.31

Influence of ql_m_1 for subgroup 'ql_m_2 ≤ 0.55'



ql_m_2

P(2) = 0.5

ql_m_1 ≤ 1.16

ql_m_1 > 1.16

P(2) = 0.49

P(2) = 0.52

ql_m_2 ≤ 0.21

ql_m_2 > 0.21

ql_m_2 ≤ 1.43

ql_m_2 > 1.43

P(2) = 0.31

P(2) = 0.57

P(2) = 0.64

P(2) = 0.26

ql_s_2 ≤ 0.64

ql_s_2 > 0.64

mrg_m_2 ≤ 0.89

mrg_m_2 > 0.89

ql_m_1 ≤ 2.01

ql_m_1 > 2.01

no_35 ≤ -0.08

no_35 > -0.08

P(2) = 0.41

P(2) = 0.22

P(2) = 0.47

P(2) = 0.79

P(2) = 0.57

P(2) = 0.7

P(2) = 0.21

P(2) = 0.32

Influence of ql_m_2 for subgroup 'ql_m_1 > 1.16'

