

Static Assets

Learn how to add and use static files like images, fonts, and other resources in your Storefront Next app.

Storefront Next uses Vite to serve static files from the `public` directory.

What Are Static Assets?

Static assets are files that your app serves directly without server-side processing. This table shows the common asset types.

Asset Type	Examples	Common Use
Images	<code>.png</code> , <code>.jpg</code> , <code>.svg</code> , <code>.webp</code> , <code>.gif</code>	Product images, logos, icons
Fonts	<code>.woff</code> , <code>.woff2</code> , <code>.ttf</code> , <code>.otf</code>	Custom typography
Media	<code>.mp4</code> , <code>.webm</code> , <code>.mp3</code>	Videos, audio files
Documents	<code>.pdf</code> , <code>.json</code>	Downloadable content, static data

The public Directory

Files in the `public` directory are served directly at the site root without processing. Vite copies these files as-is to the build output.

```
1 public/  
2   └─ favicon.ico  
3   └─ robots.txt  
4   └─ images/  
5       └─ logo.svg  
6       └─ hero.png
```

Use the `public` directory for assets that must retain their exact filename without a content hash.

Contents

What Are Static Assets?

The public Directory

Using Assets

Adding an Asset

Static File Serving in Production

See Also



```
1 import logoImage from "/images/logo.svg";
2
3 <img src={logoImage} alt="Logo" />;
```

When you import an asset, Vite returns the resolved URL. In development, this is a simple path like `/images/logo.svg`. In production on Managed Runtime (MRT), the path includes the bundle identifier (for example, `/mobify/bundle/362/client/images/logo.svg`).

Note

Don't use raw paths like `src="/images/logo.svg"` directly in your code. These paths work in development but fail in production because the server requires the full bundle path.

Adding an Asset

This example demonstrates adding a promotional banner image.

Step 1: Add the Asset to the Public Directory

```
1 public/
2   └─ images/
3       └─ summer-sale.png
```

Step 2: Import and Use the Asset in Your Component

```
1 // src/components/promo-banner/index.tsx
2 import bannerImage from "/images/summer-sale.png";
3
4 export function PromoBanner() {
5   return (
6     <div className="relative w-full overflow-hidde
7       <img
8         src={bannerImage}
9         alt="Summer sale - up to 50% off"
10        className="w-full h-auto"
11        loading="lazy"
12      />
13    </div>
14  );
15 }
```

[Try for free](#)

served from a bundle-specific path (for example, `/mobify/bundle/362/client/`). When you import an asset, Vite automatically resolves to the correct bundle path. The server sets optimized caching headers so browsers cache assets efficiently.

See Also

- [Vite: Static Asset Handling](#)
- [Vite: The public Directory](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)

DEVELOPER CENTERS

[Heroku](#)
[MuleSoft](#)
[Tableau](#)
[Commerce Cloud](#)
[Lightning Design System](#)
[Einstein](#)
[Quip](#)

POPULAR RESOURCES

[Documentation](#)
[Component Library](#)
[APIs](#)
[Trailhead](#)
[Sample Apps](#)
[AppExchange](#)

COMMUNITY

[Trailblazer Community](#)
[Events and Calendar](#)
[Partner Community](#)
[Blog](#)
[Salesforce Admins](#)
[Salesforce Architects](#)

© Copyright 2026 Salesforce, Inc. [All rights reserved](#). Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Legal](#) [Terms of Service](#) [Privacy Information](#) [Responsible Disclosure](#) [Trust](#) [Contact](#) [Use of Cookies](#)

[Cookie Preferences](#) [Your Privacy Choices](#)

