

[Create Storefront Next in Business Manager with a GitHub Repository](#) [Storefront Next](#) / [Get Started](#) / [Quick Start: Create Storefro...](#)

Create Storefront Next in Business Manager with a GitHub Repository

Contents

[Prerequisites](#)[Constraints](#)[Steps](#)

Create a storefront and its dependent API and Managed Runtime (MRT) resources in Business Manager by connecting to GitHub. Storefront setup creates a GitHub repository to store the generated storefront code.

Prerequisites

- A developer B2C Commerce instance or on-demand sandbox (ODS) instance. See [Create On-Demand Sandboxes for B2C Commerce](#)  in *Salesforce Help*.
- Managed Runtime User or Managed Runtime Admin role in Account Manager.
- Business Administrator role in Account Manager or a role for the Business Manager Module and Organization context with read-write access to storefronts. See



the owner role in the GitHub organization. See the GitHub documentation for organization roles in [Permissions of predefined roles](#), and [Permission levels for a personal account repository](#) for personal accounts.

Constraints

- Storefront setup supports only one storefront per site. A site can't be associated with more than one storefront.
- If storefront setup fails, you must delete and recreate the storefront.

Steps

1. In Business Manager, click App Launcher  and then select **Administration > Sites > Storefronts > New**.
2. Select **Storefront Next**.
3. Enter the storefront name. For example, `my-storefront`.
4. Select a site. You can select one or more sites for your storefront. For this task, select one site.



Important

You can assign a site to one storefront only. You can't reuse it for another storefront.

5. Select **GitHub** to create a storefront in your



Account, and then from the B2C Commerce GitHub integration, select a GitHub account to use for the repository.

**Important**

Make sure that your GitHub account has the owner role for the GitHub organization. See [Prerequisites](#).

7. Choose where you want to create the repository. Select a GitHub organization to share the repository with your team, or select a personal account for your own use. Make sure that you have owner access to the GitHub organization that you select.
8. Grant the GitHub integration app access to all your repositories or specific repositories that you select from the list.
9. If you haven't installed the integration app earlier, click **Install**. If you installed the integration app earlier, click **Save**.
10. Authenticate your GitHub account. After you authenticate your GitHub account, you return to the storefront setup page.
11. Enter a name for the GitHub repository that setup creates.



12. To make the repository public, turn off the toggle next to the repository name. The new repository is private by default.

13. Click **Start Setup**.

14. After setup completes, in the Source Code section, click **Download .env** to download the `env.txt` environment file. It contains your storefront's configuration, Business Manager settings, and your Account Manager and Shopper Login and API Access Service (SLAS) credentials.



Note

For your security, the client secrets are available for download only once and are deleted on subsequent downloads. You use the Account Manager and SLAS client credentials to run the storefront locally. When you run the storefront on MRT, MRT uses the autogenerated environment variables.



The new environment links to deployments and environment variables on MRT, and shows the eCDN routing rules for the default domain. Setup created an MRT project and sent an initial deployment of the storefront.

16. To view the deployment on MRT, from the storefront page in Business Manager, click **Manage** in the Deployments section. Take note of the MRT project name and environment name because you use them later.



17. To check out the GitHub repository that contains the generated storefront code, on your storefront page, click **GitHub Repository**.
18. To customize the storefront locally, clone the GitHub repository to your local system, configure it, and build it.
 - a. To run the storefront locally, create an `.env` file from the downloaded file.

**Note**

These environment variable configuration steps in the `.env` file are required only for running your