

# Set Up Hybrid Storefront with On-Demand Sandbox (ODS) Instances Using eCDN

## Contents

### Hybrid ODS Features

[Before You Begin](#)[Configure Hybrid Storefront Settings](#)[Troubleshooting](#)[Next Steps](#)

Use Cloudflare eCDN origin routing on ODS instances to run Storefront Next and SFRA/SiteGenesis side by side at one origin. This setup is for deployed ODS environments and uses eCDN origin routing instead of the local hybrid proxy. At the end of this setup, navigate between Storefront Next and SFRA/SiteGenesis pages in ODS with no visible redirects, using routing behavior that mirrors production.



#### Warning

ODS deployments use eCDN origin routing instead of the hybrid proxy plugin. Hybrid proxy is local-

[Try for free](#)

For ODS, Managed Runtime (MRT), and production-style testing, route traffic with Cloudflare eCDN origin rules between Storefront Next and SFRA/SiteGenesis.

## Hybrid ODS Features

### Production-Like Hybrid Routing on ODS

Run Storefront Next and SFRA/SiteGenesis together on deployed ODS instances under one origin, with no visible redirects or session loss. Teams can validate hybrid behavior in an environment that is much closer to production than localhost.

### Parity with Production eCDN Rules

Routing decisions on ODS use the same Cloudflare eCDN expression format ( `http.request.uri.path matches` ) used in production. Reuse your production routing patterns so ODS testing reflects real deployment behavior.



## Strategy

ODS lets customers spin up multiple development instances in parallel and test different migration or routing configurations safely. This strategy complements local hybrid proxy workflows on `localhost`, giving teams both fast local iteration and production-like validation on ODS.

## Configuration Flexibility

No assumptions are made about which pages live on Storefront Next versus SFRA/SiteGenesis. You define the split entirely through your eCDN origin rules, so any mix of migrated and legacy routes is supported.

## Before You Begin

Make sure that:

- You have an active ODS instance with SFRA/SiteGenesis deployed.
- You have Managed Runtime Admin console access for the target environment.
- You complete storefront setup in Business Manager as described in [Choose Your Storefront Next Quick Start Path](#).



## Settings

### Step 1: Enable Hybrid Auth in Business Manager

After you complete storefront setup in Business Manager, enable Hybrid Auth.

#### Locate Your SLAS Credentials

1. In Business Manager, navigate to **Administration > Sites > Storefronts**.
2. Select your storefront.
3. Get your SLAS Client ID and Client Secret from SLAS Admin or from your `.env.default`.
4. Update your SLAS client to add the `sfcc.session_bridge` scope.

#### Configure Hybrid Auth Settings

1. In Business Manager, navigate to **Merchant Tools > Select Site > Site Preferences > Hybrid Auth Settings**.
2. Enable **Hybrid Auth**.
3. Optionally, enable **Shopper Context** and **Do-Not-Track Synchronization**.
4. The **HttpOnly** toggle doesn't affect Storefront Next. Storefront



5. Under **SLAS Settings**, set your SLAS Client ID and Client Secret values.
6. Select **Is Public Client** if you use a public SLAS client and do not have a client secret.
7. Scroll to the top and click **Apply**.

## Step 2: Configure the Application (MRT Environments)

In the Managed Runtime Admin console, open your project, select the target environment, and go to the **Environment Variables** section. Set the following values for each deployed environment where you use hybrid routing.

1. Enable hybrid mode.



2. Set `PUBLIC__app_hybrid_legacyRoutes` to a JSON array of routes that belong to SFRA/SiteGenesis. When a user clicks a `<Link>` to one of these paths, the client-side navigation middleware forces a full-page load so



Try for free



```
1 PUBLIC__app
```

Or use exact paths and React Router-style parameterized patterns:



```
1 PUBLIC__app
```



#### Note

This list is the inverse of your eCDN origin routing rules. If a route isn't in your routing rules (SFRA/SiteGenesis owns it) and a Storefront Next page links to it, add it here. If it's missing, React Router tries to render the route client-side and shows a 404. For example, if your eCDN rule routes `/produ`



/product/\* in  
Legacy  
Routes .  
If  
/cart  
and  
/checkout  
aren't in  
your  
eCDN  
rule,  
include  
them in  
Legacy  
Routes  
so  
Storefront  
Next  
forces a  
full-page  
navigation  
on to  
SFRA/Site  
eGenesis  
.

### Step 3: Configure eCDN Routing Rules

Use the hosted zone created during setup to configure eCDN origin routing rules. To compare route split patterns, see [Choose a Hybrid Routing Matrix](#).

#### Locate the eCDN Zone Hostname

1. In Business Manager, navigate to **Administration** > **Sites** > **Storefronts**.
2. Select the storefront that you just created.
3. Under **Environments**,



section, and the default routing rule.

5. Expand that routing rule to locate your eCDN zone hostname.

### Update Aliases with the eCDN Hostname

1. In Business Manager, navigate to **Merchant Tools** > **Select Site** > **SEO & Discoverability** > **Aliases**.
2. Update `http-host` and `https-host` with the eCDN hostname that you noted in the previous section.



```
1 {
2   "__version"
3   "settings"
4     "http-h
5     "https-
6   }
7 }
```

3. Click **Save**.

### Update eCDN Routing Rules for Your Demo Site

1. In Business Manager, navigate to **Administration** > **Sites** > **Embedded CDN Settings**.
2. Locate the zone that contains your hostname (typically the default zone).
3. Click the caret on the right side of



4. Select **Configure Routing Rules**.
5. Locate the routing rule for your hostname and click **Edit**.
6. Confirm that the **Hostnames** and **MRT Origin** fields are prefilled and match your setup.
7. In **Rule expression**, paste the following rule. This expression matches Storefront Next routes (home, category, product, search, and account flows), plus resource routes, action endpoints, React Router data prefetch requests, and static assets.

  

```
1 (http.reque
```



#### Note

This guide uses a default hybrid split: top-of-funnel pages (home, category, product, search, and authentication flows) on Storefront Next, with cart and checkout on SFRA. Modify both eCDN origin



any hybrid storefront combination. Make sure the two route definitions are complementary.

8. Click **Save**.

## Step 4 (Optional): Configure Locale Rules

Storefront Next enables storefront context and automatically adds site ID and locale prefixes to routes.

To correctly route between pages that include locale prefixes, configure URL rules in Business Manager so that SFRA/SiteGenesis URLs use matching prefixes.

1. In Business Manager, navigate to **Merchant Tools > Select Site > SEO & Discoverability > URL Rules**.
2. Select the **Settings** tab.
3. In the **Locale Mapping** section, set **Locale Mapping to Path**.
4. Add your Storefront Next prefixes for each supported locale.

