

```

1 SELECT t.title, u.username, tg.name AS tag
2 FROM tasks t
3 JOIN users u ON t.user_id = u.id
4 JOIN task_tags tt ON t.id = tt.task_id
5 JOIN tags tg ON tt.tag_id = tg.id;
6

```

Data Output Messages Notifications










SQL

	title character varying (100) 	username character varying (50) 	tag character varying (50) 
1	Изучить SQL	ivan_dev	учеба
2	Написать отчёт	anna_pm	учеба
3	Написать отчёт	anna_pm	личный

Query Query History

```

1 DELETE FROM tasks WHERE id = 2;
2

```

Data Output Messages Notifications

DELETE 1

Query returned successfully in 48 msec.

```
1 UPDATE tasks SET status = 'completed' WHERE id = 1;
2
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 186 msec.

Query Query History

```
1 INSERT INTO tasks (user_id, title, status, priority, deadline)
2 VALUES (1, 'Подготовить презентацию', 'active', 'high', '2026-06-01');
3
```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 61 msec.

Query Query History

```
1 SELECT id, title, priority FROM tasks WHERE status = 'active';
2
```

Data Output Messages Notifications

	id [PK] integer	title character varying (100)	priority character varying (10)
1	2	Разработать API	medium
2	3	Написать отчёт	high

