Math215

Homework 3

November 23, 2021

Problem 8

Show that $\vec{A} \cdot (\vec{A} \times \vec{B}) = \vec{0}$ and $\vec{B} \cdot (\vec{A} \times \vec{B}) = \vec{0}$ for all $\vec{A} = \langle a_1, a_2, a_3 \rangle$ and $\vec{B} = \langle b_1, b_2, b_3 \rangle$

Proof:

$$\vec{A} \cdot (\vec{A} \times \vec{B}) = \tag{1}$$

$$\langle a_1, a_2, a_3 \rangle \cdot (\langle a_1, a_2, a_3 \rangle \times \langle b_1, b_2, b_3 \rangle) = \tag{2}$$

$$\langle a_1, a_2, a_3 \rangle \cdot (\langle a_2b_3 - a_3b_2, a_3b_1 - a_1b_3, a_1b_2 - a_2b_1 \rangle) = \tag{3}$$

$$a_1(a_2b_3 - a_3b_2) + a_2(a_3b_1 - a_1b_3) + a_3(a_1b_2 - a_2b_1) =$$

$$(4)$$

$$a_1a_2b_3 - a_1a_3b_2 + a_2a_3b_1 - a_2a_1b_3 + a_3a_1b_2 - a_3a_2b_1 =$$
 (5)

$$a_1a_2b_3 - a_1a_2b_3 + a_2a_3b_1 - a_2a_3b_1 + a_1a_3b_2 - a_1a_3b_2 =$$
 (6)

$$0 (7)$$

$$\vec{B} \cdot (\vec{A} \times \vec{B}) = \tag{8}$$

$$\langle b_1, b_2, b_3 \rangle \cdot (\langle a_1, a_2, a_3 \rangle \times \langle b_1, b_2, b_3 \rangle) = \tag{9}$$

$$\langle b_1, b_2, b_3 \rangle \cdot (\langle a_2b_3 - a_3b_2, a_3b_1 - a_1b_3, a_1b_2 - a_2b_1 \rangle) = \tag{10}$$

$$b_1(a_2b_3 - a_3b_2) + b_2(a_3b_1 - a_1b_3) + b_3(a_1b_2 - a_2b_1) =$$
(11)

$$b_1 a_2 b_3 - b_1 a_3 b_2 + b_2 a_3 b_1 - b_2 a_1 b_3 + b_3 a_1 b_2 - b_3 a_2 b_1 =$$
 (12)

$$b_1 a_2 b_3 - b_1 a_2 b_3 + b_2 a_3 b_1 - b_2 a_3 b_1 + b_3 a_1 b_2 - b_3 a_1 b_2 =$$
 (13)

$$(14)$$