

Health Summary Report

María González · DOB: 1964-07-15 · Sex: Female · Period: Mar 22, 2026 — Jun 20, 2026 · Generated: Jul 12, 2026

Clinical alerts

■ Avg daily steps (4,826) below 7,000/day.

■ 10 days under 3,000 steps.

■ Walking speed (3.8 km/h) below 4.5 km/h — fall risk.

■ Avg sleep (6.2 h) below recommended 7.0 h.


■ 9 nights under 5.0 h.

① Mobility

4,826	3.8 km/h	0.741	3.1
Avg daily steps	Walk speed	Steadiness (0–1)	Flights/day
58.0 cm	31.0 %	6.0 %	159 kcal
Step length	Double support	Gait asymmetry	Active cal/day


Daily step count

10 days under 3,000 steps and 52 days under 5,000 in the period.




Walking speed and steadiness

Avg speed 3.8 km/h (clinical threshold 4.5 km/h). 0 days with very low speed.



Caloric expenditure

Active avg 159 kcal/day · Basal avg 1301 kcal/day.



Metric	Value	Reference	Status
Avg daily steps	4,826	≥ 7,000/day	■ Below target
Walking speed	3.8 km/h	≥ 4.5 km/h	■ Low — fall risk
Walking steadiness	0.741	≥ 0.6	✓ OK
Gait asymmetry	6.0 %	< 8% (symmetric)	✓ OK
Active cal/day	159 kcal	200–400 kcal moderate	—

② Cardiovascular


No Apple Watch data detected. HR, HRV, SpO2 and VO2Max require an Apple Watch.

③ Sleep

6.2h	9	17	26
Avg sleep/night	Nights < 5.0h	Nights ≥ 7.0h	Days with data

Sleep duration per night

Avg 6.2 h/night. 9 nights under 5.0 h.



Metric	Value	Reference	Status
Avg sleep/night	6.2 h	7.0–8 h/night	Below target
Nights < 5.0h	9	< 5 nights/90 days	Frequent
Nights ≥ 7.0h	17	> 60 nights/90 days	Low

④ AI-Generated Summary

Here's the summary of the patient's health metrics:

1. PATIENT PROFILE

61-year-old female, data analyzed from March 22, 2026, to June 20, 2026 (91 days).

2. MOBILITY

The patient averaged 4826 steps per day, which is below the 5000-step mid-threshold and the 7000-step goal for a 61-year-old female. There were 10 days below the 3000-step low threshold and 52 days below the 5000-step mid-threshold. The steps trend was stable, with a worst streak of 1 day below the low threshold and weekly volatility of 369.03 steps. Average walking speed was 3.81 km/h, stable, and above the 3.5 km/h critically low threshold, but below the 4.5 km/h clinical goal. Steadiness was 0.741, above the 0.60 warning line. Gait asymmetry was 6.0 and double support 31.0.

3. CARDIOVASCULAR

Cardiovascular data (resting HR, HRV, SpO2, VO2Max, and HR recovery) is not available.

4. SLEEP

The patient averaged 6.19 hours of sleep per night, which is above the 5.0-hour insufficient threshold but below the 7.0-hour goal for a 61-year-old female. Sleep duration showed a declining trend (-7.6%), with 9 nights below the 5.0-hour minimum and 17 nights meeting the 7.0-hour goal. The worst streak below the minimum was 2 nights, and weekly volatility was 0.42 hours.

5. OVERALL ASSESSMENT

For this 61-year-old female, average daily steps (4826) were below the mid-threshold of 5000 and the goal of 7000 steps, with 10 days below the 3000-step low threshold. Average walking speed (3.81 km/h) was above the critical low but below the clinical goal of 4.5 km/h. Steadiness (0.741) was above the warning line. Average sleep duration (6.19 hours) was above the minimum but below the recommended goal, with a declining trend and 9 nights below the minimum. Cardiovascular data was not available. Based on these comparisons, mobility and sleep duration warrant follow-up.

■ Please read before use

- This section was generated by Gemini (gemini-2.5-flash), an AI language model, based solely on the device metrics shown in this report.
- It is a narrative summary of the numbers above, not a medical evaluation, diagnosis, or clinical recommendation.
- AI-generated text may contain errors or misinterpret data. Always verify against the source metrics and reference tables before relying on it.
- This content must be reviewed by a qualified professional before any clinical or health-related decision is made.

Generated from Apple HealthKit export. No Apple Watch — cardiovascular metrics unavailable. Supplementary reference only — does not replace clinical evaluation.