ตารางรายการการทดสอบ

ระบบ: **BUU-GET** — การชำระเงิน ใบเสร็จ และกระทบยอดธนาคาร (Money / Payment)

แบบฟอร์ม CC-SF-03-128 · Batch 02 · จำนวน 198 เคส · วันที่ทดสอบ 2026-08-05

รหัสการทดสอบ	ชื่อการทดสอบ
TC-0002-1-0001	createTransactionForFlow creates PENDING when none exists (TXN-U-001)
TC-0002-1-0002	createTransactionForFlow reuses PENDING keeps QR (TXN-U-002)
TC-0002-1-0003	createTransactionForFlow restarts non-PENDING non-PAID (TXN-U-003)
TC-0002-1-0004	createTransactionForFlow Conflict when already PAID (TXN-U-004)
TC-0002-1-0005	createTransactionForFlow NotFound missing PC (TXN-U-005)
TC-0002-1-0006	createTransactionForFlow NotFound missing ERM (TXN-U-006)
TC-0002-1-0007	confirmPaymentFlow PENDING→PAID + ERM + ref (TXN-U-007)
TC-0002-1-0008	confirmPaymentFlow rejects non-PENDING (TXN-U-008)
TC-0002-1-0009	confirmPaymentFlow NotFound transaction (TXN-U-009)
TC-0002-1-0010	confirmPaymentFlow NotFound enrollment (TXN-U-010)
TC-0002-1-0011	confirmPaymentFlow Forbidden non-owner non-FINANCE (TXN-U-011)
TC-0002-1-0012	confirmPaymentFlow allows FINANCE_ROLES (TXN-U-012)
TC-0002-1-0013	confirmPaymentFlow BadRequest inactive PC (TXN-U-013)
TC-0002-1-0014	confirmPaymentFlow BadRequest expired PC (TXN-U-014)
TC-0002-1-0015	confirmPaymentFlow NotFound missing PC (TXN-U-015)
TC-0002-1-0016	confirmPaymentFlow creates receipt when receiptName set (TXN-U-016)
TC-0002-1-0017	confirmPaymentFlow skips receipt without receiptName (TXN-U-017)
TC-0002-1-0018	confirmPaymentFlow updates existing receipt (TXN-U-018)
TC-0002-1-0019	buildEnrollmentRefCode format and bounds (TXN-U-019)
TC-0002-1-0020	confirmPaymentFlow rolls back on mid-flow failure (TXN-U-020)
TC-0002-1-0021	expireTransaction PENDING→EXPIRED (TXN-U-021)
TC-0002-1-0022	expireTransaction rejects non-PENDING (TXN-U-022)
TC-0002-1-0023	expireTransaction Forbidden non-owner (TXN-U-023)
TC-0002-1-0024	expireTransaction NotFound (TXN-U-024)
TC-0002-1-0025	createPendingPayment PAID+MATCH+receipt+ERM (TXN-U-025)
TC-0002-1-0026	createPendingPayment amount ≠ exam fee (TXN-U-026)
TC-0002-1-0027	createPendingPayment exam fee missing (TXN-U-027)
TC-0002-1-0028	createPendingPayment Conflict non-PENDING/non-PAID prior (TXN-U-028)
TC-0002-1-0029	createPendingPayment updates existing PENDING/PAID (TXN-U-029)
TC-0002-1-0030	createPendingPayment NotFound ERM or PC 1 (TXN-U-030)
TC-0002-1-0031	refundTransaction PAID→REFUND + ERM CANCELLED (TXN-U-031)

รหัสการทดสอบ	ชื่อการทดสอบ
TC-0002-1-0032	refundTransaction allows APPROVED (TXN-U-032)
TC-0002-1-0033	refundTransaction rejects non-refundable (TXN-U-033)
TC-0002-1-0034	refundTransaction Conflict already REFUND/VOIDED (TXN-U-034)
TC-0002-1-0035	refundTransaction blocks ISSUED receipt (TXN-U-035)
TC-0002-1-0036	findAll pagination (TXN-U-036)
TC-0002-1-0037	findOne NotFound (TXN-U-037)
TC-0002-1-0038	update / updateByErmId / soft remove (TXN-U-038)
TC-0002-2-0001	POST /transactions creates PENDING (TXN-I-001)
TC-0002-2-0002	POST /transactions 409 when PAID (TXN-I-002)
TC-0002-2-0003	PATCH confirm persists PAID+ref+ERM (TXN-I-003)
TC-0002-2-0004	PATCH confirm 400 bad state/PC (TXN-I-004)
TC-0002-2-0005	PATCH confirm 403 other user (TXN-I-005)
TC-0002-2-0006	PATCH expire persists EXPIRED (TXN-I-006)
TC-0002-2-0007	POST pending-payment amount/phone validation (TXN-I-007)
TC-0002-2-0008	POST pending-payment commits PAID (TXN-I-008)
TC-0002-2-0009	POST refund FINANCE only + ISSUED block (TXN-I-009)
TC-0002-2-0010	GET /transactions requires FINANCE (TXN-I-010)
TC-0002-2-0011	PATCH/DELETE finance mutations require FINANCE (TXN-I-011)
TC-0002-2-0012	Unauthenticated rejected (TXN-I-012)
TC-0002-2-0013	DTO validation create/confirm (TXN-I-013)
TC-0002-2-0014	confirm/expire transactional integrity (TXN-I-014)
TC-0002-3-0001	Candidate create→confirm payment UI (TXN-E-001)
TC-0002-3-0002	Candidate expires abandoned pending (TXN-E-002)
TC-0002-3-0003	Candidate cannot confirm another's txn (TXN-E-003)
TC-0002-3-0004	Finance refund unpaid-receipt path (TXN-E-004)
TC-0002-1-0039	create persists + auto RC_VERIFY_CODE (RCPT-U-001)
TC-0002-1-0040	create always overwrites verify via util (RCPT-U-002)
TC-0002-1-0041	findOne NotFound (RCPT-U-003)
TC-0002-1-0042	findOne with TRANSACTION relation (RCPT-U-004)
TC-0002-1-0043	findAll default pagination DESC (RCPT-U-005)
TC-0002-1-0044	findAll custom page/limit (RCPT-U-006)
TC-0002-1-0045	findIssued filters ISSUED only (RCPT-U-007)
TC-0002-1-0046	update Object.assign no state machine (RCPT-U-008)
TC-0002-1-0047	update allows reverse/VOIDED (RCPT-U-009)

รหัสการทดสอบ	ชื่อการทดสอบ
TC-0002-1-0048	remove softRemove (RCPT-U-010)
TC-0002-1-0049	downloadReceipt 404 missing (RCPT-U-011)
TC-0002-1-0050	downloadReceipt 403 non-ISSUED (RCPT-U-012)
TC-0002-1-0051	downloadReceipt PDF when ISSUED (RCPT-U-013)
TC-0002-1-0052	CreateReceiptDto required fields (RCPT-U-014)
TC-0002-1-0053	CreateReceiptDto RC_STATUS enum (RCPT-U-015)
TC-0002-1-0054	CreateReceiptDto RC_ISSUED_AT date (RCPT-U-016)
TC-0002-1-0055	UpdateReceiptDto PartialType (RCPT-U-017)
TC-0002-1-0056	Tax/profile fields absent from DTOs (RCPT-U-018)
TC-0002-2-0015	POST /receipts FINANCE creates + verify code (RCPT-I-001)
TC-0002-2-0016	POST can create already ISSUED (RCPT-I-002)
TC-0002-2-0017	POST rejects non-FINANCE (RCPT-I-003)
TC-0002-2-0018	CRUD without JWT → 401 (RCPT-I-004)
TC-0002-2-0019	GET /receipts paginates (RCPT-I-005)
TC-0002-2-0020	GET /receipts/issued only ISSUED (RCPT-I-006)
TC-0002-2-0021	GET /:id 200 / 404 (RCPT-I-007)
TC-0002-2-0022	PATCH UNISSUED→ISSUED (RCPT-I-008)
TC-0002-2-0023	PATCH invalid status → 400 (RCPT-I-009)
TC-0002-2-0024	DELETE soft-delete (RCPT-I-010)
TC-0002-2-0025	GET download ISSUED → PDF headers (RCPT-I-011)
TC-0002-2-0026	Download UNISSUED/VOIDED 403; missing 404 (RCPT-I-012)
TC-0002-2-0027	Download without JWT → 401 (RCPT-I-013)
TC-0002-2-0028	limit >100 rejected (RCPT-I-014)
TC-0002-2-0029	RC_VERIFY_CODE unique constraint (RCPT-I-015)
TC-0002-2-0030	API cannot mutate tax/profile (RCPT-I-016)
TC-0002-3-0005	Finance issued receipt usage report (RCPT-E-001)
TC-0002-3-0006	User downloads ISSUED PDF (RCPT-E-002)
TC-0002-3-0007	Non-finance blocked from admin receipt APIs (RCPT-E-003)
TC-0002-3-0008	Public verify receipt by code (RCPT-E-004)
TC-0002-1-0057	create voids ISSUED receipt happy (VOID-U-001)
TC-0002-1-0058	create whitespace-only reason (VOID-U-002)
TC-0002-1-0059	create trims reason (VOID-U-003)
TC-0002-1-0060	create receipt not found (VOID-U-004)
TC-0002-1-0061	create reject UNISSUED (VOID-U-005)

รหัสการทดสอบ	ชื่อการทดสอบ
TC-0002-1-0062	create reject already VOIDED status (VOID-U-006)
TC-0002-1-0063	create Conflict when VOIDED_RECEIPT exists (VOID-U-007)
TC-0002-1-0064	create transaction missing (VOID-U-008)
TC-0002-1-0065	create reject txn REFUND (VOID-U-009)
TC-0002-1-0066	create reject txn RECEIPT_VOIDED (VOID-U-010)
TC-0002-1-0067	create history captures previous status (VOID-U-011)
TC-0002-1-0068	create enrollment missing still succeeds (VOID-U-012)
TC-0002-1-0069	create cancels enrollment when present (VOID-U-013)
TC-0002-1-0070	findOne with relations (VOID-U-014)
TC-0002-1-0071	findOne not found (VOID-U-015)
TC-0002-1-0072	findAll default pagination (VOID-U-016)
TC-0002-1-0073	findAll custom pagination (VOID-U-017)
TC-0002-1-0074	DTO RC_ID required number (VOID-U-018)
TC-0002-1-0075	DTO VR_REASON required MinLength 1 (VOID-U-019)
TC-0002-1-0076	DTO VR_REASON MaxLength 2000 (VOID-U-020)
TC-0002-1-0077	create runs in dataSource.transaction (VOID-U-021)
TC-0002-2-0031	POST voids issued end-to-end (VOID-I-001)
TC-0002-2-0032	POST without JWT → 401 (VOID-I-002)
TC-0002-2-0033	POST non-FINANCE → 403 (VOID-I-003)
TC-0002-2-0034	POST as STAFF allowed by API (VOID-I-004)
TC-0002-2-0035	POST as ADMIN/FINANCE (VOID-I-005)
TC-0002-2-0036	POST invalid body → 400 (VOID-I-006)
TC-0002-2-0037	POST void twice → 409 (VOID-I-007)
TC-0002-2-0038	POST when txn REFUND → 409 (VOID-I-008)
TC-0002-2-0039	GET list paginated (VOID-I-009)
TC-0002-2-0040	GET /:id (VOID-I-010)
TC-0002-2-0041	GET /:id unknown → 404 (VOID-I-011)
TC-0002-2-0042	limit >100 rejected (VOID-I-012)
TC-0002-3-0009	Finance voids receipt via UI (VOID-E-001)
TC-0002-3-0010	UI blocks empty void reason (VOID-E-002)
TC-0002-3-0011	Non-finance cannot open void page (VOID-E-003)
TC-0002-3-0012	After void actions none (VOID-E-004)
TC-0002-3-0013	Void API failure notify (VOID-E-005)
TC-0002-1-0078	Import rejects missing file (BR-U-001)

รหัสการทดสอบ	ชื่อการทดสอบ
TC-0002-1-0079	Import rejects non csv/xlsx/xls (BR-U-002)
TC-0002-1-0080	Import skips invalid rows (BR-U-003)
TC-0002-1-0081	Import truncates fields to 20 chars (BR-U-004)
TC-0002-1-0082	In-file duplicate aborts entire import (BR-U-005)
TC-0002-1-0083	Existing import key hash aborts import (BR-U-006)
TC-0002-1-0084	Successful import stores SHA-256 hash (BR-U-007)
TC-0002-1-0085	Amount comma strip + NaN invalid (BR-U-008)
TC-0002-1-0086	buildVerifyMatches amount equal → MATCH (BR-U-009)
TC-0002-1-0087	buildVerifyMatches unequal → MISSING (BR-U-010)
TC-0002-1-0088	buildVerifyMatches skips null/dup BR (BR-U-011)
TC-0002-1-0089	getChangeReason REF1/REF2/BOTH/null (BR-U-012)
TC-0002-1-0090	updateRefs rejects blank BR_REF1 (BR-U-013)
TC-0002-1-0091	updateRefs rematch equal → MATCH (BR-U-014)
TC-0002-1-0092	updateRefs rematch unequal → MISSING (BR-U-015)
TC-0002-1-0093	matchRefs empty returns [] (BR-U-016)
TC-0002-1-0094	confirmPayment empty → no-op (BR-U-017)
TC-0002-1-0095	confirmPayment blocks REFUND/RECEIPT_VOIDED (BR-U-018)
TC-0002-1-0096	confirmPayment APPROVED+MATCH+issue+ERM+history (BR-U-019)
TC-0002-1-0097	getTestExportRows maps + truncates (BR-U-020)
TC-0002-1-0098	getTestExportRows fee≤0 / missing exam (BR-U-021)
TC-0002-2-0043	POST import persists + CREATED_BY (BR-I-001)
TC-0002-2-0044	POST verify joins refs updates in TX (BR-I-002)
TC-0002-2-0045	PATCH refs unmatch/rematch + edit log (BR-I-003)
TC-0002-2-0046	POST match query-only (BR-I-004)
TC-0002-2-0047	POST confirm-payment bulk issues atomically (BR-I-005)
TC-0002-2-0048	DELETE soft-deletes all (BR-I-006)
TC-0002-2-0049	Authz FINANCE_ROLES only (BR-I-007)
TC-0002-2-0050	DTO validation verify/refs/export (BR-I-008)
TC-0002-3-0014	Finance upload→verify match statuses (BR-E-001)
TC-0002-3-0015	Finance edit refs rematches (BR-E-002)
TC-0002-3-0016	Finance confirm payment issues receipts (BR-E-003)
TC-0002-3-0017	Non-finance blocked from payment import (BR-E-004)
TC-0002-1-0099	create maps DTO → save (PCFG-U-001)
TC-0002-1-0100	findAll returns find() (PCFG-U-002)

รหัสการทดสอบ	ชื่อการทดสอบ
TC–0002–1–0101	findOne with TRANSACTIONS (PCFG-U-003)
TC–0002–1–0102	findOne NotFound (PCFG-U-004)
TC–0002–1–0103	update then re-fetch (PCFG-U-005)
TC–0002–1–0104	update missing → NotFound (PCFG-U-006)
TC–0002–1–0105	remove softRemove (PCFG-U-007)
TC–0002–1–0106	remove missing → NotFound (PCFG-U-008)
TC–0002–1–0107	Create DTO required strings (PCFG-U-009)
TC–0002–1–0108	Create DTO MaxLength (PCFG-U-010)
TC–0002–1–0109	Create DTO PC_IS_ACTIVE required bool (PCFG-U-011)
TC–0002–1–0110	Create DTO EFFECTIVE_FROM required ISO (PCFG-U-012)
TC–0002–1–0111	Create DTO EFFECTIVE_TO optional (PCFG-U-013)
TC–0002–1–0112	UpdatePaymentConfigDto PartialType (PCFG-U-014)
TC–0002–2–0051	POST creates row (FINANCE) (PCFG-I-001)
TC–0002–2–0052	GET lists configs (PCFG-I-002)
TC–0002–2–0053	GET /:id with TRANSACTIONS (PCFG-I-003)
TC–0002–2–0054	GET /:id unknown → 404 (PCFG-I-004)
TC–0002–2–0055	PATCH updates fields (PCFG-I-005)
TC–0002–2–0056	DELETE soft-delete excluded (PCFG-I-006)
TC–0002–2–0057	Soft-delete with FK transaction (PCFG-I-007)
TC–0002–2–0058	ValidationPipe rejects bad create (PCFG-I-008)
TC–0002–2–0059	ParseIntPipe non-int :id (PCFG-I-009)
TC–0002–2–0060	Unauthenticated → 401 (PCFG-I-010)
TC–0002–2–0061	Non-FINANCE → 403 (PCFG-I-011)
TC–0002–2–0062	ADMIN/FINANCE/STAFF allowed (PCFG-I-012)
TC–0002–2–0063	Persist EFFECTIVE_TO null (PCFG-I-013)
TC–0002–2–0064	Deactivate PC_IS_ACTIVE false (PCFG-I-014)
TC–0002–2–0065	Accepts TO < FROM (current) (PCFG-I-015)
TC–0002–2–0066	Duplicate COMP/PROD codes allowed (PCFG-I-016)
TC–0002–3–0018	Finance CRUD lifecycle via API (PCFG-E-001)
TC–0002–3–0019	Finance mutates; candidate blocked (PCFG-E-002)
TC–0002–3–0020	Deactivate then soft-delete (PCFG-E-003)