

14. Progetto e sviluppo di sistemi interattivi III - Agile UCD

Interazione Uomo Macchina
Prof. Maurizio Mancini




DIPARTIMENTO
DI INFORMATICA
SAPIENZA
UNIVERSITÀ DI ROMA

© 2022 Prof. Emanuele Panizzi panizzi@di.uniroma1.it


UX Week 07:

Waterfall bad
Washing machine good.

leisa reichelt
disambiguity.com



Waterfall = bad 😞







why is waterfall
BAD?

History of Waterfall

Part one: 

1970: W.W. Royce
(so people say...)


- initial concept
- purely sequential
- Royce says: 'flawed'
- Royce recommends iterative model.


"I believe in this
concept, but the
implementation... is
risky and invites
failure." 


W.W. Royce, 1970
Managing the Development
of Large Software Systems


waterfall 
= bad for designers


waterfall 
= bad for humans


















So....
What's the alternative?
































make agile more
user centred

or

make UCD more agile

agile ucd?



cycle zero:
needs some
upfront
research, analysis
and highlevel
design strategy
(existing in UCD)
{new to agile}


Cycle Zero

- product goals
- shared vision
- contextual research
- personas + scenarios

Cycle 1:

- how much design can you do in a cycle?
- how much testing can you do in a cycle?

[cycle = 2-4 weeks from
start to completion
end dates are fixed]






Figure 1. High-level representation of the proposed framework.

Best Practices (i)

- feature cards publicly displayed
- daily standup meetings
- more observation (via testing), less 'feedback' from user ambassadors

Best Practices (ii)

- more design resources
- collaboration between disciplines
- breaking design into cycle sizes
- frequent release

AgileUCD

- involvement; communication; multidisciplinary teams
- Specialization/skills
- no fine-grained time-estimates for whole project
- fix time slots – adapt objectives
- design and develop concurrently
- two loops:
 - user-research/design
 - design/development
- change in objectives and product specification always possible
- release early and often

Riferimenti

- Dix, A. et al, Human Computer Interaction, 3° ed, Prentice Hall
- Dix, A. et al, hcibook.com
- Wikipedia ('agile')
- uxweek2007.adaptivepath.com/
- www.disambiguity.com/dconstruct-questions-on-agile-ucd/
- martinfowler.com/
- agilemanifesto.org/
- Brooks, F.P. Jr, The mythical man-month, Addison-Wesley, 1995
- Munari, B., Artista e designer, Laterza, 1985

<https://archive.dconstruct.org/2007/waterfallwashingmachine>