






## PATIENT

- ID: 2201335300
- SSN:
- Name: Abinaya
- Address:
- City:
- Country: INDIA
- Clinic ID:

## CASE

- ID: 2201335300
- Operator: DR. Arathy L.R
- Comment:
- Date:
- Scan date:



## Treatment Planning Report

**Patient Name:** Abinaya

**Date:** 25/01/2022

**Treating Doctor:** Dr. Arathy L.R

**Case ID:** 2201335300

**Categorisation of Case:** DA60

**Active Aligners:** U/30, L/30

**Chief Complaint:**

As per the prescription form, patient complains of crowding.

**Treatment Plan:**

In the upper arch, existing spaces will be utilized to align, intrude and retract the upper anteriors.

In the lower arch, spaces obtained from posterior expansion and interproximal reduction of 0.6mm per contact irt 36-35, 35-34, 34-33, 43-44, 44-45, 45-46; 0.4mm per contact irt 33-32, 31-41, 42-43 will be utilized to align, intrude and retract the lower anteriors.

**Note: -**

- The case presents with missing tooth irt 25. For correction of the malocclusion, bilateral IPR had to be done in all possible contacts. Consequently, further correction of the midline is not possible.

Kindly use IPR strips or IPR burs to perform above said 0.5mm IPRs and kindly use only handstrips to perform above said 0.3mm and 0.2mm IPRs. Attachments may vary during the course of treatment. It is recommended to have proper follow-ups, periodic assessments and records of the case. Kindly provide us your valuable comments on our customised treatment software- "Digiplan". Your comments will be appreciated.

Regards



Consultant Orthodontist

B.D.S., M.D.S (Orthodontics)

P.S: Please contact CRM team for coordinating a discussion on treatment plan with our planning team.

**ANNEXURES-**

Annexure 1: Overview report


Annexure 2: IPR/ Attachment Sheet

## Ideal arch analysis


- Ideal length
- Bracket offset\_length

0  
0

### Overview



### Ideal curve



## OVERALL BOLTON ANALYSIS


- Maxillary 6 width:
- Mandibular 6 width:
- Ratio:
- Ideal ratios

## Tooth width analysis

Table: **Default**


### MAXILLARY TOOTH WIDTH ANALYSIS

Tooth	Width	Tooth	Width
11	6.04	21	6.57
12	5.02	22	5.63
13	5.26	23	4.88
14	5.77	24	5.24
15	4.48	25	0.00
16	9.62	26	8.82
17	7.97	27	8.58



### MANDIBULAR TOOTH WIDTH ANALYSIS

Tooth	Width	Tooth	Width
31	4.64	41	4.18
32	4.62	42	4.59
33	4.88	43	4.51
34	5.68	44	6.34
35	5.67	45	5.80
36	8.51	46	8.43
37	8.36	47	8.18



### OVERALL BOLTON ANALYSIS

- Maxillary 6 width:
- Mandibular 6 width:
- Ratio:
- Ideal ratios

## Bolton analysis

### ANTERIOR BOLTON ANALYSIS

- Maxillary 6 width:33
  - Mandibular 6 width:27
  - Ratio:1
- Ideal ratios?

Maxill. 6	Mandib. 6	Ratio
40.00	30.90	0.77
40.50	31.30	0.77
41.00	31.70	0.77
41.50	32.00	0.77
42.00	32.40	0.77
42.50	32.80	0.77
43.00	33.20	0.77
43.50	33.60	0.77
44.00	34.00	0.77
44.50	34.40	0.77
45.00	34.70	0.77
45.50	35.10	0.77
46.00	35.50	0.77
46.50	35.90	0.77
47.00	36.30	0.77
47.50	36.70	0.77
48.00	37.10	0.77
48.50	37.40	0.77
49.00	37.80	0.77
49.50	38.20	0.77
50.00	38.60	0.77
50.50	39.00	0.77
51.00	39.40	0.77
51.50	39.80	0.77
52.00	40.10	0.77
52.50	40.50	0.77
53.00	40.90	0.77
53.50	41.30	0.77
54.00	41.70	0.77
54.50	42.10	0.77


### OVERALL BOLTON ANALYSIS

- Maxillary 6 width:67
  - Mandibular 6 width:68
  - Ratio:1
- Ideal ratios


Maxill. 12	Mandib. 12	Ratio
85.00	77.60	0.91
86.00	78.50	0.91
87.00	79.40	0.91
88.00	80.30	0.91
89.00	81.30	0.91
90.00	82.10	0.91
91.00	83.10	0.91
92.00	84.00	0.91
93.00	84.90	0.91
94.00	85.80	0.91
95.00	86.70	0.91
96.00	87.60	0.91
97.00	88.60	0.91
98.00	89.50	0.91
99.00	90.40	0.91
100.00	91.30	0.91
101.00	92.20	0.91
102.00	93.10	0.91
103.00	94.00	0.91
104.00	95.00	0.91
105.00	95.90	0.91
106.00	96.80	0.91
107.00	97.80	0.91
108.00	98.60	0.91
109.00	99.50	0.91

## Front View

Pre - Treatment



Post - Treatment




## Right View

Pre - Treatment



Post - Treatment




## Left View

Pre - Treatment




Post - Treatment




## Upper View

Pre - Treatment




Post - Treatment




## Lower View

Pre - Treatment



Post - Treatment



## Teeth Movement Report



### PATIENT

- ID: 2201335300
- SSN:
- Name: Abinaya
- Address:
- City:
- Country: INDIA
- Clinic ID:










### CASE

- ID: 2201335300
- Operator: DR. Arathy L.R
- Comment:
- Date:
- Scan date:




Annexure  <b>IPR Sheet</b>	Doc. No.:	RSP/F/QA/24/05b-00
	Supersedes:	NIL
	Effective date:	24-12-2021
	Page 1 of 1	

PATIENT NAME:	ABINAYA	CASE ID:	2201335300
DOCTOR:	DR.ARATHY L.R	PLAN NO:	1

	POSITIVE ATTACHMENT		BEFORE ALIGNER
	NEGATIVE ATTACHMENT		PONTIC / BRIDGE / IMPLANT
	MISSING TOOTH		EXTRACTION
	IPR. (IN MM)		BUTTON ATTACHMENT
	BITE RAMPS		

TOTAL NUMBER OF ALIGNER

STARTER KIT:	YES
--------------	-----



CATEGORY:	Complex
-----------	---------

Remarks:

Note:-The Attachment Transfer template has a layer of isofolan sheet beneath it, Which is to be removed before using the Template.

- Refinements may be required.
- Kindly ensure proper attachments transfer and their placements through-out the treatment.
- Use hand strips and/or Inter proximal reduction burs for Inter proximal reductions.
- Kindly ensure adequate patient compliance (minimum wear 20-22hrs./day)
- The Attachment Transfer Template has a layer of isoflan sheet beneath it, which has to be removed before using the template.

CONSULTANT ORTHODONTIST:	Dr.Akshita Sharma	APPROVED BY:	Dr.Varun Grover
DATE:	2022-01-25	TIME:	17:19:40