

2026-2027 Remotely Piloted Aircraft System (RPAS) Recency Requirements Self-Paced Study Program

Completion of this questionnaire satisfies the 24-month recurrent training program requirements of 901.56(1)(b)(iii), 901.65(1)(b)(iii) or 901.91(b)(iii) in the *Canadian Aviation Regulations* (CARs).

All remotely piloted aircraft system (RPAS) pilots who meet the requirements in CAR 901 are to answer questions 1 to 30. Level 1 Complex RPA pilots must also complete questions 31 to 35.

The completed copy is to be retained by the pilot.

References are listed after each question. Many answers may be found in the *Transport Canada Aeronautical Information Manual* (TC AIM). Other answers can be found in the *AIP Canada* (ICAO). Amendments to these publications may result in changes to answers and/or references.

The following resources are available online:

- [TC AIM](#)
- [AIP Canada \(ICAO\)](#)
- [Canadian Aviation Regulations \(CARs\)](#)
- [Nav Canada VFR Phraseology](#)

General Aviation Questions

TC AIM—GEN—General

1. What is the definition of ‘touch-and-go’?

Reference: TC AIM GEN 5.1 GLOSSARY OF AERONAUTICAL TERMS

TC AIM—AGA—Aerodromes

2. Where a structure is provided with _____ that are _____, paint marking of the structure may be omitted.

Reference: TC AIM AGA 6.4 *Marking*

3. Hospital heliports are identified by a _____.

Reference: TC AIM AGA 5.5.3 *Heliport Identification Markings*

TC AIM - COM-Communications

4. Current aircraft GPS receivers contain a model of the nominal day/night delay, but this model does not account for _____.

Reference: TC AIM COM 5.2.1 *Global Positioning System (GPS)*

5. The Memorandum of Understanding (MOU) between Transport Canada (TC) and _____ establishes a coordinated framework for managing aircraft radio station licences.

Reference: TC AIM COM 1.2 *Regulations and Guidance Material*

6. _____ has published phraseology guides intended as learning tools and reference for all pilots flying within Canadian airspace.

Reference: TC AIM COM 1.2 *Regulations and Guidance Material*, [Nav Canada VFR Phraseology](#)

TC AIM - MET-Meteorology

7. In the CFS (Canadian Flight Supplement), _____ indicates that a NAV CANADA aviation weather camera is installed at the site.

Reference: TC AIM MET 1.2.3 *Weather Services Definitions in Flight Publications*

8. What is the abbreviation for 'icing' in an aviation forecast? _____

Reference: TC AIM MET 15.0 *Abbreviations – Aviation Forecasts*

9. Space weather may influence GPS-based RPA functions, such as 'return to home'. Space weather advisories will contain information about _____ conditions, as well as forecast levels for ____ hours, ____ hours, ____ hours and ____ hours ahead.?

Reference: TC AIM MET 14.3 *The ICAO Service Advisories*

TC AIM - RAC-Rules of the Air and Air Traffic Services

10. How long must a pilot wait after CBD (cannabidiol) use prior to exercising duties as a crew member?

Reference: [CAR 901.19\(2\)](#) and TC AIM RPA 3.2.7 *Fitness of Crew Members*

11. At uncontrolled aerodromes without a published MF (Mandatory Frequency) or ATF (Aerodrome Traffic Frequency), the common frequency for the broadcast of aircraft position and the intentions of pilots flying in the vicinity of that aerodrome is _____.

Reference: TC AIM RAC 4.5 *Aircraft Operations – Uncontrolled Aerodromes*

12. No person shall act as a crew member of a RPA weighing 250 g or above within _____ hours after consuming an alcoholic beverage.

Reference: [CAR 901.19\(2\)](#) and TC AIM *Fitness of Crew Members*

13. No person shall operate an aircraft in the airspace below _____ within _____ of the limits of a forest fire area, or as described in a NOTAM issued under CAR 601.16.

Reference: [CAR 601.15](#) and TC AIM RAC 2.9.2 *Temporary Flight Restrictions – Forest Fires*

MAP—Aeronautical Charts and Publications

14. Where can forest fire aircraft operating restriction NOTAM be found?
- _____

Reference: TC AIM MAP 3.5 *NOTAM Distribution*

RPAS—Specific Questions

15. What is a BVLOS operation? _____

Reference: [CAR 900.01](#)

16. How do the CARs Part IX define “extended VLOS operation”?
- _____

Reference: [CAR 900.01 - Interpretation](#)

17. A visual observer for an extended VLOS operation must hold at least a _____.

Reference: [CAR 901.75](#)

18. An RPA with an operating weight of less than 250 g **does / does** not require an SFOC-RPAS for an advertised event. (Circle correct answer).

Reference: [CAR 903.01](#) and [TC AIM](#) RPA 3.2.29.2 *Advertised Events*

19. The CARs state: “No holder of a pilot certificate—small remotely piloted aircraft (VLOS) [...] shall operate a remotely piloted aircraft system unless the holder has, within the 24 months preceding the flight [...] successfully completed (Write one of the options):

Reference: [CAR 901.56](#), [901.65](#), [901.91](#), [standard 921.04](#) and [TC AIM](#) RPA 3.3.2.2 *Recency Requirements*

20. Reckless or negligent operation of an RPAS is applicable to?

- a) Only small RPAS operated under the Basic Operations regulations
- b) Only small RPAS operated under the Advanced Operations regulations
- c) Not applicable to micro RPA operations
- d) All RPA weight categories including Micro-drones

Reference: [CAR 900.06](#) and [TC AIM](#) RPA 2.0

21. The operation of an RPA in restricted airspace (under section 5.1 of the Aeronautics Act, a Class F CYR or a forest fire) without authorization from the user/controlling agency is prohibited to?

- a. Only small RPA operated under the Basic Operations regulations
- b. Only small RPA operated under the Advanced Operations regulations
- c. Not applicable to micro RPA operations
- d. All aircraft, including all RPA weight categories and Micro-RPA

Reference: [AA 5.1](#), [CAR 601.04](#), [601.15](#), [901.14](#) and TC AIM RPA 2.0 *MICRO REMOTELY PILOTED AIRCRAFT (RPA)—LESS THAN 250 g* and 3.2.3 *Class F Restricted Airspace*

22. In order to conduct an operation with a medium RPA, the pilot must hold at least a _____ RPA pilot certificate.

Reference: [CAR 901.62](#)

23. The use of night-vision goggles by the pilot (***does / does not***) remove the requirement for the RPA weighing 250 g or more system to have position lights. (circle correct answer)

Reference: [CAR 901.39](#) *Night Flight Requirements*

24. A pilot can operate a RPA weighing 250 grams or more using a first-person view device only if, at all times during flight, _____ the detect and avoid functions with respect to conflicting aircraft or other hazards beyond the field of view displayed on the device.

Reference: [CAR 901.38](#) and [TC AIM](#) RPA 3.2.26 *First-person View (FPV) Devices*

25. Which weather tool is more suitable for evaluating whether RPAS operations at a given time/location would be possible given the historical climatic patterns?

Reference: [TC AIM](#) RPA 3.2.22.1 *Sources of Weather Information*

26. According to CARs Part IX, what documents shall a pilot operating a RPA weighing 250 g or above have and make available on request when operating an RPAS?

Reference: [CARs Part IX](#) and [TC AIM](#) RPA Chapter

27. Advertised event means:

_____.

Reference: [CAR 901.41](#) and [TC AIM](#) RPA 3.2.29 *Special Events*

28. When using your RPA weighing 250 grams or more in Canada near the U.S. border, can you fly outside of Canadian airspace?

Yes / No

Reference: [CAR 901.13](#) and [TC AIM](#) RPA 3.2.3.1 *Canadian Domestic Airspace*

29. No pilot shall operate a RPA weighing 250 grams or more at or near an aerodrome that is listed in the CFS (Canada Flight Supplement) or the CWAS (Canadian Water Aerodrome Supplement)

Reference: [CAR 901.47](#) and [TC AIM](#) RPA 3.2.35 *Operations at or in the Vicinity of an Aerodrome, Airport or Heliport*

30. No pilot shall operate a RPA weighing 250 grams or more at a distance of less than _____ from the centre of an aerodrome operated under the authority of the Minister of National Defence unless

Reference: [CAR 901.47](#)

31. A small or medium RPA may only be operated in level 1 complex BVLOS operations at a distance of not less than ____ from a _____, unless operating under an SFOC.

Reference: [CAR 901.87](#)

32. A sparsely populated area means:

Reference: [CAR 900.01](#)

33. A small or medium RPA without a Standard 922.10 declaration for operation in lesser weather conditions and without an SFOC, may only be operated in BVLOS operations if the ground visibility is not less than _____ miles and the aircraft is operated _____.

Reference: [CAR 901.34](#)

34. For level 1 complex operations, every RPAS operator shall establish and maintain a _____ that is designed to ensure that each person who receives _____ acquires the competence to perform their assigned duties.

Reference: [CAR 901.219](#)

35. What document must a RPAS Operator Certificate holder have to describe the roles and responsibilities of crew members before, during and after a flight?

Reference: [CAR 901.47](#)

Certification

Name: _____ Pilot Certificate #: _____ Date: _____

I certify that I have completed this questionnaire to satisfy the 24-month recurrent training program requirements of CARs 901.56(1)(b)(iii), 901.65(1)(b)(iii) and 901.91(b)(iii).

I will retain this questionnaire and make it available when requested.

Signature: _____

Answers can be found on the following pages.

Answers to Remotely Piloted Aircraft System (RPAS) Recency Requirements Self-Paced Study Program

- 1- A procedure in which an aircraft lands and then takes off without stopping.
- 2- Medium or high-intensity white flashing strobe lighting systems, operated during the day
- 3- Red capital letter “H” centered within a white cross.
- 4- Variable solar activity
- 5- ISED (Innovation, Science and Economic Development Canada)
- 6- NAV CANADA
- 7- WxCam
- 8- ICE
- 9- Current, 6, 12, 18, 24
- 10- 28 days. The CARs require fitness for duty and state that no person shall act as a crew member of an aircraft while using or under the influence of any drug that impairs the person’s faculties to the extent that aviation safety is affected. Transport Canada’s new policy prohibits flight crews from consuming cannabis, including CBD (cannabidiol) for at least 28 days before being on duty.
- 11- 123.2 MHz
- 12- 12
- 13- 3 000 ft AGL, 5 NM
- 14- NAV CANADA’s Web site, Note: NOTAMs 5.1 may also be depicted on the NAV Drone App.
- 15- “BVLOS operation” means an operation of a remotely piloted aircraft that is not in visual line-of-sight, but does not include an extended VLOS operation or a sheltered operation
- 16- “extended VLOS operation” means an operation of a remotely piloted aircraft that is not in visual line-of-sight but during which unaided visual contact is maintained with the airspace in which the aircraft is operating in a manner sufficient to detect conflicting air traffic and other hazards and take action to avoid them.
- 17- pilot certificate — small remotely piloted aircraft (VLOS) — basic operations
- 18- does
- 19- (i) the examinations “RPAS — Basic Operations”, “RPAS — Advanced Operations”, or “RPAS – Level 1 Complex Operations, or
(ii) a flight review referred to in paragraph 901.64(c), or 901.90(e) or
(iii) any of the recurrent training activities set out in section 921.04 of Standard 921:
 - (a) attendance at a safety seminar endorsed by Transport Canada Aviation;
 - (b) completion of an RPAS recurrent training program designed to update pilot knowledge, which includes, human factors, environmental factors, route planning, operations near aerodromes/airports, and applicable regulations, rules and procedures; or
 - (c) completion of a Transport Canada endorsed self-paced study program, which is designed to update pilot knowledge in the subjects specified in paragraph (b).

- 20- d) All RPA weight categories including Micro-drones
- 21- d) All aircraft, including all RPA weight categories
- 22- Advanced Operations
- 23- Does not
- 24- A visual observer performs
- 25- Environment and Climate Change Canada's (ECCC) Canadian Climate Normals is available on the ECCC Web site
- 26- RPA Pilot Certificate according to the operating environment (basic or advanced), RPA Certificate of Registration, Registration markings visible on the RPA, RPAS Operating Manual, operating procedure and emergency procedures – according to CAR 901.23.

For advanced environments, if applicable: relevant safety statement from the RPAS manufacturer specified on the valid Certificate of Registration, for controlled airspace authorization from the Air Navigation Service Provider (ANSP) and a Special Flight Operations Certificate (SFOC)-RPAS according to CAR 903.01.
- 27- An outdoor event that is advertised to the general public, including a concert, festival, market or sporting event
- 28- No
- 29- in a manner that could interfere with an aircraft operating in the established traffic pattern
- 30- Three nautical miles, authorized to do so by the Department of National Defence
- 31- 1 km, populated area
- 32- an area with more than 5 but not more than 25 people per square kilometre
- 33- 3, clear of cloud
- 34- training program, training
- 35- RPAS operations manual