

Classifying food images to generate recipes and calorie estimation

Jeyasri Subramanian - Ronak Mehta - Pranav Lodha

Overview

Today, people on Instagram and other forms of social media post pictures of amazing food, which make your mouths water for them. These foods are from different categories and contain different amounts of calories. One thing we all crave is to be able to have these different delicacies for ourselves. But while doing so, we are thinking about whether these foods fit our dietary constraints or meet our calorie consumption limits. We also worry about the fact that we cannot don't know how to make these delicacies.

By providing us with the food image, we plan on giving the food classification, calorie estimate, and generate a recipe for you. With this information, you will be able to make an informed decision on making the item or not. You will also be able to easily and efficiently replicate the image from instagram and appeal to the masses!

This can help solve many different problem statements. For example, if one was traveling abroad, they could use this to determine if the item they were having was vegetarian or not. It could also help them catalog the item to make once they are back home. Another example, would be if someone was in a restaurant and wanted to know the recipe on how to make a certain dish, they could use this to save the recipe for later. Finally, they could use the application to determine if they were within their calorie consumption limit, if they were dieting. The applications of this project can be vast and will provide insightful information, allowing the user to make an informed and thorough decision.

This project is focused on solving three major problem statements- Food classification from image, recipe generation and calorie count estimation. We will complete this by using computer vision to model and answer the questions that we have. We will be utilizing many different sources to help improve our model and increase the performance of our model.

Literature Survey

The following papers will help us solve our problem statement, using food images to determine the food, and the ingredients that make up the food.

- Recipe Generation:
 - This paper talks about the usage of food images to give the recipe required to make the item for yourself.
 - <https://paperswithcode.com/paper/inverse-cooking-recipe-generation-from-food>
- Food Classification:
 - This paper talks about the usage of food images to determine what the food item is.
 - <https://paperswithcode.com/paper/foodx-251-a-dataset-for-fine-grained-food>
 - Another paper:
 - <https://github.com/thatbrguy/Multilabel-Classification>
 - <https://nanonets.com/blog/multi-label-classification-using-deep-learning/>
- Calorie Estimation:
 - Using food images, this paper talks about how to calculate the amount of calories in the item presented.
 - <https://paperswithcode.com/paper/deep-learning-based-food-calorie-estimation>
 - Training code in python: <https://github.com/meghanamreddy/Calorie-estimation-from-food-images-OpenCV>
- Deep Dish Learning to Classify Food Dishes:
 - The following article uses deep learning to classify the dish properly from across the world
 - <http://cs231n.stanford.edu/reports/2017/pdfs/6.pdf>
- How to easily classify Food using deep learning and tensorflow
 - In this paper, they use tensorflow and deep learning techniques to be able to classify the food
 - <https://nanonets.com/blog/multi-label-classification-using-deep-learning/>
- Feature extraction from trained model:
 - We used this paper to determine how we could use a pretrained model to our advantage, given the large data size.
 - <https://appliedmachinelearning.blog/2019/07/29/transfer-learning-using-feature-extraction-from-trained-models-food-images-classification/>
- iFood challenge 2019 Winner code:
 - <https://www.kaggle.com/c/ifood-2019-fgvc6/discussion/94425>
 - <https://github.com/clovaai/assembled-cnn>

Dataset

We will utilize the datasets from each of the papers as well as external dataset to improve the accuracy of models

- <https://www.lftechnology.com/blog/ai/image-calorie-estimation-deep-learning/>
- <https://www.ivl.disco.unimib.it/activities/food-recognition/>
- <https://github.com/Yiming-Miao/Calorie-Predictor>
- <https://data.world/adamhelsinger/food-nutrition-information>

- https://github.com/karansikka1/iFood_2019
- <http://im2recipe.csail.mit.edu/dataset/download>

These datasets contained information regarding the different images that were used for the food classification. They also contain text information regarding the recipes, calorie counts and other written information about the images and food.

Downloads

README

[Layers](#) (381 MiB)

[Ingredient detections](#) (102 MiB)

Recipe1M images

- [training](#) (94 GiB)
- [validation](#) (21 GiB)
- [test](#) (20 GiB)

Recipe1M+ images

- [0](#), [1](#), [2](#), [3](#), [4](#), [5](#), [6](#), [7](#), [8](#), [9](#), [a](#), [b](#), [c](#), [d](#), [e](#), [f](#) (approx. 210 Gib each tar file)

Layer2+

- [layer2+.json](#) (2.5 GiB)

Model training files

- [data.h5.gz](#) (89 GiB, recipe1M)
- [vocab.bin.gz](#) (33 MiB)
- [classes1M.pkl](#) (26 MiB)
- [train.tar](#) (24 GiB, recipe1M)
- [val.tar](#) (5 GiB, recipe1M)
- [test.tar](#) (5 GiB, recipe1M)
- [encs_train_1024.t7](#) (29 GiB)
- [encs_val_1024.t7](#) (6 GiB)
- [encs_test_1024.t7](#) (6 GiB)
- [remove1M.txt](#) (133 KiB)

Recipes with nutritional information

- [recipes_with_nutritional_info.json](#) (213 MiB)


We had a large dataset that consisted of over 100gb, this included recipes, calorie estimations, and food images that we could use to train our model.

Algorithm

The fundamental algorithms are classification, object detection, and segmentation. Classification algorithm will help classify and organize the acquired images. Object detection will contribute to

Food classification problem is a prediction resolved with a multi-layer resnet-101 network with Adam optimizer. Recipe generation problem is resolved by three major sub-networks such as Food understanding, multi-label classification and conditional text generation(NLP). Extract the image representation with resnet-50 encoder and obtain the ingredients. Our recipe generation system takes a food image as an input and outputs a sequence of cooking instructions, which are generated by means of an instruction decoder that takes as input two embeddings. The first one represents visual features extracted from an image, while the second one encodes the

ingredients extracted from the image. The cooking instruction transformer layer has concatenated attention, independent attention, sequential attention. The instruction decoder is composed of two attention layers and one linear layer which is followed by softmax nonlinearity. The multi-label classification model is trained in mini-batch size of 300, and learning rate of 0.0001. Instruction generation model is trained with batch size of 256, adam optimizer, dropout ratio of 0.3 and 400 epochs. Calorie count estimation problem is resolved with RNN . There are five major steps in the execution - Image Acquisition, object detection, image segmentation, volume estimation and calorie estimation. Image segmentation is resolved with the Grabcut algorithm. In order to estimate the calories, we need to resolve the scaling factor first. From the reference of one yuan coin paper, the volume is computed. Calorie is estimated from the food mass and density value.



Architecture for InceptionV3 Transfer learning

Food Classification

In the food classification problem we had to classify 251 fine-grained food categories.

```
0 macaron
1 beignet
2 cruller
3 cockle_food
4 samosa
5 tiramisu
6 tostada
7 moussaka
8 dumpling
9 sashimi
10 knish
11 croquette
12 couscous
13 porridge
14 stuffed_cabbage
15 seaweed_salad
16 chow_mein
17 rigatoni
18 beef_tartare
19 cannoli
20 foie_gras
21 cupcake
22 osso_buco
23 pad_thai
24 poutine
25 ramen
26 pulled_pork_sandwich
27 bibimbap
28 chicken_kiev
29 apple_pie
30 risotto
```

fig: Sample food category list


Above us we can see an image of some of the classifications that were made. To help us with the classification we used various different approaches to best solve our problem.

First we began with transfer learning involving the VGG16 model trained with ImageNet weights and changing the output layer with the custom CNN architecture with adam optimizer. The model was performing very poorly even after 24 epochs, this resulted in an accuracy of 8%.


After that we realized that the SGD optimizer is better with the VGG16 model, but this also failed as the results were just as similar as that with the adam optimizer.

Then we tried to train all the layers of VGG, and added some additional layers on top, this finally helped us achieve somewhat better results of 25% after 60 epochs.

In the end, we ended up using the inceptionv3 pretrained model, and this resulted in an accuracy of 92%. This had a penalty of 0.05 in FC layer, SGD optimizer with learning rate of 0.0001 and 0.9 momentum.



<https://tensorboard.dev/experiment/SAZneIPoRv6F8HbkLaP8eQ/#scalars>




<https://tensorboard.dev/experiment/1bQ55WT0T4ag9nnXvUgXfQ/#scalars>

Recipe Generation

For the recipe generation model, this was also a bit complex, requiring three different levels of training to achieve an acceptable solution. For this problem we would have to start by understanding the food from the image, and then extracting the ingredients. We would then

have to classify the food title, and finally use natural language processing (nlp) to prepare a recipe to provide to the user.



Architecture for Food recipe generation

We would be using facebook's inverse cooking project and dataset to help us with solving our problem statement. In this they had used multiple res-net encoders to identify the features and obtain the ingredients. From the ingredients, they attempted to do a multi-class classification with the recipes. After getting the recipes, they are using NLP to get a proper recipe that the user can follow to make the dish.

The dataset contained over 100gb of data. To process the data in a more efficient manner, we used paper space to rent out a much more powerful machine.

Screenshots below from Paperspace machine

Stage 1

```
paperspace@psnqdn0lf: ~/SeeFood-Project/RecipeGen/inversecooking/src
File ~/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/python3.7/site-packages/nltk/data.py, line 752, in load
opened_resource = _open(resource_url)
File ~/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/python3.7/site-packages/nltk/data.py, line 877, in _open
return find(path, path + [""], open())
File ~/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/python3.7/site-packages/nltk/data.py, line 585, in find
raise LookupError(resource_not_found)
LookupError:
*****
Resource punkt not found.
Please use the NLTK Downloader to obtain the resource:

>>> import nltk
>>> nltk.download('punkt')

For more information see: https://www.nltk.org/data.html

Attempted to load tokenizers/punkt/PY3/english.pickle

Searched in:
- '/home/paperspace/nltk_data'
- '/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/nltk_data'
- '/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/share/nltk_data'
- '/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/nltk_data'
- '/usr/share/nltk_data'
- '/usr/local/share/nltk_data'
- '/usr/lib/nltk_data'
- '/usr/local/lib/nltk_data'
- ''
*****

(venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ vi build_vocab.py
(venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ (venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ vi build_vocab.py
(venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ python build_vocab.py (venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ python build_vocab.py --recipe_path /home/paperspace/SeeFood-Project/RecipeGen/mydataset
[nltk_data] Downloading package punkt to /home/paperspace/nltk_data...
[nltk_data] Unzipping tokenizers/punkt.zip.
Loading data...
Loaded data.
Found 1029720 recipes in the dataset.
68589it [01:19, 869.79it/s]
```

Stage 2

```
paperspace@psnqdn0lf: ~/SeeFood-Project/RecipeGen/inversecooking/src
File ~/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/python3.7/site-packages/nltk/data.py, line 752, in load
opened_resource = open(resource_url)
File ~/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/python3.7/site-packages/nltk/data.py, line 877, in _open
return find(path, path + [""], open())
File ~/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/python3.7/site-packages/nltk/data.py, line 585, in find
raise LookupError(resource_not_found)
LookupError:
*****
Resource punkt not found.
Please use the NLTK Downloader to obtain the resource:

>>> import nltk
>>> nltk.download('punkt')

For more information see: https://www.nltk.org/data.html

Attempted to load tokenizers/punkt/PY3/english.pickle

Searched in:
- '/home/paperspace/nltk_data'
- '/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/nltk_data'
- '/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/share/nltk_data'
- '/home/paperspace/SeeFood-Project/RecipeGen/inversecooking/venv-receipe/lib/nltk_data'
- '/usr/share/nltk_data'
- '/usr/local/share/nltk_data'
- '/usr/lib/nltk_data'
- '/usr/local/lib/nltk_data'
- ''

(venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ vi build_vocab.py
(venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ (venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ vi build_vocab.py
(venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ python build_vocab.py (venv-receipe) (base) paperspace@psnqdn0lf:~/SeeFood-Project/RecipeGen/inversecooking/src$ python build_vocab.py --recipe_path /home/paperspace/SeeFood-Project/RecipeGen/mydataset
[nltk_data] downloading package punkt to /home/paperspace/nltk_data...
[nltk_data] Unzipping tokenizers/punkt.zip.
loading data...
loaded data.
Found 1829720 recipes in the dataset.
236937it [04:33, 922.74it/s]
```

Stage 3

jeyasri — paperspace@psnqdn0lf: ~ — ssh paperspace@184.105.175.111 — 118x36


1 [||||| 86.5%]
2 [||||| 84.6%]
3 [||||| 88.7%]
4 [||||| 90.3%]
Mem[||||| 11.3G/29.4G]
Swp[||||| 0K/0K]

5 [||||| 86.7%]
6 [||||| 87.8%]
7 [||||| 80.4%]
8 [||||| 85.6%]
Tasks: 48, 56 thr; 7 running
Load average: 0.68 0.19 0.06
Uptime: 00:11:45

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
1524	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1523	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1522	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1521	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1520	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1519	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1518	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1517	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1516	paperspac	20	0	19.5G	9462M	117M	R	86.6	31.4	0:03.58	python train.py --model_name im2ingr --batch_size 150 -
1515	paperspac	20	0	19.5G	9462M	117M	R	87.9	31.4	0:03.52	python train.py --model_name im2ingr --batch_size 150 -
1514	paperspac	20	0	19.5G	9462M	117M	R	88.6	31.4	0:03.68	python train.py --model_name im2ingr --batch_size 150 -
1513	paperspac	20	0	19.5G	9430M	117M	D	85.3	31.3	0:03.48	python train.py --model_name im2ingr --batch_size 150 -
1512	paperspac	20	0	19.5G	9454M	117M	R	79.9	31.4	0:03.61	python train.py --model_name im2ingr --batch_size 150 -
1511	paperspac	20	0	19.5G	9461M	117M	R	85.3	31.4	0:03.59	python train.py --model_name im2ingr --batch_size 150 -
1510	paperspac	20	0	19.5G	9454M	117M	R	91.3	31.4	0:03.62	python train.py --model_name im2ingr --batch_size 150 -
1509	paperspac	20	0	19.5G	9462M	117M	D	86.6	31.4	0:03.54	python train.py --model_name im2ingr --batch_size 150 -
1508	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1499	root	20	0	10088	5144	1460	S	0.0	0.0	0:00.00	/usr/sbin/xs-daemon -p /var/run/xs-daemon.pid
1498	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1497	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1496	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1495	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:00.00	python train.py --model_name im2ingr --batch_size 150 -
1487	paperspac	20	0	20.0G	9732M	388M	S	0.0	32.3	0:46.67	python train.py --model_name im2ingr --batch_size 150 -
1442	paperspac	20	0	33556	4848	3884	R	1.3	0.0	0:00.59	htop
1411	paperspac	20	0	22780	5128	3384	S	0.0	0.0	0:00.03	-bash

F1Help F2Setup F3Search F4Filter F5Tree F6SortBy F7Nice F8Nice F9Kill F10Quit

Tensorboard



<https://tensorboard.dev/experiment/OHxcO4ibRdSnUmp28Kj8rw/#scalars>

The following chart shows the performance of the recipe generation. Each epoch took approximately 16 minutes and a total of 400 epochs were evaluated.

Stages	IoU	F Score
Ingredient Prediction	32.11	48.61
Receipe Generation	32.52	49.08

Calorie Estimation

For the calorie estimation we decided to use the results from the recipe generation. We started by looking at the data provided in our dataset. We would use the information about each recipe to generate the number of calories.

We were provided with the fat/saturation, protein, sodium, and sugar amounts for every 100 grams serving size. Using this we calculated the amount of energy for the serving size

Type of energy	Energy consumed for each gram	Calorie consumed for each gram
Fat/Saturation	37 Kilojoules	8.88 Calories

Protein	17 Kilojoules	4.08 Calories
Sodium	8 Kilojoules	1.92 Calories
Sugar	17 Kilojoules	4.08 Calories

Our final equation to calculate the number of calories would be $0.24((\text{fat} * 37) + (\text{protein} * 17) + (\text{sodium} * 8) + (\text{sugar} * 17)) = \text{total calories}$. Since the number of calories for each kilojoule is approximately 0.24.

Below is a screenshot of the json file from which we collected nutritional

```
[
  {
    "fsa_lights_per100g":{
      "fat":"green",
      "salt":"green",
      "saturates":"green",
      "sugars":"orange"
    },
    "id":"000095feld",
    "ingredients":[
      {
        "text":"yogurt, greek, plain, nonfat"
      },
      {
        "text":"strawberries, raw"
      },
      {
        "text":"cereals ready-to-eat, granola, homemade"
      }
    ],
    "instructions":[
      {
        "text":"Layer all ingredients in a serving dish."
      }
    ],
    "nutr_per_ingredient":[
      {
        "fat":0.8845044000000001,
        "nrg":133.80964,
        "pro":23.110512399999998,
        "sat":0.26535132,
        "sod":81.64656,
        "sug":7.348190400000001
      },
      {
        "fat":0.46,
        "nrg":49.0,
        "pro":1.02,
        "sat":0.023,
        "sod":2.0,
        "sug":7.43
      },
      {
        "fat":7.415,
        "nrg":149.25,
        "pro":4.17,
        "sat":1.207,
        "sod":8.0,
        "sug":6.04
      }
    ],
    "nutr_values_per100g":{

```

information

Web-App

To put our project together we built a web-app. Below is a screenshot of the web-app


See Food Project

Recipe image

Choose File

oreoiccream.jpg

Submit



Food classification: ice_cream

Recipe title: Oreo ice cream

Recipe Ingredients: cookie,sugar,butter,cream,milk,extract,egg,

Cooking Procedure:

- 1. In a large bowl, combine the oreos, butter and sugar.
- 2. Mix until well combined.
- 3. Press into a 9 x 13 inch pan.
- 4. In a medium bowl, beat the egg yolks until thick and pale.
- 5. Add the condensed milk, vanilla and cream.
- 6. Beat until smooth.
- 7. Pour the mixture over the crust.
- 8. Freeze for at least 4 hours or overnight.
- 9. Remove from freezer about 15 minutes before serving.

Calorie Estimation:

- 'energy': 301.1849670174859
- 'fat': 14.151372526311448
- 'protein': 3.596968035993615
- 'salt': 0.109414215320766
- 'saturates': 8.142758045734483
- 'sugars': 38.46963474919645

Here we loaded the image oreoiccream.jpg. The image was then classified as ice cream, given the title Oreo Ice Cream, listed out the ingredients used to create it (cookie,sugar, butter, cream, milk, extract, egg). Then we were giving the instructions to make the item ourselves, and finally we were given the nutritional information about the item.

Summary

With the growth of social media, we are able to see a more in depth picture of different travel spots across the globe. A lot of these pictures are spread from instagram, and other image sharing sites. Many of these images are of the different delicacies in their respective part of the globe. The more we look at these images, the more we want to go be able to touch, and eat these delicacies. Our goal for this project was for you to be able to feed the image into our platform, and we would provide you with classification information, recipe information, and the calorie estimation based on the image.

With many other use-cases for our model, we know that this is something that people will continue to use for many years to come. This is something that we can say will provide the greatest amount of flexibility to people when they travel. Also to get recipes from when they are going to a restaurant, and gather information regarding the cooking process, how many calories are in a food item, and how to properly make something they really like.

Each model will be validated for cost function, root mean error, mean estimation error F1 score and IoU score. Each problem statement has different architecture, and involves NLP techniques for result generation.