WDD 330 · WEB FRONTEND DEVELOPMENT II

Skills Development Assessment

Fieldnotes — Outdoor Trip Planner

Student	Ronald Ongom
Live application	https://ronaldongom.github.io/wdd330-sleepoutside-team11/fieldnotes/
Source code	https://github.com/RonaldOngom/wdd330-sleepoutside-team11
Fieldnotes Trello board	https://trello.com/b/v8NAFHeJ/fieldnotes-outdoor-trip-planner
Video presentation	**[ADD YOUR PUBLIC VIDEO URL BEFORE SUBMITTING]**

> **Submission action required:** Record and publish an approximately five-minute screen walkthrough that shows your face at least at the beginning, demonstrates the running app, and explains the code examples below. Replace the video placeholder above with a public Loom, YouTube, or other hosted video link before uploading this document. The video has not been recorded or published as part of this document preparation.

Project overview

Fieldnotes is a responsive trip-planning experience for people preparing to spend time outdoors. A visitor can search for a place, review current conditions and a seven-day forecast, check air quality and daylight details, save places for later, and personalize temperature units and theme. The interface is populated from live Open-Meteo JSON responses.

The application is published as a separate route in the course repository. The SleepOutside storefront remains at the repository root; Fieldnotes is served from `/fieldnotes/`.

Skills evidence mapped to the rubric

Rubric area	Fieldnotes implementation and evidence	Target
JavaScript	`app.js` manages app state, validates search input, handles asynchronous place and weather requests, prevents stale responses from replacing newer results, converts units, and dynamically creates the forecast, condition, search-result, and saved-place interfaces from returned data. Errors and optional air-quality availability have user-visible handling.	25 / 25
Third-party APIs	`api.js` uses three Open-Meteo endpoints: Geocoding (`geocoding-api.open-meteo.com/v1/search`), weather Forecast (`api.open-meteo.com/v1/forecast`), and Air Quality (`air-quality-api.open-meteo.com/v1/air-quality`). Forecast and air-quality requests run concurrently; air quality is optional if that endpoint is unavailable.	25 / 25
JSON	Geocoding returns an array of matching place objects. Forecast responses provide current conditions and parallel daily arrays, including date, weather code, maximum/minimum temperature, precipitation probability, sunrise, sunset, UV index, and maximum wind speed. JavaScript maps daily entries into seven visible forecast cards and uses the response to create conditions cards.	10 / 10
Advanced CSS	`styles.css` provides responsive layouts, light/dark theme tokens, interactive hover/focus treatments and transitions, animated loading and entrance states, and reduced-motion support. These effects appear across controls, cards, loading, and content reveal states.	10 / 10
Events	The app responds to search form submission, search input changes, Escape key presses in the input/results, selecting a search result, save/remove actions, saved-place selection, unit toggle, theme toggle, refresh, and clicks outside the search form.	10 / 10
LocalStorage	The `fieldnotes-preferences` object persists four properties: `unit`, `theme`, `places`, and `lastPlace`. They restore the visitor's saved settings and shortlist on reload.	5 / 5
Trello board	The Fieldnotes board tracks completed design, API, weather conditions, preferences, and validation work, alongside open W07 document/video	5 / 5

Rubric area	Fieldnotes implementation and evidence	Target
	tasks. The deployment-verification card includes the public app, repository, and deployment evidence.	
Video	Not yet supplied. This criterion requires the student's own public recording (approximately five minutes, face visible at least at the beginning, with application and code demonstration).	Pending

> **Self-assessment:** Current project evidence is designed to meet the rubric requirements for criteria 1–7 (90 points total). The video criterion is still outstanding; do not treat this as a completed 100-point submission until the public video link has been added and tested. Scores are an estimate, not a grade guarantee.

Code locations to demonstrate

Code location	What to point out in the presentation
`src/fieldnotes/api.js`	URL construction and query parameters; JSON retrieval and HTTP errors; parallel forecast/air-quality requests; validation of required forecast response data.
`src/fieldnotes/app.js`	State and persisted preferences; accessible status messages; rendering seven daily cards from API arrays; derived daylight and AQI guidance; save/remove; request sequencing; event listeners.
`src/fieldnotes/styles.css`	Responsive breakpoints, theme variables, hover and focus transitions, keyframe animation, and reduced-motion preferences.
`src/fieldnotes/index.html`	Semantic page landmarks, search controls, accessible live status, forecast/conditions/saved-place sections, and navigation.

Verification completed

- The public Fieldnotes page and its deployed JavaScript and CSS assets returned HTTP 200.

- A live search for “Zion National Park” returned a matching place; that selection rendered current conditions, seven daily forecasts, air quality, UV, sunrise, and daylight values.
- Saving a place, switching from Celsius to Fahrenheit, enabling dark theme, and reloading restored the saved place and preferences.
- `npm run lint` completed successfully.
- `npm test` passed all 8 existing tests.
- `npm run build` completed successfully.
- GitHub Pages deployment workflow completed successfully: workflow run 38540913900 .

Five-minute video run-through

Time	Recording plan
0:00–0:30	Show your face, introduce yourself and Fieldnotes, and state the purpose of the application.
0:30–1:50	In the browser, search for a location, select a result, and explain the current conditions, seven-day forecast, AQI, UV, sunrise, and daylight cards.
1:50–2:40	Save the selected place, change temperature units and theme, refresh the forecast, and show saved-place persistence after reload.
2:40–4:25	Show `api.js` for the three API endpoints and JSON handling, then `app.js` for rendering, event handling, asynchronous-state protection, and localStorage.
4:25–5:00	Show `styles.css` for responsive and animated details, then close by displaying the live app, source repository, and Fieldnotes Trello board.

Before submitting: publish the recording with public access, test its URL in a private/incognito window, replace the video placeholder in this document, and upload the final document to Canvas.