

Atividade 08 de BDR

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

queimadas_db
sistema_bancario

- > Casts
- > Catalogs
- > Event Triggers
- > Extensions
- > Foreign Data Wrappers
- > Languages
- > Publications
- > Schemas (1)
 - public
 - > Aggregates
 - > Collations
 - > Domains
 - > FTS Configurations
 - > FTS Dictionaries
 - > FTS Parsers
 - > FTS Templates
 - > Foreign Tables
 - > Functions
 - > Materialized Views
 - > Operators
 - > Procedures
 - > Sequences
 - > Tables (3)
 - > clientes
 - > contas
 - > transacoes
 - > Trigger Functions
 - > Types
 - > Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
1 --Ronaldo de Avila Ribeiro Junior
2
3 CREATE TABLE IF NOT EXISTS clientes(
4     id_cliente SERIAL PRIMARY KEY,
5     nome VARCHAR(100) NOT NULL,
6     cpf VARCHAR(11) UNIQUE NOT NULL,
7     endereco TEXT,
8     telefone VARCHAR(15)
9 );
10
11
12 CREATE TABLE IF NOT EXISTS contas(
13     id_conta SERIAL PRIMARY KEY,
14     numero_conta VARCHAR(10) UNIQUE NOT NULL,
15     saldo DECIMAL(10,2) DEFAULT 0,
16     id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
17 );
18
19
20 CREATE TABLE IF NOT EXISTS transacoes (
21     id_transacao SERIAL PRIMARY KEY,
22     id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
23     tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
24     valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
25     data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
26     destino_transferencia INT REFERENCES contas(id_conta)
27 );
28
29
30 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
31 ('João Silva', '12345678900', 'Rua A, 123', '11999990000'),
32 ('Maria Oliveira', '98765432100', 'Rua B, 456', '11988887777');
```

Total rows: CRLF Ln 12, Col 35

25°C
Pred ensolarado

Pesquisar

10:46
05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
33
34 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
35 ('000123', 1500.00, 1),
36 ('000456', 2300.00, 2);
37
38 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
39 (1, 'Depósito', 500.00, NULL),
40 (2, 'Saque', 200.00, NULL),
41 (1, 'Transferência', 300.00, 2);
42
43
44 SELECT * FROM clientes;
45
46
47 SELECT
48     clientes.nome,
49     contas.numero_conta,
50     contas.saldo
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
63 UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
64
65
```

Total rows: CRLF Ln 12, Col 35

25° Pesquisar POR PTB2 10:48 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto

queimadas_db

sistema_bancario

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (3)

clientes

contas

transacoes

Trigger Functions

Types

Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query

Query History

```
40 (4, 'saque', 200.00, NULL);
41 (1, 'Transferência', 300.00, 2);
42
43
44 SELECT * FROM clientes;
45
46
47 SELECT
48     clientes.nome,
49     contas.numero_conta,
50     contas.saldo
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
63 UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
64
65
66 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
67 (1, 'Transferência', 100.00, 2);
68
69
70 SELECT * FROM contas;
71
72 SELECT * FROM transacoes;
```

Total rows:

CRLF Ln 12, Col 35

25°

Pesquisar

Google

Outlook

Arquivos

Edge

PowerShell

Visual Studio Code

Python

Excel

Word

pgAdmin 4

Terminal

POR

PTB2

10:48

05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

sistema_bancario/postgres@PostgreSQL 18

Query Query History

```
40 (2, 'saque', 200.00, NULL);
41 (1, 'Transferência', 300.00, 2);
42
43
44 SELECT * FROM clientes;
45
46
47 SELECT
48     clientes.nome,
49     contas.numero_conta,
50     contas.saldo
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	id_cliente [PK] integer	nome character varying (100)	cpf character varying (11)	endereco text	telefone character varying (15)
1	1	João Silva	12345678900	Rua A, 123	11999990000
2	2	Maria Oliveira	98765432100	Rua B, 456	11988887777
3	3	Ronaldo de Avila	45837984260	Rua Nova Esperan...	12981768715

Total rows: 3 Query complete 00:00:00.222 CRLF Ln 45, Col 1

25° Pesquisar

POR PTB2 10:51 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

queimadas_db

sistema_bancario

- Casts
- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (3)
 - clientes
 - contas
 - transacoes
 - Trigger Functions
 - Types
 - Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
40 (2, 'saque', 200.00, NULL);
41 (1, 'Transferência', 300.00, 2);
42
43
44 SELECT * FROM clientes;
45
46
47 SELECT
48     clientes.nome,
49     contas.numero_conta,
50     contas.saldo
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	nome character varying (100)	numero_conta character varying (10)	saldo numeric (10,2)
1	Maria Oliveira	000456	2300.00
2	João Silva	000123	1400.00
3	Ronaldo de Avila	000789	600.00

Total rows: 3 Query complete 00:00:00.087

CRLF Ln 52, Col 1

25°

Pesquisar

10:51 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

queimadas_db
sistema_bancario
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (3)
clientes
contas
transacoes
Trigger Functions
Types
Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
47 SELECT
48     clientes.nome,
49     contas.numero_conta,
50     contas.saldo
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
63 UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
64
65
66 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
67 (1, 'Transferência', 100.00, 2);
68
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	nome character varying (100)	numero_conta character varying (10)	saldo numeric (10,2)
1	Maria Oliveira	000456	2300.00
2	João Silva	000123	1400.00
3	Ronaldo de Avila	000789	600.00

Total rows: 3 Query complete 00:00:00.087

CRLF Ln 56, Col 1

25°

Pesquisar

POR PTB2

10:53 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

queimadas_db
sistema_bancario
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (3)
clientes
contas
transacoes
Trigger Functions
Types
Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
63 UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
64
65
66 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
67 (1, 'Transferência', 100.00, 2);
68
69
70 SELECT * FROM contas;
71
72 SELECT * FROM transacoes;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	nome character varying (100)	numero_conta character varying (10)	saldo numeric (10,2)
1	Maria Oliveira	000456	2300.00
2	João Silva	000123	1400.00
3	Ronaldo de Avila	000789	600.00

Total rows: 3 Query complete 00:00:00.087

CRLF Ln 60, Col 1

25°

Pesquisar

POR PTB2

10:53 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

queimadas_db

sistema_bancario

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (3)

clientes

contas

transacoes

Trigger Functions

Types

Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
63 UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
64
65
66 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
67 (1, 'Transferência', 100.00, 2);
68
69
70 SELECT * FROM contas;
71
72 SELECT * FROM transacoes;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	nome character varying (100)	numero_conta character varying (10)	saldo numeric (10,2)
1	Maria Oliveira	000456	2300.00
2	João Silva	000123	1400.00
3	Ronaldo de Avila	000789	600.00

Total rows: 3 Query complete 00:00:00.135 CRLF Ln 63, Col 72

Pesquisar

POR PTB2 10:55 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Objeto b/po... x bd_escola/postgre... x clima_alerta/postg... x clima_alerta/postg... x sistema_bancario/postgres@PostgreSQL 18* x clima_alerta/postg... x Minha_Biblioteca/... x

queimadas_db
sistema_bancario
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (3)
clientes
contas
transacoes
Trigger Functions
Types
Views

sistema_bancario/postgres@PostgreSQL 18

No limit

Query Query History

```
50     contas.saldo
51 FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
52
53
54 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
55 ('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
56
57
58 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
59 ('000789', 500.00, 3);
60
61
62 UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
63 UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
64
65
66 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
67 (1, 'Transferência', 100.00, 2);
68
69
70 SELECT * FROM contas;
71
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

	id_conta [PK] integer	numero_conta character varying (10)	saldo numeric (10,2)	id_cliente integer
1	2	000456	2300.00	2
2	1	000123	1400.00	1
3	3	000789	600.00	3

Total rows: 3 Query complete 00:00:00.108

CRLF Ln 71, Col 1

Pesquisar

POR PTB2 10:56 05/04/2026

--Ronaldo de Avila Ribeiro Junior

```
CREATE TABLE IF NOT EXISTS clientes(  
    id_cliente SERIAL PRIMARY KEY,  
    nome VARCHAR(100) NOT NULL,  
    cpf VARCHAR(11) UNIQUE NOT NULL,  
    endereco TEXT,  
    telefone VARCHAR(15)  
);
```

```
CREATE TABLE IF NOT EXISTS contas(  
    id_conta SERIAL PRIMARY KEY,  
    numero_conta VARCHAR(10) UNIQUE NOT NULL,  
    saldo DECIMAL(10,2) DEFAULT 0,
```

```
id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE  
);
```

```
CREATE TABLE IF NOT EXISTS transacoes (  
    id_transacao SERIAL PRIMARY KEY,  
    id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,  
    tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),  
    valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),  
    data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
    destino_transferencia INT REFERENCES contas(id_conta)  
);
```

```
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
```

```
('João Silva', '12345678900', 'Rua A, 123', '11999990000'),  
( 'Maria Oliveira', '98765432100', 'Rua B, 456', '11988887777');
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES  
( '000123', 1500.00, 1),  
( '000456', 2300.00, 2);
```

```
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES  
(1, 'Depósito', 500.00, NULL),  
(2, 'Saque', 200.00, NULL),  
(1, 'Transferência', 300.00, 2);
```

```
SELECT * FROM clientes;
```

```
SELECT
```

```
    clientes.nome,
```

```
    contas.numero_conta,
```

```
    contas.saldo
```

```
FROM clientes INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
```

```
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
```

```
('Ronaldo de Avila', '45837984260', 'Rua Nova Esperança', '12981768715');
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
```

```
('000789', 500.00, 3);
```

```
UPDATE contas SET saldo = saldo - 100.00 WHERE numero_conta = '000123';
```

```
UPDATE contas SET saldo = saldo + 100.00 WHERE numero_conta = '000789';
```

```
SELECT * FROM contas;
```