


1 First Level Fire & Health and Safety Plan  
Scale 1:150

- (X) All congregational areas to be fitted with heat, smoke and carbon monoxide alarms providing an enhanced early warning to all visitors and staff.
- FE Fire Extinguishers provided in protected lobby and congregating areas
- (A) Fire Alarms provided in protected lobby and congregating areas
- Illuminated Fire Escape Signs to be wall mounted throughout the community center. In Compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire 2.10.1 Escape Lighting
- First Aid Kits provided in all congregating areas for both visitors and staff.
- Danger Electricity signs to be placed in areas with pose a significant risk to the public and staff and should only be entered by a contractor.
- All additional fire protection of materials, strategies, calculations and design within Henry's Farmhouse is outlined further in Page XX of the Technical Report.



2 Ground Level Fire & Health and Safety Plan  
Scale 1:150

- All External Walls highlighted in compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire 90 mins Fire Resistance
- All External Walls highlighted show existing Farmhouse structure. 120 mins Fire Resistance
- All Internal and External Walls highlighted in compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire 60 mins Fire Resistance
- Fire Protection Corridor and areas surrounding lift wells in compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire 2.9.23 Protected Lobbies
- FD 30 All tagged Doors to be fitted with Milano Laminated Internal Fire Door in compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire 30 mins Fire Resistance.
- FD 120 All Fire Doors will be fitted with intumescent strips, smoke seals and a self-closing mechanism.
- All tagged Doors to be fitted with Beehive Accordion Fire Doors in compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire 120 mins Fire Resistance.
- All Accordion Fire Doors will be fitted with a fire liner, tight fitting floor sweep and automatic close upon fire alarm sounding mechanism.
- Fire Escape Route for all residents In compliance with Technical Standards (Scotland) 2019 Non-Domestic - Section 2: Fire, 2.9 Escape, Table 2.11 Recommended travel distance under 'Slow Evacuation' for an Assembly Building.

