

Index.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="style.css">
  <title>WEBDEV-GUANZON</title>
  <style>
  </style>
</head>
<body>
  <section>
    <?php

      require_once "clean.php";
      require_once "class/books.class.php";

      $bt = $an = $ge = $pu = $pd = $ed = $nc = $fo = $ag = $br = "";
      $allFieldsInputed = true;

      $objBook = new Books;
      $tableDatas = $objBook->getData();

      if($_SERVER["REQUEST_METHOD"] == 'POST' && isset($_POST['submit'])){
        if(empty($_POST['bookTitle'])){
          $bt = "*Book Title is required!";
          $allFieldsInputed = false;
        }else{
          $bookTitle = clean($_POST['bookTitle']);
        }

        if(empty($_POST['authorsName'])){
          $an = "*Author's Name is required!";
          $allFieldsInputed = false;
        }else{
          $authorsName = clean($_POST['authorsName']);
        }

        if(empty($_POST['genre'])){
          $ge = "*Genre is required!";
          $allFieldsInputed = false;
        }else{
          $genre = clean($_POST['genre']);
        }

        if(empty($_POST['publisher'])){
          $pu = "*Publisher is required!";
          $allFieldsInputed = false;
        }else{
          $publisher = clean($_POST['publisher']);
        }

        if(empty($_POST['pubdate'])){
          $pd = "*Publication Date is required!";
          $allFieldsInputed = false;
        }else{
```

```

        $pubdate = clean($_POST['pubdate']);
    }

    if(empty($_POST['edition'])){
        $ed = "**Edition is required!";
        $allFieldsInputed = false;
    }else{
        $edition = clean($_POST['edition']);
    }

    if(empty($_POST['copies'])){
        $nc = "**Number of copies is required!";
        $allFieldsInputed = false;
    }else{
        $copies = clean($_POST['copies']);
    }

    if(empty($_POST['format'])){
        $ag = "**Age Group is required!";
        $allFieldsInputed = false;
    }else{
        $format = clean($_POST['format']);
    }

    if(empty($_POST['age'])){
        $ag = "**Age Group is required!";
        $allFieldsInputed = false;
    }else{
        $age = clean($_POST['age']);
    }

    if(empty($_POST['description'])){
        $ag = "**Description is recommended";
        $allFieldsInputed = false;
    }else{
        $description = clean($_POST['description']);
    }

    if ($allFieldsInputed){
        $objBook->setData($bookTitle, $authorsName, $genre, $publisher, $pubdate,
        $edition, $copies, $format, $age, $description);
    }
}

?>
<div class="p-container">
    <div class="container">
        <form action="" method="post">
            <div class="align">
                <label for="bookTitle">Book Title <span style="color: red;"><?php echo
$bt?></span></label>
                <div class="input">
                    <input type="text" name="bookTitle" id="bookTitle" placeholder="Enter Book Title">
                </div>
            </div>
        </form>
    </div>
</div>

```

```

    </div>
    <br>
    <div class="align">
        <label for="authorsName">Author's Name <span style="color: red"><?php echo
$an?></span></label>
        <div class="input">
            <input type="text" name="authorsName" id="authorsName" placeholder="Enter
Lead Autho's Name">
        </div>
    </div>
    <br>
    <div class="align">
        <label for="genre" id="genre">Genre <span style="color: red"><?php echo
$ge?></span></label>
        <div class="input">
            <select name="genre" id="genre">
                <option value="" selected disabled>Select Genre</option>
                <option value="fiction">Fiction</option>
                <option value="scifi">SciFi</option>
                <option value="mystery">Mystery</option>
                <option value="horror">Horror</option>
                <option value="romance">Romance</option>
            </select>
        </div>
    </div>
    <br>
    <div class="align">
        <label for="publisher">Publisher <span style="color: red"><?php echo
$pu?></span></label>
        <div class="input">
            <input type="text" name="publisher" id="publisher" placeholder="Enter Publisher's
Name">
        </div>
    </div>
    <br>
    <div class="align">
        <label for="pubdate">Publication Date <span style="color: red"><?php echo
$pd?></span></label>
        <div class="input">
            <input type="date" name="pubdate" id="pubdate" value="pubdate">
        </div>
    </div>
    <br>
    <div class="align">
        <label for="edition">Edition <span style="color: red"><?php echo $ed?></span></label>
        <div class="input">
            <input type="number" name="edition" id="edition" placeholder="Enter Edition
Number">
        </div>
    </div>
    <br>
    <div class="align">
        <label for="copies">Number of Copies <span style="color: red"><?php echo
$nc?></span></label>
        <div class="input">
            <input type="number" name="copies" id="copies" placeholder="Enter number of
available">

```

```

    </div>
</div>
<br>
<div class="align">
    <label for="format">Format <span style="color: red"><?php echo $fo?></span></label>
    <div class="input">
        <input type="radio" name="format" id="hardbound" value="hardbound">
        <label for="hardbound">Hardbound</label>
        <input type="radio" name="format" id="softbound" value="softbound">
        <label for="softbound">Softbound</label>
    </div>
</div>
<br>
<div class="align">
    <label for="age">Age Group <span style="color: red"><?php echo $ag?></span></label>
    <div class="input">
        <div class="flex">
            <input type="checkbox" name="age" id="kids" value="kids">
            <label for="kids">Kids</label>
            <input type="checkbox" name="age" id="teens" value="teens">
            <label for="teens">Teens</label>
            <input type="checkbox" name="age" id="adult" value="adult">
            <label for="adult">Adult</label>
        </div>
    </div>
</div>
<br>
<div class="align">
    <label for="rating">Book Rating <span style="color: red"><?php echo
$br?></span></label>
    <div class="input">
        <div class="smiley-rating">
            <span class="smiley" name="emoji" value="one" onclick="selectRating(1)"><i
class="fa-solid fa-face-frown" style="color: #ea3953;"></i></span>
            <span class="smiley" name="emoji" value="two" onclick="selectRating(2)"><i
class="fa-solid fa-face-frown-open" style="color: #fd7e1d;"></i></span>
            <span class="smiley" name="emoji" value="three" onclick="selectRating(3)"><i
class="fa-solid fa-face-meh" style="color: #fecf2b;"></i></span>
            <span class="smiley" name="emoji" value="four" onclick="selectRating(4)"><i
class="fa-solid fa-face-smile" style="color: #adda18;"></i></span>
            <span class="smiley" name="emoji" value="five" onclick="selectRating(5)"><i
class="fa-solid fa-face-smile-beam" style="color: #4ecd57;"></i></span>
        </div>
    </div>
</div>
<br>
<label for="description" class="desc">Description </label>
<div class="input">
    <textarea class="move" cols="33" rows="2" name="description"
id="description"></textarea>
</div>
<br>
<input type="submit" name="submit" value="Submit" >
</div>

<div class="tables">

```

```

<table>
  <tr class="header">
    <th>Book Title</th>
    <th>Author's Name</th>
    <th>Genre</th>
    <th>Publisher</th>
    <th>Publication Date</th>
    <th>Edition</th>
    <th>Number of Copies</th>
    <th>Format</th>
    <th>Age Group</th>
    <th>Book Rating</th>
    <th>Description</th>
  </tr>
  <?php foreach($tableDatas as $datas): extract($datas);?>
    <tr class="data">
      <td><?php echo $bookTitle ?></td>
      <td><?php echo $author ?></td>
      <td><?php echo $genre ?></td>
      <td><?php echo $publisher ?></td>
      <td><?php echo $pubdate ?></td>
      <td><?php echo $edition ?></td>
      <td><?php echo $copies ?></td>
      <td><?php echo $format ?></td>
      <td><?php echo $age ?></td>
      <td><?php echo $description ?></td>
    </tr>
  <?php endforeach?>
</table>
</div>
</form>
</div>
</div>
</section>
<script src="https://kit.fontawesome.com/66216b0ead.js" crossorigin="anonymous"></script>
<script>
  function selectRating(rating) {
    const smileys = document.querySelectorAll('.smiley');
    smileys.forEach((smiley, index) => {
      if (index < rating) {
        smiley.classList.add('selected');
      } else {
        smiley.classList.remove('selected');
      }
    });
  }
</script>
</body>
</html>

```

Class/books.class.php

```
<?php
require_once "database.class.php";

class Books{
    private $conn;

    function __construct()
    {
        $db = new Database;
        $this->conn = $db->connect();
    }
    function getData(){
        $sql = "SELECT * FROM books";
        $query = $this->conn->prepare($sql);
        if($query->execute()){
            $data = $query->fetchAll();
        }
        return $data;
    }

    function setData($bookTitle, $authorsName, $genre, $publisher, $pubdate, $edition, $copies,
    $format, $age, $description){
        $sql = "INSERT INTO books(bookTitle, authorsName, genre, publisher, pubdate, edition, copies,
format, age, description) VALUES
(:bookTitle, :authorsName, :genre, :publisher, :pubdate, :edition, :copies, :format, :age, :description );
";
        $query = $this->conn->prepare($sql);
        $query->bindParam(':bookTitle', $bookTitle);
        $query->bindParam(':authorsName', $authorsName);
        $query->bindParam(':genre', $genre);
        $query->bindParam(':publisher', $publisher);
        $query->bindParam(':pubdate', $pubdate);
        $query->bindParam(':edition', $edition);
        $query->bindParam(':copies', $copies);
        $query->bindParam(':format', $format);
        $query->bindParam(':age', $age);
        $query->bindParam(':description', $description);

        if($query->execute()){
            return true;
        } else {
            return false;
        }
    }
}
```

Database/class.php

```
<?php
class Database{
    protected $connection;

    function connect(){
        try{
            $this->connection = new PDO("mysql:host=localhost;dbname=addbooks", "root", "");
        }catch(PDOException $error){
            echo "Connection Error!" . $error->getMessage();
        }
        return $this->connection;
    }
}
?>
```

Style.css

```
/* *{
    background-color: red;
} */

label{
    width: 115px;
    display: inline-block;
}
.container{
    margin: 20px;
    padding: auto;
}
.align{
    display: flex;
    padding: 5px;
}
input[type=text]{
    border: none;
    border-bottom: 1px solid;
    width: 300px;
    padding: 5px;
    box-sizing: border-box;
}
/* input: hover{
    box-shadow: 2px 2px 10px #dc7633 ;
    color: black;
    border: none;
} */
input[type=submit]{
    padding: 10px;
    border: none;
    border-radius: 5px;
```

```

    width: 70%;
    margin-left: 15px;

}
input:hover[type=submit]{
    background-color: #dc7633;
    color: white;
    transition: 0.15s ease-in-out;
}
input[type=number]{
    border: none;
    border-bottom: 1px solid;
    width: 300px;
    padding: 5px;
    box-sizing: border-box;
}
input[type=date]{
    border: none;
    border-bottom: 1px solid;
    width: 300px;
    padding: 5px;
    box-sizing: border-box;
}
#gen{
    padding: 4px;

}
.move{
    margin-left: 150px;
}
.desc{
    margin-left: 10px;
}
.flex{
    padding: 5px;
    width: 70%;
    display: flex;
}
.smiley-rating {
    display: flex;
    justify-content: center;
    align-items: center;
}

.smiley {
    font-size: 2rem;
    cursor: pointer;
    margin: 0 5px;
    transition: transform 0.3s ease;
}

.smiley:hover,
.smiley.selected {
    transform: scale(1.5);
}
.container{
    width: 50%;

```



```

    display: block;
}
table {
    width: 100%;
    border-radius: 50%;
}
.tables {
    width: 70%;
    height: 100%;
    margin-right: 50px;
}

.p-container{
    display: flex;
    flex-direction: row;
    margin: 20px;
}
table,tr,td,th{
    border: 1px solid;
    border-collapse: collapse;
}
section {
    height: 100vh;
    width: 100%;
    display: flex;
    margin:10px;
}
.desc{
    margin-left: 6px;
}
.text{
    width: 1px;
}
.smiley-rating input[type="radio"] {
    display: none;
}

.star input[type="radio"] {
    display: none;
}

.star label {
    width: 0;
}

div .star {
    width: 70%;
    display: flex;
    align-items: center;
    justify-content: space-evenly;
    color: rgb(233, 233, 38);
    font-size: 30px;
}

div .star input + label {
    text-shadow: 1px 1px 0 #ffe400;

```

```
    cursor: pointer;
}

div .star input:checked + label ~ label {
    color: #838383;
}

div .star label:active {
    transform: scale(0.6);
    transition: 0.2s ease-in-out;
}
```

Clean.php

```
<?php
    function clean($input) {
        $input = trim($input);
        $input = htmlspecialchars($input);
        $input = stripslashes($input);
        return $input;
    }
?>
```