

# Classes

<b>Person (Web , Standalone , App)</b>	
<b>States</b>	<b>Behavior</b>
<ul style="list-style-type: none"><li>- private string id</li><li>- private string fName</li><li>- private string lName</li><li>- private string gender</li><li>- private string bDay</li><li>- private string addr</li><li>- private string phone</li><li>- private string email</li><li>- private string uName</li><li>- private string uPass</li><li>- private int permission</li><li>- private boolean isActive</li></ul>	
<b>Client::Person (Web , App)</b>	
<b>States</b>	<b>Behavior</b>
<ul style="list-style-type: none"><li>- private List Orders ord</li><li>- private string recommend</li></ul>	
<b>Administrator::Person (Web , Standalone)</b>	
<b>States</b>	<b>Behavior</b>
<b>Bookkeeper::Person (Stand Alone)</b>	
<b>States</b>	<b>Behavior</b>

<b>Course (Web , Standalone , App)</b>	
<b>States</b>	<b>Behavior</b>
<ul style="list-style-type: none"> <li>- private string cID</li> <li>- private string cName</li> <li>- private int cPrice</li> <li>- private List Ingredient ing</li> <li>- private string imgLink</li> <li>- private float rating</li> </ul>	

<b>Ingredient (Standalone)</b>	
<b>States</b>	<b>Behavior</b>
<ul style="list-style-type: none"> <li>- private string iID</li> <li>- private string IName</li> <li>- private float iAmount</li> <li>- private float iPrice</li> <li>- private float iMinAmount</li> </ul>	

<b>Order (Web , Standalone , App)</b>	
<b>States</b>	<b>Behavior</b>
<ul style="list-style-type: none"> <li>- private string ordID</li> <li>- private string custID</li> <li>- private List Course courses</li> <li>- private int amount</li> </ul>	

<b>CreditCard (Web , App)</b>	
<b>States</b>	<b>Behavior</b>
<ul style="list-style-type: none"> <li>- private string custID</li> <li>- private string cardNum</li> <li>- private string cardDate</li> <li>- private string csv</li> </ul>	

<b>Storage (Standalone)</b>	
<b>States</b>	<b>Behavior</b>
- private List Ingredient ing	