H10.17:Unit7 ULD1 Input Sensor

```
****************************************************************
* DL REGISTER AREA - 120Word
*
* DW00000 - DW00009 (PLS USE)
* DW00010 - DW00039 (BIT USE)
* DW00040 - DW00089 (Word USE)
* DW00090 - DW00400 (TIMER)
****************************************************************
##################################################################
# PROGRAM NAME : Sensor In_UNIT 7
#
# FUNCTION :
#
# CALL PROGRAM : H10
#
# SUB PROGRAM :
#
# FUNC PROGRAM :
##################################################################
```

SENSOR INPUT (CYL Forward)

0 (0/0) EXPRESSION

```
'DB000160' = 0
DB000160 = 0; // Unit 7 CYL 01 Forward (MB071800)
'DB000161' = 0
DB000161 = 0; // Unit 7 CYL 02 Forward (MB071801)
'DB000162' = 0
DB000162 = 0; // Unit 7 CYL 03 Forward (MB071802)
'DB000163' = 0
DB000163 = 0; // Unit 7 CYL 04 Forward (MB071803)
'DB000164' = 0
DB000164 = 0; // Unit 7 CYL 05 Forward (MB071804)
'DB000165' = 0
DB000165 = 0; // Unit 7 CYL 06 Forward (MB071805)
'DB000166' = 0
DB000166 = 0; // Unit 7 CYL 07 Forward (MB071806)
'DB000167' = 0
DB000167 = 0; // Unit 7 CYL 08 Forward (MB071807)
'DB000168' = 0
DB000168 = 0; // Unit 7 CYL 09 Forward (MB071808)
'DB000169' = 0
DB000169 = 0; // Unit 7 CYL 10 Forward (MB071809)
'DB00016A' = 0
DB00016A = 0; // Unit 7 CYL 11 Forward (MB07180A)
'DB00016B' = 0
DB00016B = 0; // Unit 7 CYL 12 Forward (MB07180B)
'DB00016C' = 0
DB00016C = 0; // Unit 7 CYL 13 Forward (MB07180C)
'DB00016D' = 0
DB00016D = 0; // Unit 7 CYL 14 Forward (MB07180D)
'DB00016E' = 0
DB00016E = 0; // Unit 7 CYL 15 Forward (MB07180E)
'DB00016F' = 0
DB00016F = 0; // Unit 7 CYL 16 Forward (MB07180F)
```

1 (1/48) EXPRESSION

```
'DB000170' = 0
DB000170 = 0; // Unit 7 CYL 17 Forward (MB071810)
'DB000171' = 0
DB000171 = 0; // Unit 7 CYL 18 Forward (MB071811)
'DB000172' = 0
DB000172 = 0; // Unit 7 CYL 19 Forward (MB071812)
'DB000173' = 0
DB000173 = 0; // Unit 7 CYL 20 Forward (MB071813)
'DB000174' = 0
DB000174 = 0; // Unit 7 CYL 21 Forward (MB071814)
'DB000175' = 0
DB000175 = 0; // Unit 7 CYL 22 Forward (MB071815)
'DB000176' = 0
DB000176 = 0; // Unit 7 CYL 23 Forward (MB071816)
'DB000177' = 0
DB000177 = 0; // Unit 7 CYL 24 Forward (MB071817)
'DB000178' = 0
DB000178 = 0; // Unit 7 CYL 25 Forward (MB071818)
'DB000179' = 0
DB000179 = 0; // Unit 7 CYL 26 Forward (MB071819)
'DB00017A' = 0
DB00017A = 0; // Unit 7 CYL 27 Forward (MB07181A)
'DB00017B' = 0
DB00017B = 0; // Unit 7 CYL 28 Forward (MB07181B)
'DB00017C' = 0
DB00017C = 0; // Unit 7 CYL 29 Forward (MB07181C)
'DB00017D' = 0
DB00017D = 0; // Unit 7 CYL 30 Forward (MB07181D)
'DB00017E' = 0
DB00017E = 0; // Unit 7 CYL 31 Forward (MB07181E)
'DB00017F' = 0
DB00017F = 0; // Unit 7 CYL 32 Forward (MB07181F)
```

2 (2/96)

	[W]Var	[W]Init	[W]Max	[W]Step
FOR	DW00040 ---	00000	00031	00001

3 (3/100) NL 2 EXPRESSION

```
'I' = 'DW00040'
I = DW00040;
```

4 (4/102) NL 2

Contact		[W]Set	[W]Count	Coil	Cross-ref
DB000160i ---	TON[10ms]	C_Data._CW00201 ---	DW00186i ---	MB071800i Unit7 Cylinder 1 Forward (Sensor)	[MB071800] H50.47/0062 L20.47/0000

5 (7/106) END_FOR

SENSOR INPUT (CYL Backward)

6
8/107

EXPRESSION
```
'DB000180' = 0
DB000180 = 0; // Unit 7 CYL 01 Backward (MB071820)
'DB000181' = 0
DB000181 = 0; // Unit 7 CYL 02 Backward (MB071821)
'DB000182' = 0
DB000182 = 0; // Unit 7 CYL 03 Backward (MB071822)
'DB000183' = 0
DB000183 = 0; // Unit 7 CYL 04 Backward (MB071823)
'DB000184' = 0
DB000184 = 0; // Unit 7 CYL 05 Backward (MB071824)
'DB000185' = 0
DB000185 = 0; // Unit 7 CYL 06 Backward (MB071825)
'DB000186' = 0
DB000186 = 0; // Unit 7 CYL 07 Backward (MB071826)
'DB000187' = 0
DB000187 = 0; // Unit 7 CYL 08 Backward (MB071827)
'DB000188' = 0
DB000188 = 0; // Unit 7 CYL 09 Backward (MB071828)
'DB000189' = 0
DB000189 = 0; // Unit 7 CYL 10 Backward (MB071829)
'DB00018A' = 0
DB00018A = 0; // Unit 7 CYL 11 Backward (MB07182A)
'DB00018B' = 0
DB00018B = 0; // Unit 7 CYL 12 Backward (MB07182B)
'DB00018C' = 0
DB00018C = 0; // Unit 7 CYL 13 Backward (MB07182C)
'DB00018D' = 0
DB00018D = 0; // Unit 7 CYL 14 Backward (MB07182D)
'DB00018E' = 0
DB00018E = 0; // Unit 7 CYL 15 Backward (MB07182E)
'DB00018F' = 0
DB00018F = 0; // Unit 7 CYL 16 Backward (MB07182F)
```

7
9/155

EXPRESSION
```
'DB000190' = 0
DB000190 = 0; // Unit 7 CYL 17 Backward (MB071830)
'DB000191' = 0
DB000191 = 0; // Unit 7 CYL 18 Backward (MB071831)
'DB000192' = 0
DB000192 = 0; // Unit 7 CYL 19 Backward (MB071832)
'DB000193' = 0
DB000193 = 0; // Unit 7 CYL 20 Backward (MB071833)
'DB000194' = 0
DB000194 = 0; // Unit 7 CYL 21 Backward (MB071834)
'DB000195' = 0
DB000195 = 0; // Unit 7 CYL 22 Backward (MB071835)
'DB000196' = 0
DB000196 = 0; // Unit 7 CYL 23 Backward (MB071836)
'DB000197' = 0
DB000197 = 0; // Unit 7 CYL 24 Backward (MB071837)
'DB000198' = 0
DB000198 = 0; // Unit 7 CYL 25 Backward (MB071838)
'DB000199' = 0
DB000199 = 0; // Unit 7 CYL 26 Backward (MB071839)
'DB00019A' = 0
DB00019A = 0; // Unit 7 CYL 27 Backward (MB07183A)
'DB00019B' = 0
DB00019B = 0; // Unit 7 CYL 28 Backward (MB07183B)
'DB00019C' = 0
DB00019C = 0; // Unit 7 CYL 29 Backward (MB07183C)
'DB00019D' = 0
DB00019D = 0; // Unit 7 CYL 30 Backward (MB07183D)
'DB00019E' = 0
DB00019E = 0; // Unit 7 CYL 31 Backward (MB07183E)
'DB00019F' = 0
DB00019F = 0; // Unit 7 CYL 32 Backward (MB07183F)
```

8
10/203

	[W]Var	[W]Init	[W]Max	[W]Step
FOR	DW00040 ---	00000	00031	00001

9
11/207
NL
2

EXPRESSION
```
'I' = 'DW00040'
I = DW00040;
```

10
12/209
NL
2

DB000180i		[W]Set	[W]Count	MB071820i
---	TON[10ms]	C_Data._CW00201 ---	DW00218i ---	Unit7 Cylinder 1 Backward (Sensor)

[MB071820]
H50.47/0350 L20.47/0004

11
15/213

END_FOR

SENSOR INPUT (Vacuum On)

12
16/214

EXPRESSION

```
'DB000200' = 'SCT Main Transfer Vacuum 1'
DB000200 = IB01062; // Unit 7 Vacuum 01 On (MB071840) /MTR Area1 Vacuum On
'DB000201' = 'SCT Main Transfer Vacuum 2'
DB000201 = IB01063; // Unit 7 Vacuum 02 On (MB071841) /MTR Area2 Vacuum On
'DB000202' = 'SCT Main Transfer Vacuum 3'
DB000202 = IB01064; // Unit 7 Vacuum 03 On (MB071842) /MTR Area3 Vacuum On
'DB000203' = 'SCT Main Transfer Vacuum 4'
DB000203 = IB01065; // Unit 7 Vacuum 04 On (MB071843) /MTR Area4 Vacuum On
'DB000204' = 'SCT Main Transfer Vacuum 5'
DB000204 = IB01066; // Unit 7 Vacuum 05 On (MB071844) /MTR Area5 Vacuum On
'DB000205' = 'SCT Main Transfer Vacuum 6'
DB000205 = IB01067; // Unit 7 Vacuum 06 On (MB071845) /MTR Area6 Vacuum On
'DB000206' = 0
DB000206 = 0; // Unit 7 Vacuum 07 On (MB071846)
'DB000207' = 0
DB000207 = 0; // Unit 7 Vacuum 08 On (MB071847)
'DB000208' = 0
DB000208 = 0; // Unit 7 Vacuum 09 On (MB071848)
'DB000209' = 0
DB000209 = 0; // Unit 7 Vacuum 10 On (MB071849)
'DB00020A' = 0
DB00020A = 0; // Unit 7 Vacuum 11 On (MB07184A)
'DB00020B' = 0
DB00020B = 0; // Unit 7 Vacuum 12 On (MB07184B)
'DB00020C' = 0
DB00020C = 0; // Unit 7 Vacuum 13 On (MB07184C)
'DB00020D' = 0
DB00020D = 0; // Unit 7 Vacuum 14 On (MB07184D)
'DB00020E' = 0
DB00020E = 0; // Unit 7 Vacuum 15 On (MB07184E)
'DB00020F' = 0
DB00020F = 0; // Unit 7 Vacuum 16 On (MB07184F)
```

13
17/256

FOR	[W]Var	[W]Init	[W]Max	[W]Step
	DW00040 ---	00000	00015	00001

14
18/260
NL 2

EXPRESSION

```
'I' = 'DW00040'
I = DW00040;
```

15
19/262
NL 2

		[W]Set	[W]Count	
DB000200i ---	TON[10ms]	C_Data._CW00201 ---	DW00250i ---	MB071840i MTR Area1 Vacuum On Sensor

[MB071840]
H20.02/0190 H20.02/0196 H20.02/0202
H20.02/0207 H50.17/0125 H50.47/0638
L20.47/0256

16
22/266

END_FOR

SENSOR INPUT (Vacuum Off)

17
23/267

EXPRESSION

```
'DB000210' = !'SCT Main Transfer Vacuum 1'
DB000210 = !IB01062; // Unit 7 Vacuum 01 Off (MB071850) /MTR Area1 Vacuum Off
'DB000211' = !'SCT Main Transfer Vacuum 2'
DB000211 = !IB01063; // Unit 7 Vacuum 02 Off (MB071851) /MTR Area2 Vacuum Off
'DB000212' = !'SCT Main Transfer Vacuum 3'
DB000212 = !IB01064; // Unit 7 Vacuum 03 Off (MB071852) /MTR Area3 Vacuum Off
'DB000213' = !'SCT Main Transfer Vacuum 4'
DB000213 = !IB01065; // Unit 7 Vacuum 04 Off (MB071853) /MTR Area4 Vacuum Off
'DB000214' = !'SCT Main Transfer Vacuum 5'
DB000214 = !IB01066; // Unit 7 Vacuum 05 Off (MB071854) /MTR Area5 Vacuum Off
'DB000215' = !'SCT Main Transfer Vacuum 6'
DB000215 = !IB01067; // Unit 7 Vacuum 06 Off (MB071855) /MTR Area6 Vacuum Off
'DB000216' = 0
DB000216 = 0; // Unit 7 Vacuum 07 Off (MB071856)
'DB000217' = 0
DB000217 = 0; // Unit 7 Vacuum 08 Off (MB071857)
'DB000218' = 0
DB000218 = 0; // Unit 7 Vacuum 09 Off (MB071858)
'DB000219' = 0
DB000219 = 0; // Unit 7 Vacuum 10 Off (MB071859)
'DB00021A' = 0
DB00021A = 0; // Unit 7 Vacuum 11 Off (MB07185A)
'DB00021B' = 0
DB00021B = 0; // Unit 7 Vacuum 12 Off (MB07185B)
'DB00021C' = 0
DB00021C = 0; // Unit 7 Vacuum 13 Off (MB07185C)
'DB00021D' = 0
DB00021D = 0; // Unit 7 Vacuum 14 Off (MB07185D)
'DB00021E' = 0
DB00021E = 0; // Unit 7 Vacuum 15 Off (MB07185E)
'DB00021F' = 0
DB00021F = 0; // Unit 7 Vacuum 16 Off (MB07185F)
```

18
24/309

FOR	[W]Var	[W]Init	[W]Max	[W]Step
	DW00040 ---	00000	00015	00001

19
25/313
NL 2

EXPRESSION

```
'I' = 'DW00040'
I = DW00040;
```

20
26/315
NL 2

		[W]Set	[W]Count	
DB000210i ---	TON[10ms]	C_Data._CW00201 ---	DW00266i ---	MB071850i I:Reverse Top Vacuum Area 1 Off

[MB071850]
H50.17/0138 H50.47/0814 L20.47/0260

21
29/319

END_FOR

SENSOR INPUT (Blow On)

22 30/320

EXPRESSION

```
'DB000220' = 'SCT Main Transfer BLow'
DB000220 = IB01060; // Unit 7 Blow 01 On (MB071860) /MTR Vacuum Break On
'DB000221' = 0
DB000221 = 0; // Unit 7 Blow 02 On (MB071861)
'DB000222' = 'SCT Main Align+MCR Camera + Main Buffer Table Sensor Blow On/Off'
DB000222 = OB01152; // Unit 7 Blow 03 On (MB071862) /MTR Camera +Table Sensor Blow On
'DB000223' = 0
DB000223 = 0; // Unit 7 Blow 04 On (MB071863)
'DB000224' = 0
DB000224 = 0; // Unit 7 Blow 05 On (MB071864)
'DB000225' = 0
DB000225 = 0; // Unit 7 Blow 06 On (MB071865)
'DB000226' = 0
DB000226 = 0; // Unit 7 Blow 07 On (MB071866)
'DB000227' = 0
DB000227 = 0; // Unit 7 Blow 08 On (MB071867)
'DB000228' = 0
DB000228 = 0; // Unit 7 Blow 09 On (MB071868)
'DB000229' = 0
DB000229 = 0; // Unit 7 Blow 10 On (MB071869)
'DB00022A' = 0
DB00022A = 0; // Unit 7 Blow 11 On (MB07186A)
'DB00022B' = 0
DB00022B = 0; // Unit 7 Blow 12 On (MB07186B)
'DB00022C' = 0
DB00022C = 0; // Unit 7 Blow 13 On (MB07186C)
'DB00022D' = 0
DB00022D = 0; // Unit 7 Blow 14 On (MB07186D)
'DB00022E' = 0
DB00022E = 0; // Unit 7 Blow 15 On (MB07186E)
'DB00022F' = 0
DB00022F = 0; // Unit 7 Blow 16 On (MB07186F)
```

23 31/366

FOR	[W]Var	[W]Init	[W]Max	[W]Step
	DW00040 ---	00000	00015	00001

24 32/370 NL 2

EXPRESSION

```
'I' = 'DW00040'
I = DW00040;
```

25 33/372 NL 2

DB000220i ---	TON[10ms]	[W]Set C_Data._CW00201 ---	[W]Count DW00282i ---	MB071860i Sensor : MTR Vacuum Break On	[MB071860] H50.17/0169 H50.47/0991 L20.47/0512
MB070860i [Sol] MTR Vacuum Break On	MB00000E (NC) PreSetup KimSuMin				

26 38/378

END_FOR

SENSOR INPUT (Blow Off)

27 39/379

EXPRESSION

```
'DB000230' = !'SCT Main Transfer BLow'
DB000230 = !IB01060; // Unit 7 Blow 01 Off (MB071870)  /Main Transfer Break Off
'DB000231' = 0
DB000231 = 0; // Unit 7 Blow 02 Off (MB071871)
'DB000232' = !'SCT Main Align+MCR Camera + Main Buffer Table Sensor Blow On/Off'
DB000232 = !OB01152; // Unit 7 Blow 03 Off (MB071872)  /MTR Camera +Table Sensor Blow Off
'DB000233' = 0
DB000233 = 0; // Unit 7 Blow 04 Off (MB071873)
'DB000234' = 0
DB000234 = 0; // Unit 7 Blow 05 Off (MB071874)
'DB000235' = 0
DB000235 = 0; // Unit 7 Blow 06 Off (MB071875)
'DB000236' = 0
DB000236 = 0; // Unit 7 Blow 07 Off (MB071876)
'DB000237' = 0
DB000237 = 0; // Unit 7 Blow 08 Off (MB071877)
'DB000238' = 0
DB000238 = 0; // Unit 7 Blow 09 Off (MB071878)
'DB000239' = 0
DB000239 = 0; // Unit 7 Blow 10 Off (MB071879)
'DB00023A' = 0
DB00023A = 0; // Unit 7 Blow 11 Off (MB07187A)
'DB00023B' = 0
DB00023B = 0; // Unit 7 Blow 12 Off (MB07187B)
'DB00023C' = 0
DB00023C = 0; // Unit 7 Blow 13 Off (MB07187C)
'DB00023D' = 0
DB00023D = 0; // Unit 7 Blow 14 Off (MB07187D)
'DB00023E' = 0
DB00023E = 0; // Unit 7 Blow 15 Off (MB07187E)
'DB00023F' = 0
DB00023F = 0; // Unit 7 Blow 16 Off (MB07187F)
```

28 40/425

FOR	[W]Var	[W]Init	[W]Max	[W]Step
	DW00040 ---	00000	00015	00001

29 41/429 NL 2

EXPRESSION

```
'I' = 'DW00040'
I = DW00040;
```

30 42/431 NL 2

DB000230i ---	MB00000E (NC) PreSetup KimSuMin	TON[10ms]	[W]Set C_Data._CW00201 ---	[W]Count DW00298i ---	MB071870i Sensor : MTR Vacuum Break Off	[MB071870] H50.17/0171 H50.47/1152 L20.47/0516
MB070870i [Sol] MTR Vacuum Break Off	MB00000E PreSetup KimSuMin					

31 48/438

END_FOR

SENSOR INPUT (Detect Sensor)

32 49/439

EXPRESSION

```
'DB000240' = 'SCT Main Transfer Glass Detect'
DB000240 = IB0106B; // Unit 7 Detect Sensor01 (MB071900) /Main Transfer Glass Detect
'DB000241' = 0
DB000241 = 0; // Unit 7 Detect Sensor02 (MB071901)
'DB000242' = 0
DB000242 = 0; // Unit 7 Detect Sensor03 (MB071902)
'DB000243' = 0
DB000243 = 0; // Unit 7 Detect Sensor04 (MB071903)
'DB000244' = 0
DB000244 = 0; // Unit 7 Detect Sensor05 (MB071904)
'DB000245' = 0
DB000245 = 0; // Unit 7 Detect Sensor06 (MB071905)
'DB000246' = 0
DB000246 = 0; // Unit 7 Detect Sensor07 (MB071906)
'DB000247' = 0
DB000247 = 0; // Unit 7 Detect Sensor08 (MB071907)
'DB000248' = 0
DB000248 = 0; // Unit 7 Detect Sensor09 (MB071908)
'DB000249' = 0
DB000249 = 0; // Unit 7 Detect Sensor10 (MB071909)
'DB00024A' = 0
DB00024A = 0; // Unit 7 Detect Sensor11 (MB07190A)
'DB00024B' = 0
DB00024B = 0; // Unit 7 Detect Sensor12 (MB07190B)
'DB00024C' = 0
DB00024C = 0; // Unit 7 Detect Sensor13 (MB07190C)
'DB00024D' = 0
DB00024D = 0; // Unit 7 Detect Sensor14 (MB07190D)
'DB00024E' = 0
DB00024E = 0; // Unit 7 Detect Sensor15 (MB07190E)
'DB00024F' = 0
DB00024F = 0; // Unit 7 Detect Sensor16 (MB07190F)
```

33 50/486

	[W]Var	[W]Init	[W]Max	[W]Step
FOR	DW00040 ---	00000	00015	00001

34 51/490 NL 2

EXPRESSION

```
'I' = 'DW00040'
I = DW00040;
```

35 52/492 NL 2

Contact		[W]Set	[W]Count	Coil
DB000240i ---	TON[10ms]	C_Data._C W00200 ---	DW00314i ---	MB071900i Unit7 Detect 1 On (Sensor) M TR Glass Det-

[MB071900]

H20.02/0189	H20.02/0195	H20.02/0201
H20.02/0206	H30.15/0010	H30.15/0392
H30.15/0397	H50.52/0363	

36 55/496 END_FOR

37 56/497 END