ABS_OFT:GetAbsOffset

##
Name : ABS_OFT
Function : Get ABS Offset Value
Summary : Return Fixed Offset value If you Set the Axis Abs 0 level
(ex: Distance Between Head 0 level to Head 0 level
Input : XW00001 AxisIndex
Output : YL00001 ABS Offset(Fixed Offset Value)
Called By: H40.51
##

0
0/0

STORE | [WLFQD]Src 00000 | [WLFQD]Dest YL00001 ---

[YL00001]

.../0010w	.../0018w	.../0026w
.../0034w	.../0042w	.../0050w
.../0058w	.../0066w	.../0074w
.../0082w	.../0090w	.../0098w
.../0106w	.../0114w	.../0122w
.../0130w	.../0138w	.../0146w
.../0154w	.../0162w	.../0170w
.../0178w	.../0186w	.../0194w
.../0202w	.../0210w	.../0218w
.../0226w	.../0234w	.../0242w
.../0250w	.../0258w	.../0266w
.../0277w	.../0285w	.../0293w
.../0301w	.../0309w	.../0317w
.../0325w	.../0333w	.../0341w
.../0349w	.../0357w	.../0365w
.../0373w	.../0381w	.../0389w
.../0397w	.../0405w	.../0413w
.../0421w	.../0429w	.../0437w
.../0445w	.../0453w	.../0461w
.../0469w	.../0477w	.../0485w
.../0493w	.../0501w	.../0509w
.../0517w	.../0525w	.../0536w
.../0544w	.../0552w	.../0560w
.../0568w	.../0576w	.../0584w
.../0592w	.../0600w	.../0608w
.../0616w	.../0624w	.../0632w
.../0640w	.../0648w	.../0656w
.../0664w	.../0672w	.../0680w
.../0688w	.../0696w	.../0704w
.../0712w	.../0720w	.../0728w
.../0736w	.../0744w	.../0752w
.../0760w	.../0768w	.../0776w
.../0784w		

1
1/2

IF | 'SCT Use' MB000181

Main Transfer Y Origin Offset

2
2/4

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00004

EXPRESSION
// Main Transfer Y1 Origin Offset
'YL00001' = '[EQ]MTR Y1 ABS Offset'
YL00001 = ML30380;

3
4/12

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00005

EXPRESSION
// Main Transfer Y2 Origin Offset
'YL00001' = '[EQ]MTR Y2 ABS Offset'
YL00001 = ML30382;

Main Transfer Z Origin Offset

4
6/20

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00007

EXPRESSION
// Main Transfer Z1 Origin Offset
'YL00001' = '[EQ]MTR Z1 ABS Offset'
YL00001 = ML30384;

5
8/28

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00008

EXPRESSION
// Main Transfer Z2 Origin Offset
'YL00001' = '[EQ]MTR Z2 ABS Offset'
YL00001 = ML30386;

MPALX - MPARX Camera Center Origin Distance

6
10/36

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00012

EXPRESSION
// MPALX - MPARX Camera Center Origin Distance
'YL00001' = '[EQ]MTR PreAlign Camera Left/Right Camera Abs Offset'
YL00001 = ML30310;

Stick Transfer 1 Y Origin Offset

7
12/44

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00017

EXPRESSION
// Stick Transfer 1 Y1 Origin Offset
'YL00001' = '[EQ]STR1 Y1 ABS Offset'
YL00001 = ML30580;

8
14/52

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00018

EXPRESSION
// Stick Transfer 1 Y2 Origin Offset
'YL00001' = '[EQ]STR1 Y2 ABS Offset'
YL00001 = ML30582;

Stick Transfer 1 Z Origin Offset

9
16/60

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00019

EXPRESSION
// Stick Transfer 1 Z1 Origin Offset
'YL00001' = '[EQ]STR1 Z1 ABS Offset'
YL00001 = ML30584;

10
18/68

NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00020

EXPRESSION
// Stick Transfer 1 Z2 Origin Offset
'YL00001' = '[EQ]STR1 Z2 ABS Offset'
YL00001 = ML30586;

SPALX - SPARX Camera Center Origin Distance

11 (20/76) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00026

EXPRESSION
```
// MPALX - MPARX Camera Center Origin Distance
'YL00001' = '[EQ]STR1 PreAlign Left Camera X Origine ~ STR1 Left Edge Distance'
YL00001 = ML30510;
```

Left Camera Center - Right Camera Center Origin Distance

12 (22/84) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00034

EXPRESSION
```
// LCamX-RCamX OriginDistance
'YL00001' = '[EQ]Left/Right Upper Camera X Origne Distance'
YL00001 = ML26300;
```

Scribe Chuck Y Origin Offset

13 (24/92) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00049

EXPRESSION
```
// Scribe Chuck Y1 Origin Offset
'YL00001' = '[EQ]Chuck Y1 ABS Offset'
YL00001 = ML26368;
```

14 (26/100) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00050

EXPRESSION
```
// Scribe Chuck Y2 Origin Offset
'YL00001' = '[EQ]Chuck Y2 ABS Offset'
YL00001 = ML26370;
```

Upper Camera ~ Shift Y Origin Offset

15 (28/108) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00036

EXPRESSION
```
// Upper Camera ~ Shift Y Origin Offset
'YL00001' = '[EQ]Cutter ~ Shift Y Origin Offset'
YL00001 = ML26376;
```

Break Pusher Bar Y Origin Offset

16 (30/116) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00065

EXPRESSION
```
//Break Pusher Bar Y1 Origin Offset
'YL00001' = '[EQ]Pusher Bar Y1 ABS Offset'
YL00001 = ML27800;
```

17 (32/124) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00066

EXPRESSION
```
// Break Pusher Bar Y2 Origin Offset
'YL00001' = '[EQ]Pusher Bar Y2 ABS Offset'
YL00001 = ML27802;
```

Break Pusher Bar Z Origin Offset

18 (34/132) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00067

EXPRESSION
```
//Break Pusher Bar Z1 Origin Offset
'YL00001' = '[EQ]Pusher Bar Z1 ABS Offset'
YL00001 = ML27804;
```

19 (36/140) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00068

EXPRESSION
```
//Break Pusher Bar Z2 Origin Offset
'YL00001' = '[EQ]Pusher Bar Z2 ABS Offset'
YL00001 = ML27806;
```

Break Table Y Origin Offset

20 (38/148) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00070

EXPRESSION
```
// Break Table Y1 Origin Offset
'YL00001' = '[EQ]Break Table Y1 ABS Offset'
YL00001 = ML27600;
```

21 (40/156) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00071

EXPRESSION
```
// Break Table Y2 Origin Offset
'YL00001' = '[EQ]Break Table Y2 ABS Offset'
YL00001 = ML27602;
```

Break Table Z Origin Offset

22 (42/164) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00073

EXPRESSION
```
// Break Table Z1 Origin Offset
'YL00001' = '[EQ]Break Table Z1 ABS Offset'
YL00001 = ML27604;
```

23 (44/172) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00074

EXPRESSION
```
// Break Table Z2 Origin Offset
'YL00001' = '[EQ]Break Table Z2 ABS Offset'
YL00001 = ML27606;
```

24 (46/180) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00075

EXPRESSION
```
// Break Table Z3 Origin Offset
'YL00001' = '[EQ]Break Table Z3 ABS Offset'
YL00001 = ML27608;
```

Break Tabel T Origin Offset

25 (48/188) NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00076

EXPRESSION
```
// Chuck Break T Origin - 0 Degree Distance
'YL00001' = '[EQ]Break Table T1 ABS Offset'
YL00001 = ML27616;
```

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
26	50/196	NL 2	==	XW00001 ---	00077	EXPRESSION // Chuck Break T Origin - 0 Degree Distance 'YL00001' = '[EQ]Break Table T2 ABS Offset' YL00001 = ML27618;

Scribe Chuck Origin Offset

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
27	52/204	NL 2	==	XW00001 ---	00052	EXPRESSION // Scribe Chuck 1 Origin Offset 'YL00001' = '[EQ]Chuck Z1 ABS Offset' YL00001 = ML26350;
28	54/212	NL 2	==	XW00001 ---	00053	EXPRESSION // Scribe Chuck 2 Origin Offset 'YL00001' = '[EQ]Chuck Z2 ABS Offset' YL00001 = ML26352;
29	56/220	NL 2	==	XW00001 ---	00054	EXPRESSION // Scribe Chuck 3 Origin Offset 'YL00001' = '[EQ]Chuck Z3 ABS Offset' YL00001 = ML26354;
30	58/228	NL 2	==	XW00001 ---	00055	EXPRESSION // Scribe Chuck 4 Origin Offset 'YL00001' = '[EQ]Chuck Z4 ABS Offset' YL00001 = ML26356;
31	60/236	NL 2	==	XW00001 ---	00056	EXPRESSION // Scribe Chuck 5 Origin Offset 'YL00001' = '[EQ]Chuck Z5 ABS Offset' YL00001 = ML26358;
32	62/244	NL 2	==	XW00001 ---	00057	EXPRESSION // Scribe Chuck 6 Origin Offset 'YL00001' = '[EQ]Chuck Z6 ABS Offset' YL00001 = ML26360;
33	64/252	NL 2	==	XW00001 ---	00058	EXPRESSION // Scribe Chuck 7 Origin Offset 'YL00001' = '[EQ]Chuck Z7 ABS Offset' YL00001 = ML26362;
34	66/260	NL 2	==	XW00001 ---	00059	EXPRESSION // Scribe Chuck 8 Origin Offset 'YL00001' = '[EQ]Chuck Z8 ABS Offset' YL00001 = ML26364;
35	68/268		END_IF			
36	69/269		IF	'LCCT Use' MB000182		

LCCTL

LCCTL Left Camera Center - Right Camera Center Origin Distance

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
37	70/271	NL 2	==	XW00001 ---	00034	EXPRESSION // LCamX-RCamX OriginDistance 'YL00001' = '[EQ]Left/Right Upper Camera X Origne Distance' YL00001 = ML26300;

LCCTL Upper Camera ~ Shift Y Origin Offset

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
38	72/279	NL 2	==	XW00001 ---	00036	EXPRESSION // Upper Camera ~ Shift Y Origin Offset 'YL00001' = '[EQ]Cutter ~ Shift Y Origin Offset' YL00001 = ML26376;

LCCTL Cutting Table Y Origin Offset

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
39	74/287	NL 2	==	XW00001 ---	00075	EXPRESSION // Scribe Chuck Y1 Origin Offset 'YL00001' = '[EQ]Cutting Table Y1 ABS Offset' YL00001 = ML26394;
40	76/295	NL 2	==	XW00001 ---	00076	EXPRESSION // Scribe Chuck Y2 Origin Offset 'YL00001' = '[EQ]Cutting Table Y2 ABS Offset' YL00001 = ML26396;

LCCTL Scribe Chuck LX -RX OriginDistance

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
41	78/303	NL 2	==	XW00001 ---	00050	EXPRESSION // Scribe Chuck LX -RX OriginDistance 'YL00001' = 'ML26304' YL00001 = ML26304;

LCCTL Scribe Chuck Y Origin Offset

Rung	Step		Instruction	[WLFQD]SrcA	[WLFQD]SrcB	Expression
42	80/311	NL 2	==	XW00001 ---	00051	EXPRESSION // Scribe Chuck Y1 Origin Offset 'YL00001' = '[EQ]Chuck Y1 ABS Offset' YL00001 = ML26368;
43	82/319	NL 2	==	XW00001 ---	00052	EXPRESSION // Scribe Chuck Y2 Origin Offset 'YL00001' = '[EQ]Chuck Y2 ABS Offset' YL00001 = ML26370;

LCCTL Break Pusher Bar Y Origin Offset

44 (84/327) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00057

EXPRESSION
```
//Break Pusher Bar Y1 Origin Offset
'YL00001' = 'ML27700'
YL00001 = ML27700;
```

45 (86/335) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00058

EXPRESSION
```
// Break Pusher Bar Y2 Origin Offset
'YL00001' = 'ML27702'
YL00001 = ML27702;
```

LCCTL Break Table Y Origin Offset

46 (88/343) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00060

EXPRESSION
```
// Break Table Y1 Origin Offset
'YL00001' = '[EQ]Break Table Y1 ABS Offset'
YL00001 = ML27600;
```

47 (90/351) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00061

EXPRESSION
```
// Break Table Y2 Origin Offset
'YL00001' = '[EQ]Break Table Y2 ABS Offset'
YL00001 = ML27602;
```

LCCTL Break Table Z Origin Offset

48 (92/359) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00062

EXPRESSION
```
// Break Table Z1 Origin Offset
'YL00001' = '[EQ]Break Table Z1 ABS Offset'
YL00001 = ML27604;
```

49 (94/367) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00063

EXPRESSION
```
// Break Table Z2 Origin Offset
'YL00001' = '[EQ]Break Table Z2 ABS Offset'
YL00001 = ML27606;
```

LCCTL Scribe Chuck Origin Offset

50 (96/375) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00053

EXPRESSION
```
// Scribe Chuck 1 Origin Offset
'YL00001' = '[EQ]Chuck Z1 ABS Offset'
YL00001 = ML26350;
```

51 (98/383) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00054

EXPRESSION
```
// Scribe Chuck 2 Origin Offset
'YL00001' = '[EQ]Chuck Z2 ABS Offset'
YL00001 = ML26352;
```

52 (100/391) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00055

EXPRESSION
```
// Scribe Chuck 3 Origin Offset
'YL00001' = '[EQ]Chuck Z3 ABS Offset'
YL00001 = ML26354;
```

LCCTR

LCCTR Left Camera Center - Right Camera Center Origin Distance

53 (102/399) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00066

EXPRESSION
```
// LCamX-RCamX OriginDistance
'YL00001' = 'ML26900'
YL00001 = ML26900;
```

LCCTR Upper Camera ~ Shift Y Origin Offset

54 (104/407) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00068

EXPRESSION
```
// Upper Camera ~ Shift Y Origin Offset
'YL00001' = 'ML26976'
YL00001 = ML26976;
```

LCCTR Cutting Table Y Origin Offset

55 (106/415) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00075

EXPRESSION
```
// Scribe Cutting Table Y1 Origin Offset
'YL00001' = 'ML26994'
YL00001 = ML26994;
```

56 (108/423) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00076

EXPRESSION
```
// Scribe Cutting Table Y2 Origin Offset
'YL00001' = 'ML26996'
YL00001 = ML26996;
```

LCCTR Scribe Chuck LX -RX OriginDistance

57 (110/431) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00082

EXPRESSION
```
// Scribe Chuck LX -RX OriginDistance
'YL00001' = 'ML26904'
YL00001 = ML26904;
```

LCCTR Scribe Chuck Y Origin Offset

58 (112/439) NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00083

EXPRESSION
```
// Scribe Chuck Y1 Origin Offset
'YL00001' = 'ML26968'
YL00001 = ML26968;
```

Step	NL	Instruction	[WLFQD]SrcA	[WLFQD]SrcB	EXPRESSION
59 114/447	NL 2	==	XW00001 ---	00084	// Scribe Chuck Y2 Origin Offset 'YL00001' = 'ML26970' YL00001 = ML26970;
		LCCTR Break Pusher Bar Y Origin Offset			
60 116/455	NL 2	==	XW00001 ---	00089	//Break Pusher Bar Y1 Origin Offset 'YL00001' = 'ML28000' YL00001 = ML28000;
61 118/463	NL 2	==	XW00001 ---	00090	// Break Pusher Bar Y2 Origin Offset 'YL00001' = 'ML28002' YL00001 = ML28002;
		LCCTR Break Table Y Origin Offset			
62 120/471	NL 2	==	XW00001 ---	00092	// Break Table Y1 Origin Offset 'YL00001' = 'ML27900' YL00001 = ML27900;
63 122/479	NL 2	==	XW00001 ---	00093	// Break Table Y2 Origin Offset 'YL00001' = 'ML27902' YL00001 = ML27902;
		LCCTR Break Table Z Origin Offset			
64 124/487	NL 2	==	XW00001 ---	00094	// Break Table Z1 Origin Offset 'YL00001' = 'ML27904' YL00001 = ML27904;
65 126/495	NL 2	==	XW00001 ---	00095	// Break Table Z2 Origin Offset 'YL00001' = 'ML27906' YL00001 = ML27906;
		LCCTR Scribe Chuck Origin Offset			
66 128/503	NL 2	==	XW00001 ---	00085	// Scribe Chuck 1 Origin Offset 'YL00001' = 'ML26950' YL00001 = ML26950;
67 130/511	NL 2	==	XW00001 ---	00086	// Scribe Chuck 2 Origin Offset 'YL00001' = 'ML26952' YL00001 = ML26952;
68 132/519	NL 2	==	XW00001 ---	00087	// Scribe Chuck 3 Origin Offset 'YL00001' = 'ML26954' YL00001 = ML26954;
69 134/527		END_IF			
70 135/528		IF	'RCCT Use' MB000183		
		RCCTL RCCTL Left Camera Center - Right Camera Center Origin Distance			
71 136/530	NL 2	==	XW00001 ---	00034	// LCamX-RCamX OriginDistance 'YL00001' = '[EQ]Left/Right Upper Camera X Origne Distance' YL00001 = ML26300;
		RCCTL Upper Camera ~ Shift Y Origin Offset			
72 138/538	NL 2	==	XW00001 ---	00036	// Upper Camera ~ Shift Y Origin Offset 'YL00001' = '[EQ]Cutter ~ Shift Y Origin Offset' YL00001 = ML26376;
		RCCTL Cutting Table Y Origin Offset			
73 140/546	NL 2	==	XW00001 ---	00075	// Scribe Chuck Y1 Origin Offset 'YL00001' = '[EQ]Cutting Table Y1 ABS Offset' YL00001 = ML26394;
74 142/554	NL 2	==	XW00001 ---	00076	// Scribe Chuck Y2 Origin Offset 'YL00001' = '[EQ]Cutting Table Y2 ABS Offset' YL00001 = ML26396;
		RCCTL Scribe Chuck LX -RX OriginDistance			
75 144/562	NL 2	==	XW00001 ---	00050	// Scribe Chuck LX -RX OriginDistance 'YL00001' = 'ML26304' YL00001 = ML26304;

RCCTL Scribe Chuck Y Origin Offset

76 146/570 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00051

EXPRESSION
// Scribe Chuck Y1 Origin Offset
'YL00001' = '[EQ]Chuck Y1 ABS Offset'
YL00001 = ML26368;

77 148/578 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00052

EXPRESSION
// Scribe Chuck Y2 Origin Offset
'YL00001' = '[EQ]Chuck Y2 ABS Offset'
YL00001 = ML26370;

RCCTL Break Pusher Bar Y Origin Offset

78 150/586 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00057

EXPRESSION
//Break Pusher Bar Y1 Origin Offset
'YL00001' = 'ML27700'
YL00001 = ML27700;

79 152/594 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00058

EXPRESSION
// Break Pusher Bar Y2 Origin Offset
'YL00001' = 'ML27702'
YL00001 = ML27702;

RCCTL Break Table Y Origin Offset

80 154/602 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00060

EXPRESSION
// Break Table Y1 Origin Offset
'YL00001' = '[EQ]Break Table Y1 ABS Offset'
YL00001 = ML27600;

81 156/610 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00061

EXPRESSION
// Break Table Y2 Origin Offset
'YL00001' = '[EQ]Break Table Y2 ABS Offset'
YL00001 = ML27602;

RCCTL Break Table Z Origin Offset

82 158/618 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00062

EXPRESSION
// Break Table Z1 Origin Offset
'YL00001' = '[EQ]Break Table Z1 ABS Offset'
YL00001 = ML27604;

83 160/626 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00063

EXPRESSION
// Break Table Z2 Origin Offset
'YL00001' = '[EQ]Break Table Z2 ABS Offset'
YL00001 = ML27606;

RCCTL Scribe Chuck Origin Offset

84 162/634 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00053

EXPRESSION
// Scribe Chuck 1 Origin Offset
'YL00001' = '[EQ]Chuck Z1 ABS Offset'
YL00001 = ML26350;

85 164/642 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00054

EXPRESSION
// Scribe Chuck 2 Origin Offset
'YL00001' = '[EQ]Chuck Z2 ABS Offset'
YL00001 = ML26352;

86 166/650 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00055

EXPRESSION
// Scribe Chuck 3 Origin Offset
'YL00001' = '[EQ]Chuck Z3 ABS Offset'
YL00001 = ML26354;

RCCTR

RCCTR Left Camera Center - Right Camera Center Origin Distance

87 168/658 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00066

EXPRESSION
// LCamX-RCamX OriginDistance
'YL00001' = 'ML26900'
YL00001 = ML26900;

RCCTR Upper Camera ~ Shift Y Origin Offset

88 170/666 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00068

EXPRESSION
// Upper Camera ~ Shift Y Origin Offset
'YL00001' = 'ML26976'
YL00001 = ML26976;

RCCTR Cutting Table Y Origin Offset

89 172/674 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00075

EXPRESSION
// Scribe Cutting Table Y1 Origin Offset
'YL00001' = 'ML26994'
YL00001 = ML26994;

90 174/682 NL 2

==	[WLFQD]SrcA	[WLFQD]SrcB
	XW00001	00076

EXPRESSION
// Scribe Cutting Table Y2 Origin Offset
'YL00001' = 'ML26996'
YL00001 = ML26996;

RCCTR Scribe Chuck LX -RX OriginDistance

91 176/690 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00082 | EXPRESSION

```
// Scribe Chuck LX -RX OriginDistance
'YL00001' = 'ML26904'
YL00001 = ML26904;
```

RCCTR Scribe Chuck Y Origin Offset

92 178/698 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00083 | EXPRESSION

```
// Scribe Chuck Y1 Origin Offset
'YL00001' = 'ML26968'
YL00001 = ML26968;
```

93 180/706 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00084 | EXPRESSION

```
// Scribe Chuck Y2 Origin Offset
'YL00001' = 'ML26970'
YL00001 = ML26970;
```

RCCTR Break Pusher Bar Y Origin Offset

94 182/714 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00089 | EXPRESSION

```
//Break Pusher Bar Y1 Origin Offset
'YL00001' = 'ML28000'
YL00001 = ML28000;
```

95 184/722 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00090 | EXPRESSION

```
// Break Pusher Bar Y2 Origin Offset
'YL00001' = 'ML28002'
YL00001 = ML28002;
```

RCCTR Break Table Y Origin Offset

96 186/730 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00092 | EXPRESSION

```
// Break Table Y1 Origin Offset
'YL00001' = 'ML27900'
YL00001 = ML27900;
```

97 188/738 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00093 | EXPRESSION

```
// Break Table Y2 Origin Offset
'YL00001' = 'ML27902'
YL00001 = ML27902;
```

RCCTR Break Table Z Origin Offset

98 190/746 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00094 | EXPRESSION

```
// Break Table Z1 Origin Offset
'YL00001' = 'ML27904'
YL00001 = ML27904;
```

99 192/754 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00095 | EXPRESSION

```
// Break Table Z2 Origin Offset
'YL00001' = 'ML27906'
YL00001 = ML27906;
```

RCCTR Scribe Chuck Origin Offset

100 194/762 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00085 | EXPRESSION

```
// Scribe Chuck 1 Origin Offset
'YL00001' = 'ML26950'
YL00001 = ML26950;
```

101 196/770 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00086 | EXPRESSION

```
// Scribe Chuck 2 Origin Offset
'YL00001' = 'ML26952'
YL00001 = ML26952;
```

102 198/778 NL 2 | == | [WLFQD]SrcA XW00001 --- | [WLFQD]SrcB 00087 | EXPRESSION

```
// Scribe Chuck 3 Origin Offset
'YL00001' = 'ML26954'
YL00001 = ML26954;
```

103 200/786 END_IF

104 201/787 END