





+		H50.10 : Mode Status_Equipment
+		H50.11 : Mode Status_Unit1 (SP)
+		H50.12 : Mode Status_Unit2 (SC)
+		H50.13 : Mode Status_Unit3 (BKP8)
+		H50.14 : Mode Status_Unit4 (BKT)
+		H50.15 : Mode Status_Unit5 (SP)
+		H50.16 : Mode Status_Unit6 (MBT)
+		H50.17 : Mode Status_Unit7 (MTR)
+		H50.18 : Mode Status_Unit8 (STR1)
+		H50.19 : Mode Status_Unit9 (SBT)
+		H50.21 : Position Status_Unit1 (SP)
+		H50.22 : Position Status_Unit2 (SC)
+		H50.23 : Position Status_Unit3 (BKP8)
+		H50.24 : Position Status_Unit4 (BKT)
+		H50.25 : Position Status_Unit5 (SP)
+		H50.26 : Position Status_Unit6 (MBT)
+		H50.27 : Position Status_Unit7 (MTR)
+		H50.28 : Position Status_Unit8 (STR1)
+		H50.29 : Position Status_Unit9 (SBT)
+		H50.40 : Alarm Status_Equipment
+		H50.41 : Alarm Status_Unit1 (SP)
+		H50.42 : Alarm Status_Unit2 (SC)
+		H50.43 : Alarm Status_Unit3 (BKP8)
+		H50.44 : Alarm Status_Unit4 (BKT)
+		H50.45 : Alarm Status_Unit5 (SP)
+		H50.46 : Alarm Status_Unit6 (MBT)
+		H50.47 : Alarm Status_Unit7 (MTR)
+		H50.48 : Alarm Status_Unit8 (STR1)
+		H50.49 : Alarm Status_Unit9 (SBT)
+		H50.50 : Interlock Status_Equipment
+		H50.51 : Interlock Status_Unit1 (SP)
+		H50.52 : Interlock Status_Unit2 (SC)
+		H50.53 : Interlock Status_Unit3 (BKP8)
+		H50.54 : Interlock Status_Unit4 (BKT)
+		H50.55 : Interlock Status_Unit5 (SP)
+		H50.56 : Interlock Status_Unit6 (MBT)
+		H50.57 : Interlock Status_Unit7 (MTR)
+		H50.58 : Interlock Status_Unit8 (STR1)
+		H50.59 : Interlock Status_Unit9 (SBT)
+		H50.71 : Position Calc_Unit1 (SP)
+		H50.72 : Position Calc_Unit2 (SC)
+		H50.73 : Position Calc_Unit3 (BKP8)
+		H50.74 : Position Calc_Unit4 (BKT)
+		H50.75 : Position Calc_Unit5 (SP)
+		H50.76 : Position Calc_Unit6 (MBT)
+		H50.77 : Position Calc_Unit7 (MTR)

- + H50.78 : Position Calc_Unit8 (STR1)
- + H50.79 : Position Calc_Unit9 (SBT)
- H60 : Manual
 - + H60.20 : Manual Control
 - + H60.30 : Scribe Cutter Auto Task Management
 - + H60.31 : Scribe Chuck Auto Task Management
 - + H60.32 : Break Pusher Auto Task Management
 - + H60.33 : Break Table Auto Task Management
 - + H60.34 : CZ Toquire Management
 - + H60.35 : SCHKY Sync
 - + H60.36 : BCHKY Sync
 - + H60.37 : BCHKZ Sync
 - + H60.38 : BKTU Sync
 - + H60.39 : BKTZ Sync
 - + H60.40 : Offsetset Management
 - + H60.50 : Unit Counter
- H70 : Auto
 - + H70.10 : Home Control
 - + H70.20 : Auto Control
 - + H70.21 : Unit1 Auto (SP)
 - + H70.22 : Unit2 Auto (SC)
 - + H70.23 : Unit3 Auto (BKP8)
 - + H70.24 : Unit4 Auto (BKT)
 - + H70.25 : Unit5 Auto (SP)
 - + H70.26 : Unit6 Auto (MBT)
 - + H70.27 : Unit7 Auto (MTR)
 - + H70.28 : Unit8 Auto (STR1)
 - + H70.29 : Unit9 Auto (SBT)
- H80 : Communicate
 - + H80.01 : CIM Always Communication
 - + H80.02 : CIM Always Send
 - + H80.03 : CIM Always FDC
 - + H80.10 : PIO UpStream <-> Scribe
 - + H80.11 : PIO tU1 <-> Scribe H/S
 - + H80.12 : PIO Scribe <-> DownStream
 - + H80.13 : PIO tL1 <-> Scribe H/S
 - + H80.14 : PIO tL2 <-> Scribe H/S
 - + H80.15 : CIM Event Report
 - + H80.16 : CIM Alarm Set/Reset
 - + H80.17 : CIM Alarm Report
 - + H80.18 : CIM Status Report
 - + H80.19 : CIM Scrap Report
 - + H80.20 : Communicate MP Link SCT Equipment
 - + H80.21 : Communicate MP Link LCCT Equipment
 - + H80.22 : Communicate MP Link RCCT Equipment
 - + H80.30 : Communicate MP Link SCT Data
 - + H80.31 : Communicate MP Link LCCT Data
 - + H80.32 : Communicate MP Link RCCT Data
 - + H80.40 : Communicate MP Link PIO Glass Data



-   L10.60 : Sensor Out_Common
-   L10.61 : Sensor Out_Unit1 (SP)
-   L10.62 : Sensor Out_Unit2 (SC)
-   L10.63 : Sensor Out_Unit3 (BKPB)
-   L10.64 : Sensor Out_Unit4 (BKT)
-   L10.65 : Sensor Out_Unit5 (SP)
-   L10.66 : Sensor Out_Unit6 (MBT)
-   L10.67 : Sensor Out_Unit7 (MTR)
-   L10.68 : Sensor Out_Unit8 (STR1)
-   L10.69 : Sensor Out_Unit9 (SBT)
-   L20 : PC Interface
 -   L20.31 : BTN Tag In_Unit1 (SP)
 -   L20.32 : BTN Tag In_Unit2 (SC)
 -   L20.33 : BTN Tag In_Unit3 (BKPB)
 -   L20.34 : BTN Tag In_Unit4 (BKT)
 -   L20.35 : BTN Tag In_Unit5 (SP)
 -   L20.36 : BTN Tag In_Unit6 (MBT)
 -   L20.37 : BTN Tag In_Unit7 (MTR)
 -   L20.38 : BTN Tag In_Unit8 (STR1)
 -   L20.39 : BTN Tag In_Unit9 (SBT)
 -   L20.40 : BTN Tag Out_Equipment
 -   L20.41 : BTN Tag Out_Unit1 (SP)
 -   L20.42 : BTN Tag Out_Unit2 (SC)
 -   L20.43 : BTN Tag Out_Unit3 (BKPB)
 -   L20.44 : BTN Tag Out_Unit4 (BKT)
 -   L20.45 : BTN Tag Out_Unit5 (SP)
 -   L20.46 : BTN Tag Out_Unit6 (MBT)
 -   L20.47 : BTN Tag Out_Unit7 (MTR)
 -   L20.48 : BTN Tag Out_Unit8 (STR1)
 -   L20.49 : BTN Tag Out_Unit9 (SBT)
 -   L20.50 : BTN TAG Enable_Equipment
 -   L20.51 : BTN Tag Enable_Unit1 (SP)
 -   L20.52 : BTN Tag Enable_Unit2 (SC)
 -   L20.53 : BTN Tag Enable_Unit3 (BKPB)
 -   L20.54 : BTN Tag Enable_Unit4 (BKT)
 -   L20.55 : BTN Tag Enable_Unit5 (SP)
 -   L20.56 : BTN Tag Enable_Unit6 (MBT)
 -   L20.57 : BTN Tag Enable_Unit7 (MTR)
 -   L20.58 : BTN Tag Enable_Unit8 (STR1)
 -   L20.59 : BTN Tag Enable_Unit9 (SBT)
-   L30 : Monitor
 -   L30.02 : MC Condition
 -   L30.40 : MC Monitor
-   L40 : Axis Control
 -   L40.01 : Gantry AxisParameter Copy
 -   L40.40 : Jog/Step Enable
 -   L40.41 : ABS Enable
 -   L40.60 : Multi-turn limit processing
-   L60 : Jog/Step Enable

+	L60.10 : Jog Btn Enable (1_1 Circuit) - MTR
+	L60.11 : Jog Btn Enable (1_2 Circuit) - STR 1, SBT
+	L60.12 : Jog Btn Enable (5 Circuit) - SC
+	L60.13 : Jog Btn Enable (6 Circuit) - SC,MTR,SBT
+	L60.14 : Jog Btn Enable (7 Circuit) - BKPb, BKT
+	L60.15 : Jog Btn Enable (8 Circuit)
+	L60.16 : Jog Btn Enable (9 Circuit)
+	L60.20 : Step Btn Enable(1_1 Circuit) - MTR
+	L60.21 : Step Btn Enable(1_2 Circuit) - STR 1, SBT
+	L60.22 : Step Btn Enable(5 Circuit) - SC
+	L60.23 : Step Btn Enable(6 Circuit) - SC,MTR,SBT
+	L60.24 : Step Btn Enable(7 Circuit) - BKPb, BKT
+	L60.25 : Step Btn Enable(8 Circuit)
+	L60.26 : Step Btn Enable(9 Circuit)
+	L60.30 : ABS Btn Enable (1_1 Circuit) - MTR
+	L60.31 : ABS Btn Enable (1_2 Circuit) - STR 1, SBT
+	L60.32 : ABS Btn Enable (5 Circuit) - SC
+	L60.33 : ABS Btn Enable (6 Circuit) - SC
+	L60.34 : ABS Btn Enable (7 Circuit) - BKPb, BKT
+	L60.35 : ABS Btn Enable (8 Circuit)
+	L60.36 : ABS Btn Enable (9 Circuit)
-	L80 : PC Interface2 (BTN Eanble Interlock)
+	L80.10 : BTN Interlock_(Equipment)
+	L80.11 : Sol BTN Interlock_Unit1 (SP)
+	L80.12 : Sol BTN Interlock_Unit2 (SC)
+	L80.13 : Sol BTN Interlock_Unit3 (BKPb)
+	L80.14 : Sol BTN Interlock_Unit4 (BKT)
+	L80.15 : Sol BTN Interlock_Unit5 (SP)
+	L80.16 : Sol BTN Interlock_Unit6 (MBT)
+	L80.17 : Sol BTN Interlock_Unit7 (MTR)
+	L80.18 : Sol BTN Interlock_Unit8 (STR 1)
+	L80.19 : Sol BTN Interlock_Unit9 (SBT)
+	L80.21 : PtoP BTN Interlock_Unit1 (SP)
+	L80.22 : PtoP BTN Interlock_Unit2 (SC)
+	L80.23 : PtoP BTN Interlock_Unit3 (BKPb)
+	L80.24 : PtoP BTN Interlock_Unit4 (BKT)
+	L80.25 : PtoP BTN Interlock_Unit5 (SP)
+	L80.26 : PtoP BTN Interlock_Unit6 (MBT)
+	L80.27 : PtoP BTN Interlock_Unit7 (MTR)
+	L80.28 : PtoP BTN Interlock_Unit8 (STR 1)
+	L80.29 : PtoP BTN Interlock_Unit9 (SBT)
-	L90 : Alarm
+	L90.10 : Alarm Lv1 (Equipment) : 1 ~ 999
+	L90.11 : Alarm Servo (Unit 1_SP) 1000 ~ 1999
+	L90.12 : Alarm Servo (Unit2_SC Alarm) 2000 ~ 2999
+	L90.13 : Alarm Servo (Unit3_BKPb Alarm) 3000 ~ 3999

- +  L90.14 : Alarm Servo (Unit4_BKT Alarm) 4000 ~ 4999
- +  L90.15 : Alarm Servo (Unit5_SP Alarm) 5000 ~ 5999
- +  L90.16 : Alarm Servo (Unit6_MBT Alarm) 6000 ~ 6999
- +  L90.17 : Alarm Servo (Unit7_MTR Alarm) 7000 ~ 7999
- +  L90.18 : Alarm Servo (Unit8_STR1 Alarm) 8000 ~ 8999
- +  L90.19 : Alarm Servo (Unit9_SBT Alarm) 9000 ~ 9999
- +  L90.20 : Alarm Lv2 (Equipment) 10000 ~ 10999
- +  L90.21 : Alarm Lv2 (Unit1_SP) : 11000 ~ 11999
- +  L90.22 : Alarm Lv2 (Unit2_SC) : 12000 ~ 12999
- +  L90.23 : Alarm Lv2 (Unit3_BKPB) : 13000 ~ 13999
- +  L90.24 : Alarm Lv2 (Unit4_BKT) : 14000 ~ 14999
- +  L90.25 : Alarm Lv2 (Unit5_SP) : 15000 ~ 15999
- +  L90.26 : Alarm Lv2 (Unit6_MBT) : 16000 ~ 16999
- +  L90.27 : Alarm Lv2 (Unit7_MTR) : 17000 ~ 17999
- +  L90.28 : Alarm Lv2 (Unit8_STR1) : 18000 ~ 18999
- +  L90.29 : Alarm Lv2 (Unit9_SBT) : 19000 ~ 19999
- +  L90.30 : Alarm Lv3 (Equipment) : 20000 ~ 20999
- +  L90.31 : Alarm Lv3 (Unit1_SP) : 21000 ~ 21999
- +  L90.32 : Alarm Lv3 (Unit2_SC) : 22000 ~ 22999
- +  L90.33 : Alarm Lv3 (Unit3_BKPB) : 23000 ~ 23999
- +  L90.34 : Alarm Lv3 (Unit4_BKT) : 24000 ~ 24999
- +  L90.35 : Alarm Lv3 (Unit5_SP) : 25000 ~ 25999
- +  L90.36 : Alarm Lv3 (Unit6_MBT) : 26000 ~ 26999
- +  L90.37 : Alarm Lv3 (Unit7_MTR) : 27000 ~ 27999
- +  L90.38 : Alarm Lv3 (Unit8_STR1) : 28000 ~ 28999
- +  L90.39 : Alarm Lv3 (Unit9_SBT) : 29000 ~ 29999
- +  L90.40 : Warning (Equipment) : 30000 ~ 30149
- +  L90.41 : Warning (Unit1_SP) : 31150 ~ 31199
- +  L90.42 : Warning (Unit2_SC) : 32200 ~ 32249
- +  L90.43 : Warning (Unit3_BKPB) : 33250 ~ 33299
- +  L90.44 : Warning (Unit4_BKT) : 34300 ~ 34349
- +  L90.45 : Warning (Unit5_SP) : 35350 ~ 35399
- +  L90.46 : Warning (Unit6_MBT) : 36400 ~ 36449
- +  L90.47 : Warning (Unit7_MTR) : 37450 ~ 37499
- +  L90.48 : Warning (Unit8_STR1) : 38500 ~ 38549
- +  L90.49 : Warning (Unit9_SBT) : 38550 ~ 38599

-  Start
-  Interrupt
-  Function

-  ABS_OFT : GetAbsOffset
-  CM_TQTBL : Torque Get
-  CM_TRQ : Torque Calculation
-  CNV_AXIS : Convert Axis Index to Line Axis
-  CNV_JOG : Convert Axis No for Jog
-  CPY_PCMD : Copy PC Command Area
-  GANTRY1 : Gantry1 ABS Sensor Search
-  GANTRY2 : Gantry2 ABS Sensor Search
-  GANTRY3 : Gantry3 ABS Sensor Search

- ...+  GET_AXIS : Get Axis Status
- ...+  GET_IR : Get Abs Search Sensor
- ...+  GET_TYPE : Get ABS Search Type
- ...+  LOST_JUD : Lost Glass Data Judge Translate
- ...+  SC_ALMT : Calc AlignmentData
- ...+  SP_A90 : ServoParam A90 Setting
- ...+  TR_ALMT : Transfer Theta Alignment Calc
- ...+  TR_ALMT2 : Transfer Theta Alignment Calc
- ...+  TR_CEN : Transfer Turn Center Calculation
- ...+  VIS_ALMT : Vision Align Calc AlignmentData