

7	NL 11/48	RCHK	[WLFQD]In IL8816 STR1Y1~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8896 CRT1~Machi ne coordinat e feedback-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076002] ./0272w H50.48/1503 H50.54/0162 H50.54/0223 H50.54/0320 H50.54/0571 H99.02/1872 L20.48/2459 L60.11/0151 L60.21/0135 L80.18/0004 L80.28/0327	H50.18/0036 H50.54/0099 H50.54/0170 H50.54/0250 H50.54/0503 H50.58/0160 H99.02/1882 L20.48/0787 L60.11/0132 L60.11/0154 L60.21/0151 L80.18/0417	H50.48/1422 H50.54/0142 H50.54/0197 H50.54/0285 H50.54/0532 H99.02/1860 L20.48/0787 L60.11/0135 L60.21/0132 L60.21/0154 L80.28/0036												
STR1Y PreAlign Pos																								
8	NL 14/59	2	EXPRESSION '하한치' = 'ML63226' - '음셋' DL00020 = ML63226 - DL00000; '상한치' = 'ML63226' + '음셋' DL00022 = ML63226 + DL00000;							[DL00022] ./0013w ./0030w ./0047w ./0067 ./0084 ./0101 ./0118 ./0135 ./0154 ./0173 ./0190 ./0207 ./0224w ./0237 ./0258w ./0271 ./0288w ./0301 ./0318w ./0333	./0016 ./0033 ./0050 ./0071 ./0088 ./0105 ./0122 ./0139 ./0158 ./0177 ./0194 ./0214w ./0227 ./0248w ./0261 ./0278w ./0291 ./0308w ./0321 ./0342w	./0020 ./0037 ./0054 ./0081w ./0098w ./0115w ./0132w ./0151w ./0170w ./0187w ./0204w ./0217 ./0234w ./0251 ./0268w ./0281 ./0298w ./0311 ./0330w ./0345												
9	NL 15/65	2	RCHK	[WLFQD]In IL8816 STR1Y1~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8896 CRT1~Machi ne coordinat e feedback-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076003] ./0282w H50.54/0143 H50.54/0198 H50.54/0286 H50.54/0533 H50.58/0223 H50.58/0238 L80.18/0419 L80.28/0061 L80.28/0337	H50.18/0039 H50.54/0163 H50.54/0224 H50.54/0321 H50.54/0572 H50.58/0225 L20.48/0794 L80.28/0042 L80.28/0070	H50.54/0100 H50.54/0171 H50.54/0251 H50.54/0504 H50.58/0164 H50.58/0236 L20.48/2466 L80.28/0059 L80.28/0072											
STR1 Z																								
STR1Z Standby Pos																								
10	NL 18/76	2	EXPRESSION '하한치' = 'ML63602' - '음셋' DL00020 = ML63602 - DL00000; '상한치' = 'ML63602' + '음셋' DL00022 = ML63602 + DL00000;							[DL00022] ./0013w ./0030w ./0047w ./0064w ./0084 ./0101 ./0118 ./0135 ./0154 ./0173 ./0190 ./0207 ./0224w ./0237 ./0258w ./0271 ./0288w ./0301 ./0318w ./0333	./0016 ./0033 ./0050 ./0067 ./0088 ./0105 ./0122 ./0139 ./0158 ./0177 ./0194 ./0214w ./0227 ./0248w ./0261 ./0278w ./0291 ./0308w ./0321 ./0342w	./0020 ./0037 ./0054 ./0071 ./0098w ./0115w ./0132w ./0151w ./0170w ./0187w ./0204w ./0217 ./0234w ./0251 ./0268w ./0281 ./0298w ./0311 ./0330w ./0345												
11	NL 19/82	2	RCHK	[WLFQD]In IL8916 STR1Z~Mac hine coordin ate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8996 STR1Z2~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076010] ./0292w H50.18/0037 H50.54/0140 H50.54/0221 H50.54/0318 H50.54/0551 H50.58/0074 H99.02/1918 L20.48/2501 L60.11/0088 L60.11/0117 L60.21/0008 L60.21/0093 L60.21/0192 L60.31/0005 L80.24/0032 L80.24/0094 L80.24/0141 L80.24/0195 L80.24/0243 L80.24/0308 L80.24/0423 L80.24/0503 L80.24/0557 L80.28/0004 L80.28/0016 L80.28/0305	H50.18/0029 H50.18/0040 H50.54/0168 H50.54/0248 H50.54/0501 H50.54/0569 H50.58/0084 H99.02/1928 L60.11/0008 L60.11/0093 L60.11/0192 L60.21/0015 L60.21/0197 L60.31/0007 L80.24/0055 L80.24/0107 L80.24/0158 L80.24/0211 L80.24/0256 L80.24/0327 L80.24/0451 L80.24/0523 L80.24/0571 L80.28/0008 L80.28/0296 L80.28/0309	H50.18/0033 H50.54/0097 H50.54/0195 H50.54/0283 H50.54/0530 H50.58/0064 H50.58/0094 L20.48/0829 L60.11/0015 L60.11/0110 L60.11/0197 L60.21/0088 L60.21/0117 L60.30/0048 L80.24/0009 L80.24/0078 L80.24/0123 L80.24/0179 L80.24/0227 L80.24/0289 L80.24/0399 L80.24/0479 L80.24/0540 L80.24/0652 L80.28/0012 L80.28/0300											
STR1Z Carry In Pos																								
12	NL 22/93	2	EXPRESSION '하한치' = 'ML63606' - '음셋' DL00020 = ML63606 - DL00000; '상한치' = 'ML63606' + '음셋' DL00022 = ML63606 + DL00000;							[DL00022] ./0013w ./0030w ./0047w ./0064w ./0081w ./0101 ./0118 ./0135 ./0154 ./0173 ./0190 ./0207 ./0224w ./0237 ./0258w ./0271 ./0288w ./0301 ./0318w ./0333	./0016 ./0033 ./0050 ./0067 ./0084 ./0105 ./0122 ./0139 ./0158 ./0177 ./0194 ./0214w ./0227 ./0248w ./0261 ./0278w ./0291 ./0308w ./0321 ./0342w	./0020 ./0037 ./0054 ./0071 ./0088 ./0115w ./0132w ./0151w ./0170w ./0187w ./0204w ./0217 ./0234w ./0251 ./0268w ./0281 ./0298w ./0311 ./0330w ./0345												

13	NL 23/99	RCHK	[WLFQD]In IL8916 STR1Z~Mac hine coordin ate feedbac-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8996 STR1Z2~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076011] ../0302w L20.48/0836 L80.18/0416	H99.02/1781 L20.48/2508	H99.02/1791 L80.18/0003								
			STR1Z Carry Out Pos																	
14	NL 26/110				EXPRESSION '하한치' = 'ML63610' - '음셋' DL00020 = ML63610 - DL00000; '상한치' = 'ML63610' + '음셋' DL00022 = ML63610 + DL00000;															
					STR1Z PreAlign Pos															
15	NL 27/116	RCHK	[WLFQD]In IL8916 STR1Z~Mac hine coordin ate feedbac-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8996 STR1Z2~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076012] ../0312w L20.48/0843 L80.18/0418	H99.02/1890 L20.48/2515	H99.02/1899 L80.18/0005								
			STR1Z 2 Pos Carry In Befor Pos																	
16	NL 30/127				EXPRESSION '하한치' = 'ML41842' - '음셋' DL00020 = ML41842 - DL00000; '상한치' = 'ML41842' + '음셋' DL00022 = ML41842 + DL00000;															
					STR1Z 2 Pos Carry In Befor Pos															
17	NL 31/133	RCHK	[WLFQD]In IL8916 STR1Z~Mac hine coordin ate feedbac-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8996 STR1Z2~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076013] ../0322w L80.18/0420	L20.48/0850	L20.48/2522								
			STR1Z 2 Pos Carry In Befor Pos																	
18	NL 34/144				EXPRESSION '하한치' = 'ML63606' - 'GL51106' - '음셋' DL00020 = ML63606 - GL51106 - DL00000; '상한치' = 'ML63606' - 'GL51106' + '음셋' DL00022 = ML63606 - GL51106 + DL00000;															
					STR1Z 2 Pos Carry In Befor Pos															
19	NL 35/152	RCHK	[WLFQD]In IL8916 STR1Z~Mac hine coordin ate feedbac-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	RCHK	[WLFQD]In IL8996 STR1Z2~Ma chine coordi nate feedb-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	[MB076018] ../0334w										
			STR1 Z 2 Pos Carry In Before Pos																	
H50.28 : Position Status_Unit8 (STR1)													P00003							

20	NL				STR1 Z Carry In Vacuum Retry Pos				[DL00022]	...	...	...
38/163	2				EXPRESSION '하한치' = 'ML63606' - 'GL51102' - '음셋' DL00020 = ML63606 - GL51102 - DL00000; '상한치' = 'ML63606' - 'GL51102' + '음셋' DL00022 = ML63606 - GL51102 + DL00000;				...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	
									...	...	...	

37	NL 04/239	RCHK	[WLFQD]In IL8016 A1~Machine coordinate f eedback Po-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076001 ○ STR1 Y1 Ca rry In Pos	[MB076001] .../0041w H50.48/1468 H99.02/1773 H99.02/1929 L60.11/0130 L60.11/0153 L60.21/0149 L80.18/0415 L80.24/0031 L80.24/0057 L80.24/0093 L80.24/0109 L80.24/0140 L80.24/0160 L80.24/0194 L80.24/0213 L80.24/0242 L80.24/0258 L80.24/0307 L80.24/0329 L80.24/0422 L80.24/0453 L80.24/0502 L80.24/0525 L80.24/0556 L80.24/0573 L80.28/0030	H50.18/0032 H50.58/0156 H99.02/1798 L20.48/0780 L60.11/0134 L60.21/0130 L60.21/0153 L80.24/0008 L80.24/0034 L80.24/0077 L80.24/0096 L80.24/0122 L80.24/0143 L80.24/0178 L80.24/0197 L80.24/0226 L80.24/0245 L80.24/0288 L80.24/0310 L80.24/0398 L80.24/0425 L80.24/0478 L80.24/0505 L80.24/0539 L80.24/0558 L80.24/0651 L80.28/0323	H50.48/1421 H50.58/0192 H99.02/1919 L20.48/2452 L60.11/0149 L60.21/0134 L60.18/0002 L80.24/0011 L80.24/0054 L80.24/0080 L80.24/0106 L80.24/0125 L80.24/0157 L80.24/0181 L80.24/0210 L80.24/0229 L80.24/0255 L80.24/0291 L80.24/0326 L80.24/0401 L80.24/0450 L80.24/0481 L80.24/0522 L80.24/0542 L80.24/0570 L80.24/0654
38	NL 66/263				EXPRESSION '하한치' = 'ML60010' - '음셋' DL00020 = ML60010 - DL00000; '상한치' = 'ML60010' + '음셋' DL00022 = ML60010 + DL00000;		[DL00022] .../0013w .../0030w .../0047w .../0064w .../0081w .../0098w .../0115w .../0132w .../0151w .../0170w .../0187w .../0204w .../0217 .../0234w .../0251 .../0271 .../0288w .../0301 .../0318w .../0333 .../0342w	.../0016 .../0033 .../0050 .../0067 .../0084 .../0101 .../0118 .../0135 .../0154 .../0173 .../0190 .../0207 .../0224w .../0237 .../0258w .../0278w .../0291 .../0308w .../0321 .../0330w .../0345	.../0020 .../0037 .../0054 .../0071 .../0088 .../0105 .../0122 .../0139 .../0158 .../0177 .../0194 .../0214w .../0227 .../0248w .../0261 .../0281 .../0298w .../0311 .../0330w .../0345
39	NL 67/269	RCHK	[WLFQD]In IL8016 A1~Machine coordinate f eedback Po-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076002 ○ STR1 Y1 Ca rry Out Pos	[MB076002] .../0058w H50.48/1503 H50.54/0162 H50.54/0223 H50.54/0320 H50.54/0571 H99.02/1872 L20.48/2459 L60.11/0151 L60.21/0135 L80.18/0004 L80.28/0327	H50.18/0036 H50.54/0099 H50.54/0170 H50.54/0250 H50.54/0503 H50.58/0160 H99.02/1882 L60.11/0132 L60.11/0154 L60.21/0151 L80.18/0417	H50.48/1422 H50.54/0142 H50.54/0197 H50.54/0285 H50.54/0532 H99.02/1860 L20.48/0787 L60.11/0135 L60.21/0132 L60.21/0154 L80.28/0036
40	NL 68/273				EXPRESSION '하한치' = 'ML60014' - '음셋' DL00020 = ML60014 - DL00000; '상한치' = 'ML60014' + '음셋' DL00022 = ML60014 + DL00000;		[DL00022] .../0013w .../0030w .../0047w .../0064w .../0081w .../0098w .../0115w .../0132w .../0151w .../0170w .../0187w .../0204w .../0217 .../0234w .../0251 .../0268w .../0288w .../0301 .../0318w .../0333 .../0342w	.../0016 .../0033 .../0050 .../0067 .../0084 .../0101 .../0118 .../0135 .../0154 .../0173 .../0190 .../0207 .../0224w .../0237 .../0258w .../0271 .../0291 .../0308w .../0321 .../0330w .../0345	.../0020 .../0037 .../0054 .../0071 .../0088 .../0105 .../0122 .../0139 .../0158 .../0177 .../0194 .../0214w .../0227 .../0248w .../0261 .../0281 .../0298w .../0311 .../0330w .../0345
41	NL 70/279	RCHK	[WLFQD]In IL8016 A1~Machine coordinate f eedback Po-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076003 ○ STR1 Y1 Pr eAlign Pos	[MB076003] .../0075w H50.54/0143 H50.54/0198 H50.54/0286 H50.54/0533 H50.58/0223 H50.58/0238 L80.18/0419 L80.28/0061 L80.28/0337	H50.18/0039 H50.54/0163 H50.54/0224 H50.54/0321 H50.54/0572 H50.58/0225 L20.48/0794 L80.28/0042 L80.28/0070	H50.54/0100 H50.54/0171 H50.54/0251 H50.54/0504 H50.58/0164 H50.58/0236 L20.48/2466 L80.28/0059 L80.28/0072
42	NL 72/283				EXPRESSION '하한치' = 'ML40230' - '음셋' DL00020 = ML40230 - DL00000; '상한치' = 'ML40230' + '음셋' DL00022 = ML40230 + DL00000;		[DL00022] .../0013w .../0030w .../0047w .../0064w .../0081w .../0098w .../0115w .../0132w .../0151w .../0170w .../0187w .../0204w .../0217 .../0234w .../0251 .../0268w .../0271 .../0281 .../0301 .../0318w .../0333 .../0342w	.../0016 .../0033 .../0050 .../0067 .../0084 .../0101 .../0118 .../0135 .../0154 .../0173 .../0190 .../0207 .../0224w .../0237 .../0258w .../0271 .../0291 .../0308w .../0321 .../0330w .../0345	.../0020 .../0037 .../0054 .../0071 .../0088 .../0105 .../0122 .../0139 .../0158 .../0177 .../0194 .../0214w .../0227 .../0248w .../0261 .../0278w .../0298w .../0311 .../0330w .../0345

43 73/269	NL 2	RCHK	[WLFQD]In IL8116 LOCX~Mach ine coordinat e feedback-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076010 ○ STR1 Z Stan dby Pos	[MB076010] ../0092w H50.18/0037 H50.54/0140 H50.54/0221 H50.54/0318 H50.54/0551 H50.58/0074 H99.02/1918 L20.48/2501 L60.11/0088 L60.11/0117 L60.21/0008 L60.21/0093 L60.21/0192 L60.31/0005 L80.24/0032 L80.24/0094 L80.24/0141 L80.24/0195 L80.24/0243 L80.24/0308 L80.24/0423 L80.24/0503 L80.24/0557 L80.28/0004 L80.28/0016 L80.28/0305	H50.18/0029 H50.18/0040 H50.54/0168 H50.54/0248 H50.54/0501 H50.54/0569 H50.58/0084 H99.02/1928 L60.11/0008 L60.11/0093 L60.11/0192 L60.21/0015 L60.21/0110 L60.21/0197 L60.31/0007 L80.24/0055 L80.24/0107 L80.24/0158 L80.24/0211 L80.24/0256 L80.24/0327 L80.24/0451 L80.24/0523 L80.24/0571 L80.28/0008 L80.28/0296 L80.28/0309	H50.18/0033 H50.54/0097 H50.54/0195 H50.54/0283 H50.54/0530 H50.58/0064 H50.58/0094 L20.48/0829 L60.11/0015 L60.11/0110 L60.11/0197 L60.21/0088 L60.21/0117 L60.30/0048 L80.24/0009 L80.24/0078 L80.24/0123 L80.24/0179 L80.24/0227 L80.24/0289 L80.24/0399 L80.24/0479 L80.24/0540 L80.24/0652 L80.28/0012 L80.28/0300
			STR2Z Carry In Pos						
44 75/293	NL 2				EXPRESSION '하한치' = 'ML60406' - '음셋' DL00020 = ML60406 - DL00000; '상한치' = 'ML60406' + '음셋' DL00022 = ML60406 + DL00000;		[DL00022] ../0013w ../0030w ../0047w ../0064w ../0081w ../0098w ../0115w ../0132w ../0151w ../0170w ../0187w ../0204w ../0217 ../0234w ../0251 ../0268w ../0281 ../0301 ../0318w ../0333	../0016 ../0033 ../0050 ../0067 ../0084 ../0101 ../0118 ../0135 ../0154 ../0173 ../0190 ../0207 ../0224w ../0237 ../0258w ../0271 ../0288w ../0308w ../0321 ../0342w	../0020 ../0037 ../0054 ../0071 ../0088 ../0105 ../0122 ../0139 ../0158 ../0177 ../0194 ../0214w ../0227 ../0248w ../0261 ../0278w ../0291 ../0311 ../0330w ../0345
					STR2Z L Carry Out Pos				
45 76/299	NL 2	RCHK	[WLFQD]In IL8116 LOCX~Mach ine coordinat e feedback-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076011 ○ STR1 Z Carr y In Pos	[MB076011] ../0109w L20.48/0836 L80.18/0416	H99.02/1781 L20.48/2508	H99.02/1791 L80.18/0003
			STR2Z R Carry Out Pos						
46 78/303	NL 2				EXPRESSION '하한치' = 'ML60410' - '음셋' DL00020 = ML60410 - DL00000; '상한치' = 'ML60410' + '음셋' DL00022 = ML60410 + DL00000;		[DL00022] ../0013w ../0030w ../0047w ../0064w ../0081w ../0098w ../0115w ../0132w ../0151w ../0170w ../0187w ../0204w ../0217 ../0234w ../0251 ../0268w ../0281 ../0298w ../0318w ../0333	../0016 ../0033 ../0050 ../0067 ../0084 ../0101 ../0118 ../0135 ../0154 ../0173 ../0190 ../0207 ../0224w ../0237 ../0258w ../0271 ../0288w ../0301 ../0321 ../0342w	../0020 ../0037 ../0054 ../0071 ../0088 ../0105 ../0122 ../0139 ../0158 ../0177 ../0194 ../0214w ../0227 ../0248w ../0261 ../0278w ../0291 ../0311 ../0330w ../0345
					STR2Z R Carry Out Pos				
47 79/309	NL 2	RCHK	[WLFQD]In IL8116 LOCX~Mach ine coordinat e feedback-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076012 ○ STR1 Z Carr y Out Pos	[MB076012] ../0126w L20.48/0843 L80.18/0418	H99.02/1890 L20.48/2515	H99.02/1899 L80.18/0005
			STR2Z R Carry Out Pos						
48 81/313	NL 2				EXPRESSION '하한치' = 'ML60414' - '음셋' DL00020 = ML60414 - DL00000; '상한치' = 'ML60414' + '음셋' DL00022 = ML60414 + DL00000;		[DL00022] ../0013w ../0030w ../0047w ../0064w ../0081w ../0098w ../0115w ../0132w ../0151w ../0170w ../0187w ../0204w ../0217 ../0234w ../0251 ../0268w ../0281 ../0298w ../0311 ../0333	../0016 ../0033 ../0050 ../0067 ../0084 ../0101 ../0118 ../0135 ../0154 ../0173 ../0190 ../0207 ../0224w ../0237 ../0258w ../0271 ../0288w ../0301 ../0321 ../0342w	../0020 ../0037 ../0054 ../0071 ../0088 ../0105 ../0122 ../0139 ../0158 ../0177 ../0194 ../0214w ../0227 ../0248w ../0261 ../0278w ../0291 ../0308w ../0330w ../0345
					STR2Z R Carry Out Pos				
49 82/319	NL 2	RCHK	[WLFQD]In IL8116 LOCX~Mach ine coordinat e feedback-	[WLFQD]Lower DL00020 하한치	[WLFQD]Upper DL00022 상한치	MB076013 ○ STR1 Z Pre Align Pos	[MB076013] ../0143w L80.18/0420	L20.48/0850	L20.48/2522
			STR2Z R Carry Out Pos						

			H50.28 : Position Status_Unit8 (STR1)	P00007
--	--	--	---------------------------------------	--------

[MB076019]
.../0181w