

		***** H10.60:Sensor Out_Common ***** * DL Register Area - 120Word * * DW00000 - DW00009 (Pis Use) * DW00010 - DW00089 (Bit Use) * DW00090 - DW02999 (Word Use) * DW01000 - DW03000 (Timer) ***** ##### # Program Name : Sensor Out_Common # # Function : # # Call Program : H10 # # Sub Program : # # Func Program : ##### Sensor NoUse Setting : Sensor (A) = 0 , Sensor (B) = 1 Sensor Output (Reserve)									
0	0/0		FOR	[W]Var DW00090 ---	[W]Init 00000	[W]Max 00015	[W]Step 00001				
1	1/4	NL 2				EXPRESSION 'I' = 'DW00090' I = DW00090;					
2	2/6	NL 2	MB031100i EQUIP Reserve Output	TON[10ms]	[W]Set C_Data_C W00200 ---	[W]Count DW01000i ---				DB000400i ---	[DB000400] .../0011
3	3/10		END_FOR								
4	3/11					EXPRESSION 'DB000100' = 'DB000400' DB000100 = DB000400; // EQUIP Reserve (MB31100) 'DB000101' = 'DB000401' DB000101 = DB000401; // EQUIP Reserve (MB31101) 'DB000102' = 'DB000402' DB000102 = DB000402; // EQUIP Reserve (MB31102) 'DB000103' = 'DB000403' DB000103 = DB000403; // EQUIP Reserve (MB31103) 'DB000104' = 'DB000404' DB000104 = DB000404; // EQUIP Reserve (MB31104) 'DB000105' = 'DB000405' DB000105 = DB000405; // EQUIP Reserve (MB31105) 'DB000106' = 'DB000406' DB000106 = DB000406; // EQUIP Reserve (MB31106) 'DB000107' = 'DB000407' DB000107 = DB000407; // EQUIP Reserve (MB31107) 'DB000108' = 'DB000408' DB000108 = DB000408; // EQUIP Reserve (MB31108) 'DB000109' = 'DB000409' DB000109 = DB000409; // EQUIP Reserve (MB31109) 'DB00010A' = 'DB00040A' DB00010A = DB00040A; // EQUIP Reserve (MB3110A) 'DB00010B' = 'DB00040B' DB00010B = DB00040B; // EQUIP Reserve (MB3110B) 'DB00010C' = 'DB00040C' DB00010C = DB00040C; // EQUIP Reserve (MB3110C) 'DB00010D' = 'DB00040D' DB00010D = DB00040D; // EQUIP Reserve (MB3110D) 'DB00010E' = 'DB00040E' DB00010E = DB00040E; // EQUIP Reserve (MB3110E) 'DB00010F' = 'DB00040F' DB00010F = DB00040F; // EQUIP Reserve (MB3110F)					
			Sensor Output (Reserve)								
5	7/43		FOR	[W]Var DW00090 ---	[W]Init 00000	[W]Max 00015	[W]Step 00001				
6	8/47	NL 2				EXPRESSION 'I' = 'DW00090' I = DW00090;					
7	9/48	NL 2	MB031100i EQUIP Reserve Output	TON[10ms]	[W]Set C_Data_C W00200 ---	[W]Count DW01016i ---				DB000410i ---	[DB000410] .../0054
8	12/53		END_FOR								

29	41/223	EXPRESSION 'SCT OP Door Release SW Lamp 4' = 'DB000450' OB01013 = DB000450; // EQUIP Door Release Switch Lamp 1 (MB31150) OP BOX Door Release SW Lamp (OP) 'OB0126F' = 'DB000451' OB0126F = DB000451; // EQUIP Door Release Switch Lamp 2 (MB31151) SCT OP Door Release SW Lamp 1 OB0117F = 'DB000452' OB0117F = DB000452; // EQUIP Door Release Switch Lamp 3 (MB31152) SCT OP Door Release SW Lamp 2 DB000153 = 'DB000453' DB000153 = DB000453; // EQUIP Door Release Switch Lamp 4 (MB31153) DB000154 = 'DB000454' DB000154 = DB000454; // EQUIP Door Release Switch Lamp 5 (MB31154) DB000155 = 'DB000455' DB000155 = DB000455; // EQUIP Door Release Switch Lamp 6 (MB31155) DB000156 = 'DB000456' DB000156 = DB000456; // EQUIP Door Release Switch Lamp 7 (MB31156) 'SCT OP Door Release SW Lamp 5' = 'DB000457' OB01014 = DB000457; // EQUIP Door Release Switch Lamp 8 (MB31157) OP BOX Dummy Door Release SW Lamp (OP) 'SCT UNOP Door Release SW Lamp 1' = 'DB000458' OB01018 = DB000458; // EQUIP Door Release Switch Lamp 9 (MB31158) OP BOX Door Release SW Lamp (UNOP) 'OB0127B' = 'DB000459' OB0127B = DB000459; // EQUIP Door Release Switch Lamp 10 (MB31159) SCT UNOP Door Release SW Lamp 1 OB0117E = 'DB00045A' OB0117E = DB00045A; // EQUIP Door Release Switch Lamp 11 (MB3115A) SCT UNOP Door Release SW Lamp 2 DB00015B = 'DB00045B' DB00015B = DB00045B; // EQUIP Door Release Switch Lamp 12 (MB3115B) DB00015C = 'DB00045C' DB00015C = DB00045C; // EQUIP Door Release Switch Lamp 13 (MB3115C) DB00015D = 'DB00045D' DB00015D = DB00045D; // EQUIP Door Release Switch Lamp 14 (MB3115D) DB00015E = 'DB00045E' DB00015E = DB00045E; // EQUIP Door Release Switch Lamp 15 (MB3115E) 'SCT UNOP Door Release SW Lamp 2' = 'DB00045F' OB01019 = DB00045F; // EQUIP Door Release Switch Lamp 16 (MB3115F) OP BOX Dummy Door Release SW Lamp (UNOP)									
Sensor Output (EQUIP Temperature Reset S/W Lamp Output)											
30	42/253		FOR	[W]Var DW00090 ---	[W]Init 00000	[W]Max 00015	[W]Step 00001				
31	43/262	NL 2				EXPRESSION 'I' = 'DW00090' I = DW00090;					
32	44/264	NL 2	MB031160i UPS1 E-BOX T EMP RESET S W LAMP	TON[10ms]	[W]Set C_Data..C W00200 ---	[W]Count DW01096i ---				DB000460i ○ ---	[DB000460] .../0269
33	47/268		END_FOR								
34	48/269	EXPRESSION 'OB0127A' = 'DB000460' OB0127A = DB000460; // EQUIP Reserve (MB31160) UPS1 E-BOX TEMP RESET SW LAMP 'SCT OP Select Key Enable' = 'DB000461' OB01210 = DB000461; // EQUIP Reserve (MB31161) SCT1 E-BOX TEMP RESET SW LAMP 'OB01230' = 'DB000462' OB01230 = DB000462; // EQUIP Reserve (MB31162) SCT2 E-BOX TEMP RESET SW LAMP 'OB0126E' = 'DB000463' OB0126E = DB000463; // EQUIP Reserve (MB31163) GPS E-BOX TEMP RESET SW LAMP 'DB000164' = 'DB000464' DB000164 = DB000464; // EQUIP Reserve (MB31164) 'DB000165' = 'DB000465' DB000165 = DB000465; // EQUIP Reserve (MB31165) 'DB000166' = 'DB000466' DB000166 = DB000466; // EQUIP Reserve (MB31166) 'DB000167' = 'DB000467' DB000167 = DB000467; // EQUIP Reserve (MB31167) 'DB000168' = 'DB000468' DB000168 = DB000468; // EQUIP Reserve (MB31168) 'DB000169' = 'DB000469' DB000169 = DB000469; // EQUIP Reserve (MB31169) 'DB00016A' = 'DB00046A' DB00016A = DB00046A; // EQUIP Reserve (MB3116A) 'DB00016B' = 'DB00046B' DB00016B = DB00046B; // EQUIP Reserve (MB3116B) 'DB00016C' = 'DB00046C' DB00016C = DB00046C; // EQUIP Reserve (MB3116C) 'DB00016D' = 'DB00046D' DB00016D = DB00046D; // EQUIP Reserve (MB3116D) 'DB00016E' = 'DB00046E' DB00016E = DB00046E; // EQUIP Reserve (MB3116E) 'DB00016F' = 'DB00046F' DB00016F = DB00046F; // EQUIP Reserve (MB3116F)									
Sensor Output (Reserve)											
35	49/301		FOR	[W]Var DW00090 ---	[W]Init 00000	[W]Max 00015	[W]Step 00001				
36	50/303	NL 2				EXPRESSION 'I' = 'DW00090' I = DW00090;					
37	51/307	NL 2	MB031170i EQUIP Reserv e Output	TON[10ms]	[W]Set C_Data..C W00200 ---	[W]Count DW01112i ---				DB000470i ○ ---	[DB000470] .../0312
38	54/311		END_FOR								

89

125/742

EXPRESSION

'SCT Main Transfer(R) Ionizer Remote Off' = 'DB000570'
LIO32_601.LIO32_OUT.DO_10 = DB000570; // EQUIP Ionizer 1 (MB31270) SCT Fix Table(1) Ionizer Remote Off
'SCT Fix Table(1) Ionizer Remote Off' = 'DB000571'
LIO32_601.LIO32_OUT.DO_14 = DB000571; // EQUIP Ionizer 2 (MB31271) Stick Buffer Table Ionizer Remote Off
'SCT Fix Table(2) Ionizer Remote Off' = 'DB000572'
LIO32_601.LIO32_OUT.DO_18 = DB000572; // EQUIP Ionizer 3 (MB31272) SCT Main Transfer(R) Ionizer Remote Off
'SCT Fix Table(3) Ionizer Remote Off' = 'DB000573'
LIO32_601.LIO32_OUT.DO_22 = DB000573; // EQUIP Ionizer 4 (MB31273) SCT Cutting Table Ionizer Remote Off
'SCT Cutting Table Ionizer Remote Off' = 'DB000574'
LIO32_601.LIO32_OUT.DO_26 = DB000574; // EQUIP Ionizer 5 (MB31274) SCT Break Table Ionizer Remote Off
'SCT Main Buffer Table Ionizer InterLock On' = 'DB000575'
LIO32_601.LIO32_OUT.DO_03 = DB000575; // EQUIP Ionizer 6 (MB31275) SCT Main Buffer Table Ionizer InterLock On
'SCT Main Transfer(L) Ionizer InterLock On' = 'DB000576'
LIO32_601.LIO32_OUT.DO_07 = DB000576; // EQUIP Ionizer 7 (MB31276) SCT Main Transfer(L) Ionizer InterLock On
'SCT Main Transfer(R) Ionizer InterLock On' = 'DB000577'
LIO32_601.LIO32_OUT.DO_11 = DB000577; // EQUIP Ionizer 8 (MB31277) SCT Fix Table(1) Ionizer InterLock On
'SCT Fix Table(1) Ionizer InterLock On' = 'DB000578'
LIO32_601.LIO32_OUT.DO_15 = DB000578; // EQUIP Ionizer 9 (MB31278) Stick Buffer Table Ionizer InterLock On
'SCT Fix Table(2) Ionizer InterLock On' = 'DB000579'
LIO32_601.LIO32_OUT.DO_19 = DB000579; // EQUIP Ionizer 10 (MB31279) SCT Main Transfer(R) Ionizer InterLock On
'SCT Fix Table(3) Ionizer InterLock On' = 'DB00057A'
LIO32_601.LIO32_OUT.DO_23 = DB00057A; // EQUIP Ionizer 11 (MB3127A) SCT Cutting Table Ionizer InterLock On
'SCT Cutting Table Ionizer InterLock On' = 'DB00057B'
LIO32_601.LIO32_OUT.DO_27 = DB00057B; // EQUIP Ionizer 12 (MB3127B) SCT Break Table Ionizer InterLock On
'DB00027C' = 'DB00057C'; // EQUIP Ionizer 13 (MB3127C)
'DB00027D' = 'DB00057D'
DB00027D = DB00057D; // EQUIP Ionizer 14 (MB3127D)
'DB00027E' = 'DB00057E'
DB00027E = DB00057E; // EQUIP Ionizer 15 (MB3127E)
'OB01235' = 'DB00057F'
OB01235 = DB00057F; // EQUIP Ionizer 16 (MB3127F) SCT Cutting Table Ionizer ON

Sensor Output (Ionizer Status)

FOR

[W]Var

DW00090

[W]Init

00000

[W]Max

00015

[W]Step

00001

NL

2

EXPRESSION

'I' = 'DW00090'
I = DW00090;

NL

2

MB031280i

TON[10ms]

[W]Set

C_Data_C
W00200

[W]Count

DW01288i

DB000580i

[DB000580]
.../0785

END_FOR

EXPRESSION

'DB000280' = 'DB000580'
DB000280 = DB000580; // EQUIP Ionizer 17 (MB31280)
'DB000281' = 'DB000581'
DB000281 = DB000581; // EQUIP Ionizer 18 (MB31281)
'DB000282' = 'DB000582'
DB000282 = DB000582; // EQUIP Ionizer 19 (MB31282)
'DB000283' = 'DB000583'
DB000283 = DB000583; // EQUIP Ionizer 20 (MB31283)
'DB000284' = 'DB000584'
DB000284 = DB000584; // EQUIP Ionizer 21 (MB31284)
'DB000285' = 'DB000585'
DB000285 = DB000585; // EQUIP Ionizer 22 (MB31285)
'DB000286' = 'DB000586'
DB000286 = DB000586; // EQUIP Ionizer 23 (MB31286)
'DB000287' = 'DB000587'
DB000287 = DB000587; // EQUIP Ionizer 24 (MB31287)
'SCT_Main Transfer Ionizer Support Blow L On' = 'DB000588'
OB0107E = DB000588; // EQUIP Ionizer 25 (MB31288)
'OB010EF' = 'DB000589'
OB010EF = DB000589; // EQUIP Ionizer 26 (MB31289)
'SCT Cutting Table Ionizer Support L/R BLow ' = 'DB00058A'
OB01139 = DB00058A; // EQUIP Ionizer 27 (MB3128A)
'SCT Cutting Table Ionizer Support Center BLow ' = 'DB00058B'
OB0113A = DB00058B; // EQUIP Ionizer 28 (MB3128B)
'DB00028C' = 'DB00058C'
DB00028C = DB00058C; // EQUIP Ionizer 29 (MB3128C)
'OB01234' = 'DB00058D'
OB01234 = DB00058D; // EQUIP Ionizer 30 (MB3128D) SCT IONIZER X-RAY 1 LED ON
'OB01214' = 'DB00058E'
OB01214 = DB00058E; // EQUIP Ionizer 31 (MB3128E) SCT IONIZER X-RAY 2 LED ON
'OB0119F' = 'DB00058F'
OB0119F = DB00058F; // EQUIP Ionizer 32 (MB3128F) SCT IONIZER X-RAY 3 LED ON

Sensor Output (Dust Chather)

FOR

[W]Var

DW00090

[W]Init

00000

[W]Max

00015

[W]Step

00001

NL

2

EXPRESSION

'I' = 'DW00090'
I = DW00090;

NL

2

MB031290i

TON[10ms]

[W]Set

C_Data_C
W00200

[W]Count

DW01304i

DB000590i

[DB000590]
.../0828

END_FOR

129	181/1089	EXPRESSION									
		'Upstream Equip I/F Alive' = 'DB000650' OB01028 = DB000650; // EQUIP Hotline 1 Output (MB31350) Upstream Equip I/F Alive 'Upstream Equip I/F Emergency' = 'DB000651' OB01029 = DB000651; // EQUIP Hotline 2 Output (MB31351) Upstream Equip I/F Emergency 'Upstream Equip I/F Net-Ready' = 'DB000652' OB0102A = DB000652; // EQUIP Hotline 3 Output (MB31352) Upstream Equip I/F Net-Ready 'Upstream Equip I/F Reserved1' = 'DB000653' OB0102B = DB000653; // EQUIP Hotline 4 Output (MB31353) Upstream Equip I/F Reserved1 'Upstream Equip I/F Violation #1' = 'DB000654' OB0102C = DB000654; // EQUIP Hotline 5 Output (MB31354) Upstream Equip I/F Violation #1 'Upstream Equip I/F Violation #2' = 'DB000655' OB0102D = DB000655; // EQUIP Hotline 6 Output (MB31355) Upstream Equip I/F Violation #2 'Upstream Equip I/F Reserved2' = 'DB000656' OB0102E = DB000656; // EQUIP Hotline 7 Output (MB31356) Upstream Equip I/F Reserved2 'Upstream Equip I/F SUB EMO' = 'DB000657' OB0102F = DB000657; // EQUIP Hotline 8 Output (MB31357) Upstream Equip I/F SUB EMO 'DB000358' = 'DB000658' DB000358 = DB000658; // EQUIP Hotline 9 Output (MB31358) 'DB000359' = 'DB000659' DB000359 = DB000659; // EQUIP Hotline 10 Output (MB31359) 'DB00035A' = 'DB00065A' DB00035A = DB00065A; // EQUIP Hotline 11 Output (MB3135A) 'DB00035B' = 'DB00065B' DB00035B = DB00065B; // EQUIP Hotline 12 Output (MB3135B) 'DB00035C' = 'DB00065C' DB00035C = DB00065C; // EQUIP Hotline 13 Output (MB3135C) 'DB00035D' = 'DB00065D' DB00035D = DB00065D; // EQUIP Hotline 14 Output (MB3135D) 'DB00035E' = 'DB00065E' DB00035E = DB00065E; // EQUIP Hotline 15 Output (MB3135E) 'DB00035F' = 'DB00065F' DB00035F = DB00065F; // EQUIP Hotline 16 Output (MB3135F)									
		Sensor Output (Grease)									
130	182/1118	FOR	[W]Var DW00090 ---	[W]Init 00000	[W]Max 00015	[W]Step 00001					
131	183/1122	NL 2			EXPRESSION 'I' = 'DW00090' I = DW00090;						
132	184/1124	NL 2	MB031360i EQUIP Grease 1 Output	TON[10ms]	[W]Set C_Data_C W00200 ---	[W]Count DW01416i ---			DB000660i ---	[DB000660] .../1129	
133	187/1128	END_FOR									
134	188/1129				EXPRESSION 'DB000360' = 'DB000660' DB000360 = DB000660; // EQUIP Grease 1 (MB31360) 'DB000361' = 'DB000661' DB000361 = DB000661; // EQUIP Grease 2 (MB31361) 'DB000362' = 'DB000662' DB000362 = DB000662; // EQUIP Grease 3 (MB31362) 'DB000363' = 'DB000663' DB000363 = DB000663; // EQUIP Grease 4 (MB31363) 'DB000364' = 'DB000664' DB000364 = DB000664; // EQUIP Grease 5 (MB31364) 'DB000365' = 'DB000665' DB000365 = DB000665; // EQUIP Grease 6 (MB31365) 'DB000366' = 'DB000666' DB000366 = DB000666; // EQUIP Grease 7 (MB31366) 'DB000367' = 'DB000667' DB000367 = DB000667; // EQUIP Grease 8 (MB31367) 'DB000368' = 'DB000668' DB000368 = DB000668; // EQUIP Grease 9 (MB31368) 'DB000369' = 'DB000669' DB000369 = DB000669; // EQUIP Grease 10 (MB31369) 'DB00036A' = 'DB00066A' DB00036A = DB00066A; // EQUIP Grease 11 (MB3136A) 'DB00036B' = 'DB00066B' DB00036B = DB00066B; // EQUIP Grease 12 (MB3136B) 'DB00036C' = 'DB00066C' DB00036C = DB00066C; // EQUIP Grease 13 (MB3136C) 'DB00036D' = 'DB00066D' DB00036D = DB00066D; // EQUIP Grease 14 (MB3136D) 'DB00036E' = 'DB00066E' DB00036E = DB00066E; // EQUIP Grease 15 (MB3136E) 'DB00036F' = 'DB00066F' DB00036F = DB00066F; // EQUIP Grease 16 (MB3136F)						
		Sensor Output (SP)									
135	189/1161	FOR	[W]Var DW00090 ---	[W]Init 00000	[W]Max 00015	[W]Step 00001					
136	190/1165	NL 2			EXPRESSION 'I' = 'DW00090' I = DW00090;						
137	191/1167	NL 2	MB031370i EQUIP Reserv e Output	TON[10ms]	[W]Set C_Data_C W00200 ---	[W]Count DW01432i ---			DB000670i ---	[DB000670] .../1172	
138	194/1171	END_FOR									

149 209/1258	EXPRESSION
	'DB000390' = 'DB000690' DB000390 = DB000690; // EQUIP Laser Displacement Sensor 17 (MB31390) 'DB000391' = 'DB000691' DB000391 = DB000691; // EQUIP Laser Displacement Sensor 18 (MB31391) 'DB000392' = 'DB000692' DB000392 = DB000692; // EQUIP Laser Displacement Sensor 19 (MB31392) 'DB000393' = 'DB000693' DB000393 = DB000693; // EQUIP Laser Displacement Sensor 20 (MB31393) 'DB000394' = 'DB000694' DB000394 = DB000694; // EQUIP Laser Displacement Sensor 21 (MB31394) 'DB000395' = 'DB000695' DB000395 = DB000695; // EQUIP Laser Displacement Sensor 22 (MB31395) 'DB000396' = 'DB000696' DB000396 = DB000696; // EQUIP Laser Displacement Sensor 23 (MB31396) 'DB000397' = 'DB000697' DB000397 = DB000697; // EQUIP Laser Displacement Sensor 24 (MB31397) 'DB000398' = 'DB000698' DB000398 = DB000698; // EQUIP Laser Displacement Sensor 25 (MB31398) 'DB000399' = 'DB000699' DB000399 = DB000699; // EQUIP Laser Displacement Sensor 26 (MB31399) 'DB00039A' = 'DB00069A' DB00039A = DB00069A; // EQUIP Laser Displacement Sensor 27 (MB3139A) 'DB00039B' = 'DB00069B' DB00039B = DB00069B; // EQUIP Laser Displacement Sensor 28 (MB3139B) 'DB00039C' = 'DB00069C' DB00039C = DB00069C; // EQUIP Laser Displacement Sensor 29 (MB3139C) 'DB00039D' = 'DB00069D' DB00039D = DB00069D; // EQUIP Laser Displacement Sensor 30 (MB3139D) 'DB00039E' = 'DB00069E' DB00039E = DB00069E; // EQUIP Laser Displacement Sensor 31 (MB3139E) 'DB00039F' = 'DB00069F' DB00039F = DB00069F; // EQUIP Laser Displacement Sensor 32 (MB3139F)
150 210/1290	END