

```

00001 *****
00002 ** DL Register Area - 120Word
00003 **
00004 ** DW00000 - DW00009 (PLS Use)
00005 ** DW00010 - DW00039 (Bit Use)
00006 ** DW00040 - DW00089 (Word Use)
00007 ** DW00090 - DW00119 (Timer)
00008 *****
00009
00010 "# Program Name : SC Auto#2 (Scribe Operatic
00011 "# Functior :
00012 "# Call Program : MPM033
00013 "# Sub Program :
00014 "# Func Program
00015
00016 VAR;
00017
00018 END_VAR;
00019
00020 00000 IF MB47350 == 1 " Scribe Stop Retry
00021 00001 MW04511 = 6;
00022 00002 IEND;
00023
00024 00003 DB000001 = 0;
00025 00004 WHILE DB000001 == 0;
00026
00027 00005 SFORK MW04511 == 1 ? LBL01 " Scribe Operation Step #1 (Scribe, Pitch Data Update)
00028 MW04511 == 2 ? LBL02 " Scribe Operation Step #2 (Scribe Option1)
00029 MW04511 == 3 ? LBL03 " Scribe Operation Step #3 (Alignment 1 Cycle)
00030 MW04511 == 4 ? LBL04 " Scribe Operation Step #4 (Scribe Option2)
00031 MW04511 == 5 ? LBL05 " Scribe Operation Step #5 (Scribe Option3)
00032 MW04511 == 6 ? LBL06 " Scribe Operation Step #6 (1 Scribe Execute)
00033 MW04511 == 7 ? LBL07 " Scribe Operation Step #7 (Scribe Option4)
00034 MW04511 == 8 ? LBL08 " Scribe Operation Step #8 (Roller Break Execute)
00035 MW04511 == 9 ? LBL09 " Scribe Operation Step #9 (Break Select & Judge)
00036 MW04511 == 10 ? LBL10 " Scribe Operation Step #10 (Break Pusher Bar Execute)
00037 MW04511 == 11 ? LBL11 " Scribe Operation Step #11 (Last Break Pusher Bar Execu
te)
00038 MW04511 == 12 ? LBL12 " Scribe Operation Step #12 (Break Table Execute)
00039 DEFAULT ? LBL100;
00040
00041 00006 LBL01: " Scribe Operation Step #1 (Scribe, Pitch Data Update)
00042 " MMG Model Recipe Change Action
00043 00007 IF MW12513 == 1;
00044 00008 IF MB030035 == 1;
00045 00009 IOW (MB00004 & MB030035) | MB045013 == 1;
00046 00010 ELSE;
00047 00011 RET;
00048 00012 IEND;
00049 00013 IEND;
00050
00051 00014 MB46362 = 1; " SC Flow No3
00052 00015 MSEE MPS180;
00053 00016 MB46362 = 0;
00054
00055 " Next Code Set
00056 00017 MW04511 = 2;
00057
00058 00018 JOINTO LBL0X;
00059
00060 00019 LBL02: " Scribe Operation Step #2 (Scribe Option1)
00061
00062 00020 MB46363 = 1; " SC Flow No4
00063 00021 MSEE MPS175;
00064 00022 MB46363 = 0;
00065
00066 " Next Code Set
00067 00023 MW04511 = 3;
00068
00069 00024 JOINTO LBL0X;
00070
00071 00025 LBL03: " Scribe Operation Step #3 (Alignment 1 Cycle)
00072
00073 " Alignment 1 Cycle
00074 00026 MB46364 = 1; " SC Flow No5
00075 00027 MSEE MPS181;
00076 00028 MB46364 = 0;
00077
00078 " Alignment Execute 1 Cycle Complete
00079 00029 IF MB045130 & MB045131 == 1
00080
00081 " Next Code Set
00081 00030 MW04511 = 4;
00082 00031 IEND;
00083
00084 " Scribe Stop Chec
00084 IOW !MB000030 | MB045132 | MB045013 ==
00085 00032

```

```

00086
00087 00033          JOINTO LBL0X;
00088
00089 00034          LBL04: " Scribe Operation Step #4 (Scribe Option2)
00090
00091          " Next Code Set
00092 00035          MW04511 = 5;
00093
00094 00036          JOINTO LBL0X;
00095
00096 00037          LBL05: " Scribe Operation Step #4 (Scribe Option3)
00097          " [Option] Line Check
00098          " Line Check Select
00099 00038          IF MB00080D == 1
00100 00039              MSEE MPS167;          " Scribe Data Manage
00101          " Line Check 1 Cycle
00102 00040              MB46366 = 1;          " SC Flow No7
00103 00041              MSEE MPS187;
00104 00042              MB46366 = 0;
00105 00043          IEND;
00106
00107          " Next Code Set
00108 00044          MW04511 = 6;
00109
00110 00045          JOINTO LBL0X;
00111
00112 00046          LBL06: " Scribe Operation Step #6 (1 Scribe Execute)
00113          " Scribe Execute 1 Cycle Complete
00114 00047          IF MB045132 == 0;
00115          " 1 Scribe Execute
00116 00048              MB46365 = 1;          " SC Flow No6
00117 00049              MSEE MPS182;
00118 00050              MB46365 = 0;
00119 00051          ELSE;
00120          " # Scribe Start Flag Bit ON
00121 00052              MB045728 = 0;
00122          " Next Code Set
00123 00053              MW04511 = 7;
00124 00054          IEND;
00125
00126 00055          JOINTO LBL0X;
00127
00128 00056          LBL07: " Scribe Operation Step #7 (Scribe Option4)
00129          " [Option] Line Check
00130          " Line Check Select
00131 00057          IF MB00080D == 1;
00132          " Line Check 1 Cycle
00133 00058              MB46366 = 1;          " SC Flow No7
00134 00059              MSEE MPS187;
00135 00060              MB46366 = 0;
00136 00061          IEND;
00137
00138          " Next Code Set
00139 00062          MW04511 = 8;
00140
00141 00063          JOINTO LBL0X;
00142
00143 00064          LBL08: " Scribe Operation Step #8 (Roller Break Execute)
00144          " [Option] Roller Break Execute
00145 00065          IF !MB00000F & !MB045133 == 1
00146          " RollerBreak(0:Manual Data, 1:Recipe Data)
00147 00066              MB45736 = 1;
00148 00067              MSEE MPS186;
00149          " Roller Break Complete
00150 00068              MB045133 = 1;
00151 00069          ELSE;
00152          " Next Code Set
00153 00070              MW04511 = 9;
00154 00071          IEND;
00155
00156 00072          JOINTO LBL0X;
00157
00158 00073          LBL09: " Scribe Operation Step #09 (Break Type Select & Judge)
00159          " Break Pusher Bar Motion
00160 00074          IF ML05308 == 1;
00161 00075              MW04511 = 10;
00162 00076          IEND;
00163          " Last Break Pusher Bar Motion
00164 00077          IF ML05310 == 1;
00165 00078              MW04511 = 11;
00166 00079          IEND;
00167          " Break Table Motion
00168 00080          IF ML05810 == 1;
00169 00081              MW04511 = 12;
00170 00082          IEND;
00171
00172 00083          JOINTO LBL0X;

```

```

00173
00174 00084      LBL10: " Scribe Operation Step #10 (Break Pusher Bar Execute)
00175      " Break Pusher Bar 1 Cycle
00176 00085      MB46367 = 1;          " SC Flow No8
00177 00086      MSEE MPS183;
00178 00087      MB46367 = 0;
00179
00180 00088      DB000100 = 0;
00181 00089      WHILE DB000100 == 0;
00182 00090          IF MB045134 & MB045135 & MB045136 == 1;
00183 00091              DB000100 = 1;
00184 00092          IEND;
00185
00186 00093          IF MB045013 == 1;          " Cycle Stop(SC)
00187 00094              DB000100 = 1;
00188 00095          IEND;
00189 00096          EOX;
00190 00097      WEND;
00191 00098      IF CW00016 == 0;
00192          " [Option] Line Check
00193          " Line Check Select
00194 00099          IF MB045134 & MB045135 & MB045136 == 1;
00195 00100              IF MB00080D == 1;
00196                  " Line Check 1 Cycle
00197 00101                  MB46366 = 1;          " SC Flow No7
00198 00102                  MSEE MPS187;
00199 00103                  MB46366 = 0;
00200 00104              IEND;
00201 00105          IEND;
00202 00106      IEND;
00203      " Break Pusher Bar 1 Cycle Complete
00204 00107      IF DB000100 == 1;
00205          " Pitch Number Count
00206          " Scribe/Break Pitch Data Count
00207 00108          MW04511 = 1;
00208 00109          IF MB030035 | MB030036 == 1;
00209 00110              IF MW04513 <> 0;
00210 00111                  MW12513 = MW12513 + 1;
00211 00112              IEND;
00212 00113          IEND;
00213          " Inner Compelte Bit Reset
00214 00114          MW04513 = 0;
00215          " Recipe Pitch < Current Pitch
00216 00115          IF GL21158 < MW12513;
00217              " Scribe Operation End
00218 00116              DB000001 = 1;
00219              " Scribe Glass Data Reset Check
00220 00117              IOW !MB030035 == 1
00221 00118          IEND;
00222 00119          IF !MB045013 == 1;
00223              " Scribe Operation Reset
00224 00120              IF MB000004 & !MB030035 == 1;
00225                  " Scribe Operation End
00226 00121                  DB000001 = 1;
00227 00122              IEND;
00228 00123          IEND;
00229 00124      IEND;
00230
00231 00125      JOINTO LBL0X;
00232
00233 00126      LBL11: " Scribe Operation Step #11 (Last Break Pusher Bar Execute)
00234      " InterFace Before Ready Complete
00235 00127      MB045724 = 0;
00236
00237      " Last Break Pusher Bar 1 Cycle
00238 00128      MB46368 = 1;          " SC Flow No9
00239 00129      MSEE MPS184;
00240 00130      MB46368 = 0;
00241
00242      " InterFace Before Ready Complete
00243 00131      MB045724 = 1;
00244
00245 00132      DB000120 = 0;
00246 00133      WHILE DB000120 == 0;
00247 00134          IF MB045137 "& MB045138" & MB045139 & MB04513A & MB04513B == 1;
00248 00135              DB000120 = 1;
00249 00136          IEND;
00250 00137          IF MB045013 == 1;          " Cycle Stop(SC)
00251 00138              DB000120 = 1;
00252 00139          IEND;
00253 00140          EOX;
00254 00141      WEND;
00255
00256      " Last Break Pusher Bar 1 Cycle Complete
00257 00142      IF DB000120 & !MB045013 == 1;
00258          " Pitch Number Count
00259          " Scribe/Break Pitch Data Count

```

```

00260 00143      MW04511 = 1;
00261 00144      IF MB030035 | MB030036 == 1;
00262 00145          IF MW04513 <> 0;
00263 00146              IF MW12513 <> 1;
00264 00147                  MW12513 = MW12513 + 1;
00265 00148          IEND;
00266 00149      IEND;
00267 00150      IEND;
00268          " Inner Compelte Bit Reset
00269 00151      MW04513 = 0;
00270          " Recipe Pitch < Current Pitc
00271 00152      IF GL21158 < MW12513;
00272          " Scribe Operation End
00273 00153          DB000001 = 1;
00274          " Scribe Glass Data Reset Check
00275 00154          IOW MB030035 == 0;
00276 00155      IEND;
00277 00156      IF MB045013 == 0;
00278          " Scribe Operation Reset
00279 00157          IF MB000004 & !MB030035 == 1;
00280              " Scribe Operation End
00281 00158              DB000001 = 1;
00282 00159          IEND;
00283 00160      IEND;
00284 00161      IEND;
00285
00286 00162      JOINTO LBL0X;
00287
00288 00163      LBL12: " Scribe Operation Step #12 (Break Table Execute)
00289          " Break Table 1 Cycl
00290 00164          MB46369 = 1;          " SC Flow No10
00291 00165          MSEE MPS185;
00292 00166          MB46369 = 0;
00293
00294 00167          DB000110 = 0;
00295 00168          WHILE DB000110 == 0;
00296 00169              IF MB04513C & MB04513D & MB04513E == 1;
00297 00170                  DB000110 = 1;
00298 00171              IEND;
00299
00300 00172              IF MB045013 == 1          " Cycle Stop(SC)
00301 00173                  DB000110 = 1;
00302 00174              IEND;
00303 00175              EOX;
00304 00176          WEND;
00305
00306 00177      IF CW00016 == 0;
00307          " [Option] Line Check
00308          " Line Check Select
00309 00178          IF MB04513C & MB04513D & MB04513E == 1;
00310 00179              IF MB00080D == 1;
00311                  " Line Check 1 Cycle
00312 00180                  MB46366 = 1;          " SC Flow No7
00313 00181                  MSEE MPS187;
00314 00182                  MB46366 = 0;
00315 00183              IEND;
00316 00184          IEND;
00317 00185      IEND;
00318 00186      IF DB000110 == 1;
00319          " Pitch Number Count
00320          " Scribe/Break Pitch Data Count
00321 00187          MW04511 = 1;
00322 00188          IF MB030035 | MB030036 == 1;
00323 00189              IF MW04513 <> 0;
00324 00190                  MW12513 = MW12513 + 1;
00325 00191              IEND;
00326 00192          IEND;
00327          " Inner Compelte Bit Reset
00328 00193          MW04513 = 0;
00329          " Recipe Pitch < Current Pitc
00330 00194          IF GL21158 < MW12513;
00331              " Scribe Operation End
00332 00195              DB000001 = 1;
00333              " Scribe Glass Data Reset Check
00334 00196              IOW !MB030035 == 1
00335 00197          IEND;
00336 00198          IF MB045013 == 0;
00337              " Scribe Operation Reset
00338 00199              IF MB000004 & !MB030035 == 1;
00339                  " Scribe Operation End
00340 00200                  DB000001 = 1;
00341 00201              IEND;
00342 00202          IEND;
00343 00203      IEND;
00344
00345 00204      JOINTO LBL0X;
00346

```

```

00347 00205      LBL100:
00348 00206          JOINTO LBL0X;
00349 00207      LBL0X: SJOINT;
00350
00351          " Auto Run & Auto 1 Cycle Stop
00352 00208      IF MB045013 == 1;
00353          " Scribe Operation End
00354 00209          DB000001 = 1;
00355 00210      IEND;
00356 00211      EOX;
00357 00212      WEND;
00358
00359 00213      RET;
    
```

			MPS142 : SC Auto#2 (Scribe Operation)	P00005
--	--	--	---------------------------------------	--------