

```

00001 *****
00002 ** DL Register Area - 120Word
00003 **
00004 ** DW00000 - DW00009 (PLS Use)
00005 ** DW00010 - DW00039 (Bit Use)
00006 ** DW00040 - DW00089 (Word Use)
00007 ** DW00090 - DW00119 (Timer)
00008 *****
00009
00010 "# Program Name : 1Scribe(JustCut)
00011 "# Function :
00012 "# Call Program :
00013 "# Sub Program :
00014 "# Func Program :
00015
00016 VAR;
00017 " Scribe Chuck
00018 00000 LONG IDX_SCHY1 = 48;
00019 00001 LONG IDX_SCHY2 = 49;
00020 " Scribe Z
00021 00002 LONG IDX_CZ = 34;
00022 " Scribe Cutter
00023 00003 LONG IDX_CX = 32;
00024 00004 LONG IDX_CAMX = 33;
00025 00005 LONG Axis_Pos_CAMX = 0;
00026 " Scribe Shift
00027 00006 LONG IDX_CS = 12;
00028 00007 LONG Axis_Pos_CS = 0;
00029 " Scribe Speed
00030 00008 LONG Scribe_Speed_JustCut_S = (
00031 00009 LONG Scribe_Speed_X_Scribe = (
00032 00010 LONG Scribe_Speed_JustCut_E = (
00033
00034 00011 LONG Scribe_Speed_YCut = 0
00035 00012 LONG Scribe_Speed_X_Scribe_YCut = 0
00036 END_VAR;
00037
00038 00013 Axis_Pos_CS = IDX_CS * 50 " Axis Inde
00039
00040 " Scribe Executing Flag
00041 00014 IF !MB000800 & MB000802 == 1;
00042 00015 MB15420F = 1;
00043 00016 IEND;
00044
00045 " Cutter Select
00046 " CZ - LOCZ
00047 00017 IF !MB11420 & !MB11440 == 1;
00048 00018 MB158800 = 1; " Upper Cutter Z
00049 00019 IEND;
00050
00051 " CZ - LORZ
00052 00020 IF !MB11420 & MB11440 == 1;
00053 00021 MB158800 = 1; " Upper Cutter Z
00054 00022 IEND;
00055
00056 " UPRZ - LOCZ
00057 00023 IF MB11420 & !MB11440 == 1;
00058 00024 MB158800 = 0; " Upper Cutter Z
00059 00025 IEND;
00060
00061 00026 DB000000 = 0; " JustCut Start Cmt
00062 00027 DB000001 = 0; " JustCut Start Section Cmt
00063 00028 DB000002 = 0; " X Scribe Cmt
00064 00029 DB000003 = 0; " JustCut End Section Cmt
00065 00030 DB000004 = 0; " JustCut End Cmt
00066 00031 DB000010 = 0; " JustYcut Y-1 End cmt
00067 00032 DB000011 = 0; " JustYcut Y-2, Y-3 End cmt
00068 00033 DB000012 = 0; " JustYcut Y-4 End cmt
00069 00034 DB000013 = 0; " JustYcut Y-5, Y-6 End cmt
00070
00071
00072 00035 PLD [CX][CS][CZ][CAMX];
00073
00074 00036 DL00050 = 0;
00075 00037 DL00052 = 0;
00076
00077 " Caster Offset
00078 00038 IF CW00001 == 1 " Scribe Direction (0: Forward /
1: Reverse)
00079 00039 DL00054 = 1000;
00080 00040 ELSE;
00081 00041 DL00054 = -1000;
00082 00042 IEND;
00083
00084 00043 DL00100 = ML15210 - ML15202 " CX Cutting Distance
00085 00044 DL00104 = ML15222 - ML15218 " CS Cutting Distance
00086

```

```

00087 00045      IF DL00100 < 0;
00088 00046          DL00100 = DL00100 * -1;
00089 00047      IEND;
00090 00048      IF DL00102 < 0;
00091 00049          DL00102 = DL00102 * -1;
00092 00050      IEND;
00093
00094      " Just & YCut Mode Use Start/End Y Offset Data Reset
00095 00051      IF GL21582 == 1                                " X Scribe Just&YCut Mode(0:Unus
e 1:Use)
00096 00052          GL21508 = 0;                            " X Scribe JustCut Start Y Offse
t
00097 00053          GL21510 = 0;                            " X Scribe JustCut End Y Offset
00098 00054      IEND;
00099
00100      " JustCut Start (1 Section)
00101 00055      IF ML15202 < ML15210                            " Forward
00102          " Upper Scribe End Position Calc
00103 00056          DL00300 = ML15204 - DL00050 + GL21500;
00104 00057      ELSE;                                            " Reverse
00105          " Upper Scribe End Position Calc
00106 00058          DL00300 = ML15204 - DL00050 - GL21500;
00107 00059      IEND;
00108
00109      " Shift Y End Position Calc
00110 00060      DF00400 = GL21500 / DL00102 * DL00106;
00111 00061      DL00402 = DF00400;
00112
00113 00062      DL00304 = DL00404;
00114 00063      DL00306 = DL00404;
00115
00116      " ***** JustCut Start Section (3 Section) *****
00117      " Shift Y End Position Calc
00118 00064      DF00410 = (GL21500 + GL21504) / DL00100 * DL00104;
00119 00065      DF00412 = (GL21500 + GL21504) / DL00102 * DL00106;
00120 00066      DL00414 = DF00410;
00121 00067      DL00416 = DF00412;
00122
00123      " X,Y Interpolation Degree Calc
00124 00068      DL00500 = GL21504 + DL00054                            " X Move Distance Calc
00125 00069      DL00502 = (ML15220 + GL21508 + DL00402) - (ML15218 + DL0041        " Y Move Distance Calc
00126 00070      IF DL00502 < 0;
00127 00071          DL00502 = DL00502 * -1;
00128 00072      IEND;
00129
00130 00073      DF00504 = DL00502 / DL00500;
00131 00074      DF00506 = ATN(DF00504)                            " Interpolation Degree
00132
00133      " X,Y Interpolation Moving Distance Calc
00134 00075      DL00508 = DL00054 * COS(DF00506)                            " X Interpolation Moving Data
00135 00076      DL00510 = DL00054 * SIN(DF00506)                            " Y Interpolation Moving Data
00136
00137 00077      IF DL00508 < 0;                                " X Interpolation Negative Data
00138 00078          DL00508 = DL00508 * -1                            " Data Change
00139 00079      IEND;
00140 00080      IF DL00510 < 0;                                " Y Interpolation Negative Data
00141 00081          DL00510 = DL00510 * -1                            " Data Change
00142 00082      IEND;
00143
00144 00083      IF ML15202 < ML15210                            " Forward Cut
00145          " Upper Scribe End Position Calc
00146 00084          DL00310 = ML15204 - DL00050 + GL21500 + GL21504 - DL00508;
00147 00085      ELSE;                                            " Reverse Cut
00148          " Upper Scribe End Position Calc
00149 00086          DL00310 = ML15204 - DL00050 - GL21500 - GL21504 + DL00508;
00150 00087      IEND;
00151
00152      " X Scribe JustCut Start Y Offset <> 0
00153 00088      IF GL21508 <> 0                                    "
00154          " Lower Cutter Shift Start Pos < Upper Cutter Shift Start Pos
00155 00089          IF ML15220 < ML15218                            "
00156 00090              DL00314 = ML40030[Axis_Pos_CS] + ML15218 + DL00414 + DL00510;
00157 00091          ELSE;                                            "
00158 00092              DL00314 = ML40030[Axis_Pos_CS] + ML15218 + DL00414 - DL00510;
00159 00093          IEND;
00160 00094      ELSE;
00161          " X Scribe JustCut Start Y Offset = 0
00162          " Lower Cutter Shift Start Pos < Upper Cutter Shift Start Pos
00163 00095          IF ML15220 < ML15218                            "
00164 00096              DL00314 = ML40030[Axis_Pos_CS] + ML15218 + DL00414 + DL00510;
00165 00097          ELSE;                                            "
00166 00098              DL00314 = ML40030[Axis_Pos_CS] + ML15218 + DL00414 - DL00510;
00167 00099          IEND;                                            "
00168 00100      IEND;
00169
00170      " ***** JustCut Start Section After Range (4 Section) *****
00171 00101      IF ML15202 < ML15210                            " Forward

```

```

00172          " Upper Scribe End Position Calc
00173 00102      DL00350 = DL00310 + DL00508;
00174 00103      ELSE;
00175          " Upper Scribe End Position Calc
00176 00104      DL00350 = DL00310 - DL00508;
00177 00105      IEND;
00178
00179 00106      DL00354 = ML40030[Axis_Pos_CS] + ML15218 + DL00414;
00180
00181 00107      IF GL21582 == 1
용 유무(0:미사용 1:사용)
          " X Scribe Just&YCut Mode 사
          " ***** X Scribe Cmt (Y-1 Section) *****
00182          IF ML15202 < ML15210
          " Forward
00183 00108      " Upper Scribe End Position Calc
00184          DL01320 = DL00350 + GL21590;
00185 00109      ELSE;
00186 00110      " Reverse
00187          " Upper Scribe End Position Calc
00188 00111      DL01320 = DL00350 - GL21590;
00189 00112      IEND;
00190
00191          " Shift Y End Position Calc
00192 00113      DF01420 = (GL21500 + GL21504 + GL21590) / DL00100 * DL00104;
00193 00114      DF01422 = (GL21500 + GL21504 + GL21590) / DL00102 * DL00106;
00194 00115      DL01424 = DF01420;
00195 00116      DL01426 = DF01422;
00196
00197 00117      DL01324 = ML40030[Axis_Pos_CS] + ML15218 + DL01424;
00198
00199          " Distance Calc
00200 00118      DL01200 = DL01320 - DL00310
          " CX
00201 00119      DL01204 = DL01324 - DL00314
          " CS
00202
00203          " ***** YCut Start Section (Y-2 Section) *****
00204          " Shift Y End Position Calc
00205 00120      DF01430 = (GL21500 + GL21504 + GL21590 + GL21594) / DL00102 * DL00106;
00206 00121      DL01432 = DF01430;
00207
00208          " X,Y Interpolation Degree Calc
00209 00122      DL01530 = GL21594 + DL00054
          " X Move Distance Calc
00210 00123      DL01532 = (ML15218 + DL01424) - (ML15220 + DL01432)
          " Y Move Distance Calc
00211 00124      IF DL01532 < 0;
00212 00125          DL01532 = DL01532 * -1;
00213 00126      IEND;
00214
00215 00127      DF01534 = DL01532 / DL01530;
00216 00128      DF01536 = ATN(DF01534)
          " Interpolation Degree
00217
00218          " X,Y Interpolation Moving Distance Calc
00219 00129      DL01538 = DL00054 * COS(DF01536)
          " X Interpolation Moving Dat
00220 00130      a
          DL01540 = DL00054 * SIN(DF01536)
          " Y Interpolation Moving Dat
00221      a
00222 00131      IF DL01538 < 0,
          " X Interpolation Negative D
00223 00132      ata
          DL01538 = DL01538 * -1
          " Data Change
00224 00133      IEND;
00225 00134      IF DL01540 < 0,
          " Y Interpolation Negative D
00226 00135      ata
          DL01540 = DL01540 * -1
          " Data Change
00227 00136      IEND;
00228
00229 00137      IF ML15202 < ML15210
          " Forward
00230          " Upper Scribe End Position Calc
00231 00138      DL01330 = DL01320 + GL21594 - DL01538;
00232          " Lower Scribe End Position Calc
00233 00139      DL01332 = DL01322 + GL21594 - DL01538;
00234 00140      ELSE;
          " Reverse
00235          " Upper Scribe End Position Calc
00236 00141      DL01330 = DL01320 - GL21594 + DL01538;
00237          " Lower Scribe End Position Calc
00238 00142      DL01332 = DL01322 - GL21594 + DL01538;
00239 00143      IEND;
00240
00241          " X Scribe JustCut End Y Offset = 0
00242 00144      IF ML15224 < ML15222;
00243 00145          DL01334 = DL01434 - DL01540;
00244 00146      ELSE;
00245 00147          DL01334 = DL01434 + DL01540;
00246 00148      IEND;
00247 00149      DL01336 = DL01434;
00248
00249          " ***** YCut Start Section After Range (Y-3 Section) *****
00250 00150      IF ML15202 < ML15210
          " Forward
00251          " Upper Scribe End Position Calc
00252 00151      DL01360 = DL01330 + DL01538;
00253          " Lower Scribe End Position Calc

```

```

00254 00152          DL01362 = DL01332 + DL01538;
00255 00153      ELSE;                                     " Reverse
00256          " Upper Scribe End Position Calc
00257 00154          DL01360 = DL01330 - DL01538;
00258          " Lower Scribe End Position Calc
00259 00155          DL01362 = DL01332 - DL01538;
00260 00156      IEND;
00261
00262 00157      DL01364 = DL01434;
00263 00158      DL01366 = DL01434;
00264
00265          " ***** YCut Scribe Cmt (Y-4 Section) *****
00266 00159      IF ML15202 < ML15210                         " Forward
00267          " Upper Scribe End Position Calc
00268          DL01300 = DL01330 + GL21592;
00269          " Lower Scribe End Position Calc
00270 00161          DL01302 = DL01332 + GL21592;
00271 00162      ELSE;                                     " Reverse
00272          " Upper Scribe End Position Calc
00273 00163          DL01300 = DL01332 - GL21592;
00274          " Lower Scribe End Position Calc
00275 00164          DL01302 = DL01332 - GL21592;
00276 00165      IEND;
00277
00278          " Shift Y End Position Calc
00279 00166      DF01400 = (GL21500 + GL21504 + GL21590 + GL21594 + GL21592) / DL00102 * DL00106;
00280 00167      DL01402 = DF01400;
00281
00282 00168      DL01304 = DL01404;
00283 00169      DL01306 = DL01404;
00284
00285          " ***** YCut End (Y-5 Section) *****
00286          " Shift Y End Position Calc
00287 00170      DF01410 = (GL21500 + GL21504 + GL21590 + GL21594 + GL21592 + GL21596) / DL00100 * DL00104;
00288 00171      DF01412 = (GL21500 + GL21504 + GL21590 + GL21594 + GL21592 + GL21596) / DL00102 * DL00106;
00289 00172      DL01414 = DF01410;
00290 00173      DL01416 = DF01412;
00291
00292          " X,Y Interpolation Degree Calc
00293 00174      DL01500 = GL21596 + DL00054;                     " X Move Distance Calc
00294 00175      DL01502 = (ML15220 + DL01402) - (ML15218 + DL01414); " Y Move Distance Calc
00295 00176      IF DL01502 < 0;
00296 00177          DL01502 = DL01502 * -1;
00297 00178      IEND;
00298
00299 00179      DF01504 = DL01502 / DL01500;
00300 00180      DF01506 = ATN(DF01504)                         " Interpolation Degree
00301
00302          " X,Y Interpolation Moving Distance Calc
00303 00181      DL01508 = DL00054 * COS(DF01506)             " X Interpolation Moving Dat
a
00304 00182      DL01510 = DL00054 * SIN(DF01506)          " Y Interpolation Moving Dat
a
00305
00306 00183      IF DL01508 < 0,                             " X Interpolation Negative D
ata
00307 00184          DL01508 = DL01508 * -1                     " Data Change
00308 00185      IEND;
00309 00186      IF DL01510 < 0,                             " Y Interpolation Negative D
ata
00310 00187          DL01510 = DL01510 * -1                     " Data Change
00311 00188      IEND;
00312
00313 00189      IF ML15202 < ML15210                         " Forward Cut
00314          " Upper Scribe End Position Calc
00315 00190          DL01310 = DL01300 + GL21596 - DL01508;
00316          " Lower Scribe End Position Calc
00317 00191          DL01312 = DL01302 + GL21596 - DL01508;
00318 00192      ELSE;                                     " Reverse Cut
00319          " Upper Scribe End Position Calc
00320 00193          DL01310 = DL01300 - GL21596 + DL01508;
00321          " Lower Scribe End Position Calc
00322 00194          DL01312 = DL01302 - GL21596 + DL01508;
00323 00195      IEND;
00324
00325          " X Scribe JustCut Start Y Offset = 0
00326          " Lower Cutter Shift Start Pos < Upper Cutter Shift Start Pos
00327 00196      IF ML15220 < ML15218                         "
00328 00197          DL01314 = ML40030[Axis_Pos_CS] + ML15218 + DL01414 + DL01510;
00329 00198      ELSE;                                     "
00330 00199          DL01314 = ML40030[Axis_Pos_CS] + ML15218 + DL01414 - DL01510;
00331 00200      IEND;                                     "
00332
00333          " ***** YCut End Section Range (Y-6 Section) *****
00334 00201      IF ML15202 < ML15210                         " Forward
00335          " Upper Scribe End Position Calc
00336 00202          DL01350 = DL01310 + DL01508;

```

```

00337          " Lower Scribe End Position Calc
00338 00203      DL01352 = DL01312 + DL01508;
00339 00204      ELSE;
00340          " Upper Scribe End Position Calc
00341 00205      DL01350 = DL01310 - DL01508;
00342          " Lower Scribe End Position Calc
00343 00206      DL01352 = DL01312 - DL01508;
00344 00207      IEND;
00345
00346 00208      DL01354 = ML40030[Axis_Pos_CS] + ML15218 + DL01414;
00347 00209      IEND;
00348
00349      " ***** X Scribe Cmt (5 Section) *****
00350 00210      IF ML15202 < ML15210
00351          " Upper Scribe End Position Calc
00352 00211      DL00320 = ML15210 - DL00050 - GL21506 - GL21502;
00353          " Lower Scribe End Position Calc
00354 00212      DL00322 = ML15212 - DL00052 - GL21506 - GL21502;
00355 00213      ELSE;
00356          " Upper Scribe End Position Calc
00357 00214      DL00320 = ML15210 - DL00050 + GL21506 + GL21502;
00358          " Lower Scribe End Position Calc
00359 00215      DL00322 = ML15212 - DL00052 + GL21506 + GL21502;
00360 00216      IEND;
00361
00362      " Shift Y End Position Calc
00363 00217      DF00420 = (DL00100 - GL21506 - GL21502) / DL00100 * DL00104;
00364 00218      DF00422 = (DL00102 - GL21506 - GL21502) / DL00102 * DL00106;
00365 00219      DL00424 = DF00420;
00366 00220      DL00426 = DF00422;
00367
00368 00221      DL00324 = ML40030[Axis_Pos_CS] + ML15218 + DL00424;
00369
00370 00222      IF GL21582 == 1
00371          se 1:use)
00372          " Distance Calc
00372 00223      DL00200 = DL00320 - DL01310
00373 00224      DL00202 = DL00322 - DL01312
00374 00225      DL00204 = DL00324 - DL01314
00375 00226      DL00206 = DL00326 - DL01316
00376 00227      ELSE;
00377          " Distance Calc
00378 00228      DL00200 = DL00320 - DL00310
00379 00229      DL00202 = DL00322 - DL00312
00380 00230      DL00204 = DL00324 - DL00314
00381 00231      DL00206 = DL00326 - DL00316
00382 00232      IEND;
00383
00384      " ***** JustCut End (7 Section) *****
00385      " Shift Y End Position Calc
00386 00233      DF00430 = (DL00102 - GL21502) / DL00102 * DL00106;
00387 00234      DL00432 = DF00430;
00388
00389      " X,Y Interpolation Degree Calc
00390 00235      DL00530 = GL21506 + DL00054
00391 00236      DL00532 = (ML15218 + DL00424) - (ML15220 + GL21510 + DL0043
00392 00237      IF DL00532 < 0;
00393 00238      DL00532 = DL00532 * -1;
00394 00239      IEND;
00395
00396 00240      DF00534 = DL00532 / DL00530;
00397 00241      DF00536 = ATN(DF00534)
00398
00399      " X,Y Interpolation Moving Distance Calc
00400 00242      DL00538 = DL00054 * COS(DF00536)
00401 00243      DL00540 = DL00054 * SIN(DF00536)
00402
00403 00244      IF DL00538 < 0;
00404 00245      DL00538 = DL00538 * -1
00405 00246      IEND;
00406 00247      IF DL00540 < 0;
00407 00248      DL00540 = DL00540 * -1
00408 00249      IEND;
00409
00410 00250      IF ML15202 < ML15210
00411          " Upper Scribe End Position Calc
00412 00251      DL00330 = ML15210 - DL00050 - GL21502 - DL00538;
00413          " Lower Scribe End Position Calc
00414 00252      DL00332 = ML15212 - DL00052 - GL21502 - DL00538;
00415 00253      ELSE;
00416          " Upper Scribe End Position Calc
00417 00254      DL00330 = ML15210 - DL00050 + GL21502 + DL00538;
00418          " Lower Scribe End Position Calc
00419 00255      DL00332 = ML15212 - DL00052 + GL21502 + DL00538;
00420 00256      IEND;
00421
00422      " X Scribe JustCut End Y Offset <> 0

```

```

00423 00257      IF GL21510 <> 0;
00424          " Lower Cutter Shift Start Pos < Upper Cutter Shift Start Pos
00425 00258      IF ML15224 < ML15222;
00426 00259          DL00334 = DL00434 - DL00540;
00427 00260          DL00336 = DL00434 + DL00540;
00428 00261      ELSE;
00429 00262          DL00334 = DL00434 + DL00540;
00430 00263          DL00336 = DL00434 - DL00540;
00431 00264      IEND;
00432 00265      ELSE;
00433          " X Scribe JustCut End Y Offset = 0
00434 00266      IF ML15224 < ML15222;
00435 00267          DL00334 = DL00434 - DL00540;
00436 00268      ELSE;
00437 00269          DL00334 = DL00434 + DL00540;
00438 00270      IEND;
00439 00271      DL00336 = DL00434;
00440 00272      IEND;
00441
00442      " ***** JustCut End Section Range (8 Section) *****
00443 00273      IF ML15202 < ML15210                                     " Forward
00444          " Upper Scribe End Position Calc
00445 00274          DL00360 = DL00330 + DL00538;
00446          " Lower Scribe End Position Calc
00447 00275          DL00362 = DL00332 + DL00538;
00448 00276      ELSE;                                               " Reverse
00449          " Upper Scribe End Position Calc
00450 00277          DL00360 = DL00330 - DL00538;
00451          " Lower Scribe End Position Calc
00452 00278          DL00362 = DL00332 - DL00538;
00453 00279      IEND;
00454
00455 00280      DL00364 = DL00434;
00456 00281      DL00366 = DL00434;
00457
00458      " ***** JustCut End (9 Section) *****
00459      " Upper Scribe End Position Calc
00460 00282      DL00340 = ML15210 - DL00050;
00461      " Lower Scribe End Position Calc
00462 00283      DL00342 = ML15212 - DL00052;
00463      " Shift Y End Position Calc
00464
00465 00284      DL00344 = DL00444;
00466 00285      DL00346 = DL00444;
00467      " *****
00468
00469      " Speed Calc and Setting
00470 00286      DF00210 = DL00200 * DL00200                                     " dx1
00471 00287      DF00212 = DL00202 * DL00202                                     " dx2
00472 00288      DF00214 = DL00204 * DL00204                                     " dy1
00473 00289      DF00216 = DL00206 * DL00206                                     " dy2
00474
00475      " dx1^2 + dx2^2 + dy1^2 + dy2^2
00476 00290      DF00220 = DF00210 + DF00212 + DF00214 DF00216;
00477 00291      DF00222 = SQT(DF00220);
00478 00292      DF00224 = DF00210;
00479
00480 00293      IF DF00224 < DF00212;
00481 00294          DF00224 = DF00212;
00482 00295      IEND;
00483 00296      IF DF00224 < DF00214;
00484 00297          DF00224 = DF00214;
00485 00298      IEND;
00486 00299      IF DF00224 < DF00216;
00487 00300          DF00224 = DF00216;
00488 00301      IEND;
00489 00302      DF00226 = SQT(DF00224);
00490
00491 00303      IF DF00222 == 0;
00492 00304          DF00222 = 1;
00493 00305      IEND;
00494 00306      IF DF00226 == 0;
00495 00307          DF00226 = 1;
00496 00308      IEND;
00497
00498 00309      DF00228 = ML01124 * DF00222 / DF00226 * 60;
00499 00310      DL00230 = DF00228;
00500
00501 00311      DL00012 = ML10800[IDX_CX];
00502 00312      DF00020 = DL00012 / 60 / ML01146 * 1000;
00503 00313      DF00022 = DL00012 / 60 / ML01148 * 1000;
00504 00314      DL00014 = DF00020;
00505 00315      DL00016 = DF00022;
00506
00507 00316      Scribe_Speed_JustCut_S = GL21494 * 2 * 60;
00508 00317      Scribe_Speed_X_Scribe = DL00230;
00509 00318      Scribe_Speed_JustCut_E = GL21494 * 2 * 60;

```

```

00510
00511 00319      DL00030 = Scribe_Speed_JustCut_S;
00512 00320      DL00032 = Scribe_Speed_X_Scribe;
00513 00321      DL00034 = Scribe_Speed_JustCut_E;
00514
00515 00322      IF GL21582 == 1                                " X Scribe Just&YCut Mode(0:Unus
e 1:Use)
00516          " Speed Calc and Setting(Ycut)
00517 00323      DF01210 = DL01200 * DL01200;                    " dx1
00518 00324      DF01212 = DL01202 * DL01202;                    " dx2
00519 00325      DF01214 = DL01204 * DL01204;                    " dy1
00520 00326      DF01216 = DL01206 * DL01206;                    " dy2
00521
00522          " dx1^2 + dx2^2 + dy1^2 + dy2^2
00523 00327      DF01220 = DF01210 + DF01212 + DF01214 + DF01216;
00524 00328      DF01222 = SQT(DF01220);
00525 00329      DF01224 = DF01210;
00526
00527 00330      IF DF01224 < DF01212;
00528 00331          DF01224 = DF01212;
00529 00332      IEND;
00530 00333      IF DF01224 < DF01214;
00531 00334          DF01224 = DF01214;
00532 00335      IEND;
00533 00336      IF DF01224 < DF01216;
00534 00337          DF01224 = DF01216;
00535 00338      IEND;
00536 00339      DF01226 = SQT(DF01224);
00537
00538 00340      IF DF01222 == 0;
00539 00341          DF01222 = 1;
00540 00342      IEND;
00541 00343      IF DF01226 == 0;
00542 00344          DF01226 = 1;
00543 00345      IEND;
00544
00545 00346      DF01228 = ML01124 * DF01222 / DF01226 * 60;
00546 00347      DL01230 = DF01228;
00547
00548 00348      Scribe_Speed_YCut = GL21584 * 2 * 60;
00549 00349      Scribe_Speed_X_Scribe_YCut = DL01230;
00550
00551 00350      DL00130 = Scribe_Speed_YCut;
00552 00351      DL00132 = Scribe_Speed_X_Scribe_YCut;
00553 00352      IEND;
00554
00555 00353      PFORK Label1 Label2 Label3
00556      Label1:
00557
00558 00354          IOW DB000000 == 1                                " JustCut Start Cmt
00559
00560          " 3,4 Section
00561 00355      MW15520 = 16;                                " Torque Setting
00562 00356      MW15525 = 9;                                " Axis Select
00563 00357      MSEE MPS253;                                " CZ Torque Set
00564
00565 00358      OWA108 = 4;                                " CZ~Motion command
00566 00359      EOX;
00567 00360      OWA108 = 0;                                " CZ~Motion command
00568
00569 00361      IOW DB000001 == 1                                " JustCut Start Section Cmr
00570
00571 00362      IF GL21582 == 1                                " X Scribe Just&YCut Mode (0:Unu
se 1:Use)
00572          " Y-1 Section:
00573 00363      MW15520 = 7;                                " Torque Setting
00574 00364      MW15525 = 9;                                " Axis Select
00575 00365      MSEE MPS253;                                " CZ Torque Set
00576
00577 00366      OWA108 = 4;                                " CZ~Motion command
00578 00367      EOX;
00579 00368      OWA108 = 0;                                " CZ~Motion command
00580
00581 00369      IOW DB000010 == 1;
00582
00583          " Y-2 Section:
00584          " Y-3 Section:
00585 00370      MW15520 = 14;                                " Torque Setting
00586 00371      MW15525 = 9;                                " Axis Select
00587 00372      MSEE MPS253;                                " CZ Torque Set
00588
00589 00373      OWA108 = 4;                                " CZ~Motion command
00590 00374      EOX;
00591 00375      OWA108 = 0;                                " CZ~Motion command
00592
00593 00376      IOW DB000011 == 1;
00594

```

```

00595          " Y-4 Section
00596 00377      MW15520 = 15;          " Torque Setting
00597 00378      MW15525 = 9;          " Axis Select
00598 00379      MSEE MPS253;        " CZ Torque Set
00599
00600 00380      OWA108 = 4;          " CZ~Motion command
00601 00381      EOX;
00602 00382      OWA108 = 0;          " CZ~Motion command
00603
00604 00383      IOW DB000012 == 1;
00605
00606          " Y-5 Section
00607          " Y-6 Section
00608 00384      MW15520 = 14;          " Torque Setting
00609 00385      MW15525 = 9;          " Axis Select
00610 00386      MSEE MPS253;        " CZ Torque Set
00611
00612 00387      OWA108 = 4;          " CZ~Motion command
00613 00388      EOX;
00614 00389      OWA108 = 0;          " CZ~Motion command
00615
00616 00390      IOW DB000013 == 1
00617 00391      IEND;
00618
00619          " 5 Section
00620 00392      MW15520 = 7;          " Torque Setting
00621 00393      MW15525 = 9;          " Axis Select
00622 00394      MSEE MPS253;        " CZ Torque Set
00623
00624 00395      OWA108 = 4;          " CZ~Motion command
00625 00396      EOX;
00626 00397      OWA108 = 0;          " CZ~Motion command
00627
00628 00398      IOW DB000002 == 1    " X Scribe Cmt
00629
00630          " 7,8 Section
00631 00399      MW15520 = 16;          " Torque Setting
00632 00400      MW15525 = 9;          " Axis Select
00633 00401      MSEE MPS253;        " CZ Torque Set
00634
00635 00402      OWA108 = 4;          " CZ~Motion command
00636 00403      EOX;
00637 00404      OWA108 = 0;          " CZ~Motion command
00638
00639 00405      IOW DB000003 == 1    " JustCut End Section Cmt
00640
00641          " 9 Section
00642 00406      MW15520 = 12;          " Torque Setting
00643 00407      MW15525 = 9;          " Axis Select
00644 00408      MSEE MPS253;        " CZ Torque Set
00645
00646 00409      OWA108 = 4;          " CZ~Motion command
00647 00410      EOX;
00648 00411      OWA108 = 0;          " CZ~Motion command
00649
00650 00412      IOW DB000004 == 1    " JustCut End Cmt
00651
00652 00413      MSEE MPS255;          " CZ Torque Reset
00653
00654 00414      JOINTO LabelX;
00655
00656      Label2:
00657
00658 00415      S{MB047351} = 1;      " Scribe Run Check
00659
00660 00416      FMX tDL00012;
00661 00417      IAC tDL00014;
00662 00418      IDC tDL00016;
00663
00664          " 1 Section
00665 00419      MVS [CX]DL00300 [CS]DL00304 FDL00030 pfn;
00666
00667 00420      DB000000 = 1;          " JustCut Start Cmt
00668
00669          " 3 Section
00670 00421      MVS [CX]DL00310 [CS]DL00314 FDL00030 pfn;
00671          " 4 Section
00672 00422      MVS [CX]DL00350 [CS]DL00354 FDL00030 pfn;
00673
00674 00423      DB000001 = 1;          " JustCut Start Interpolation Se
ction Cmt
00675
00676 00424      IF GL21582 == 1      " X Scribe Just&YCut Mode 사용 유
무 (0:미사용 1:사용)
00677          " Y-1 Section
00678 00425      MVS [CX]DL01320 [CS]DL01324 FDL00132 pfn;
00679

```



```

00680 00426          DB000010 = 1;
00681
00682          " Y-2 Section
00683 00427          MVS [CX]DL01330 [CS]DL01334 FDL00130 pf
00684          " Y-3 Section
00685 00428          MVS [CX]DL01360 [CS]DL01364 FDL00130 pfn;
00686
00687 00429          DB000011 = 1;
00688
00689          " Y-4 Section
00690 00430          MVS [CX]DL01300 [CS]DL01304 FDL00130 pfn;
00691
00692 00431          DB000012 = 1;
00693
00694          " Y-5 Section
00695 00432          MVS [CX]DL01310 [CS]DL01314 FDL00130 pf
00696          " Y-6 Section
00697 00433          MVS [CX]DL01350 [CS]DL01354 FDL00130 pfn;
00698
00699 00434          DB000013 = 1;
00700 00435          IEND;
00701
00702          " 5 Section
00703 00436          MVS [CX]DL00320 [CS]DL00324 FDL00032 pfn;
00704
00705 00437          DB000002 = 1;          " X Scribe Cmt
00706
00707          " 7 Section
00708 00438          MVS [CX]DL00330 [CS]DL00334 FDL00034 pfn;
00709          " 8 Section
00710 00439          MVS [CX]DL00360 [CS]DL00364 FDL00034 pfn;
00711
00712 00440          DB000003 = 1;          " JustCut End Interpolation Sect
          ion Cmt
00713
00714          " 9 Section
00715 00441          MVS [CX]DL00340 [CS]DL00344 FDL00034 pfn;
00716
00717 00442          DB000004 = 1;          " JustCut End Cmt
00718
00719 00443          MB047351 = 0;          " Scribe Run Chec
00720 00444          JOINTO LabelX;
00721
00722          Label3:
00723
00724          " UCAMX Escape Position
00725 00445          ML16066 = ML43330          " UCAMX Waiting Position
00726 00446          IOW MB04577A == 1          " UCAMX Moving Permission
00727 00447          VEL [CAMX]ML43312;
00728 00448          MOV [CAMX]ML16066;
00729 00449          IOW MB046010 == 1          " UCAMX Waiting Position Chec
00730
00731 00450          JOINTO LabelX;
00732 00451          LabelX: PJOINT;
00733
00734 00452          MB15420F = 0;          " Scribe Executing Flag
00735
00736 00453          RET;

```