

```

00001 *****
00002 ** DL Register Area - 120Word
00003 **
00004 ** DW00000 - DW00009 (Pls Use)
00005 ** DW00010 - DW00039 (Bit Use)
00006 ** DW00040 - DW00089 (Word Use)
00007 ** DW00090 - DW00119 (Timer)
00008 *****
00009
00010 "# Program Name      :
00011 "# Function          :
00012 "# Call Program      : MPS484
00013 "# Sub Program       :
00014 "# Func Program      :
00015
00016 VAR;
00017     BOOL STR_ALIGN_L_REQ          %MB970004;
00018     BOOL STR_ALIGN_R_REQ          %MB970005;
00019
00020     BOOL STR_ALIGN_L_RESP         %MB970104;
00021     BOOL STR_ALIGN_R_RESP         %MB970105;
00022
00023     BOOL STR_L_CAM_ALIGN_RESULT_C %MB970600;
00024     BOOL STR_R_CAM_ALIGN_RESULT_C %MB970700;
00025
00026     BOOL STR_L_CAM_ALIGN_RESULT_I %MB970601;
00027     BOOL STR_R_CAM_ALIGN_RESULT_I %MB970701;
00028
00029     LONG STR_L_CAM_ALIGN_SEARCH_TY %ML97314;    // 0:Mark Search 1:Edge Search 2:DL 3:Manual
00030     4:Auto Mark Search
00031     LONG STR_R_CAM_ALIGN_SEARCH_TY %ML97344;
00032
00033     LONG STR_ALIGN_L_RESULT_XDA1   %ML97064;
00034     LONG STR_ALIGN_L_RESULT_YDA1   %ML97066;
00035     LONG STR_ALIGN_R_RESULT_XDA1   %ML97074;
00036     LONG STR_ALIGN_R_RESULT_YDAT1  %ML97076;
00037 00000     SINT STR_SEARCH_COUNT = 0;
00038 END_VAR;
00039
00040     " 4 3 2 " " Retry Pos Order Sequence
00041     " 5 1 "
00042     " 6 7 8 "
00043
00044
00045 00001     DW00001 = 0;
00046
00047 00002     DL00020 = GL51022 " Auto Mark Search X Distance
00048 00003     DL00022 = GL51024 " Auto Mark Search Y Distance
00049
00050 00004     CLR DW00030 W20;
00051
00052 00005     IF DL00020 == 0;
00053 00006         IF DL00022 == 0;
00054 00007             DB000010 = 1; " Auto Mark Search X,Y Value 0 Check
00055 00008         IEND;
00056 00009     IEND;
00057
00058 00010     IF !DB000010 == 1;
00059 00011         DW00042 = 00FFH " All Pos Search
00060 00012         IF DL00020 == 0;
00061 00013             DW00042 = 0044H " No.3 No.7 Pos Search
00062 00014         IEND;
00063
00064 00015     IF DL00022 == 0;
00065 00016         DW00042 = 0011H " No.1 No.5 Pos Search
00066 00017     IEND;
00067
00068 00018     IF CW00054 == 1;
00069 00019         DW00002 = 0;
00070 00020     IEND;
00071
00072 00021     WHILE STR_SEARCH_COUNT < 8 ;
00073
00074 00022         i = STR_SEARCH_COUNT;
00075 00023         IF DB000420i == 1
00076 00024             MW07886 = STR_SEARCH_COUNT + 1;
00077 00025             EOX;
00078
00079 00026             DL00030 = ML07888 " Auto Mark Search XL Pos
00080 00027             DL00032 = ML07890; " Auto Mark Search XR Pos
00081 00028             DL00034 = ML07892 " Auto Mark Search Y Po
00082
00083 00029             PLD [STR1Y1][STR1Y2][SPALX][SPARX]
00084 00030             MOV [STR1Y1]DL00034 [STR1Y2]DL00034 [SPALX]DL00030 [SPARX]DL00032;
00085 00031             TIM T50;
00086 00032             STR_ALIGN_L_REQ = 1 " Camera L Alignment Request On

```

```

00087 00033          STR_ALIGN_R_REQ = 1                      " Camera R Alignment Request On
00088
00089 00034          IOW STR_ALIGN_L_RESP & STR_ALIGN_R_RESP == " Camera L,R Alignment Result Respon
s
00090 00035          EOX;
00091
00092 00036          MB07860A = STR_L_CAM_ALIGN_RESULT_NG;
00093 00037          MB07860B = STR_R_CAM_ALIGN_RESULT_NG;
00094
00095 00038          IF MB07860A == 0;
00096 00039              IF CW00054 == 0;
00097 00040                  ML07810 = STR_ALIGN_L_RESULT_XDATA;      " Alignment Data X1
00098 00041                  ML07812 = STR_ALIGN_L_RESULT_YDATA * -    " Alignment Data Y1
00099 00042              ELSE;
00100 00043                  ML07810 = STR_ALIGN_L_RESULT_XDATA + (DL00030 - ML6480      " Alignment
Data X1
00101 00044                  ML07812 = STR_ALIGN_L_RESULT_YDATA * -1 - (DL00034 - ML6322 " Alignment
Data Y1
00102 00045                  DB000020 = 1;
00103 00046              IEND;
00104 00047          IEND;
00105 00048          IF MB07860B == 0;
00106 00049              IF CW00054 == 0;
00107 00050                  ML07814 = STR_ALIGN_R_RESULT_XDATA;      " Alignment Data X2
00108 00051                  ML07816 = STR_ALIGN_R_RESULT_YDATA * -    " Alignment Data Y2
00109 00052              ELSE;
00110 00053                  ML07814 = STR_ALIGN_R_RESULT_XDATA + (DL00030 - ML6480      " Alignment
Data X2
00111 00054                  ML07816 = STR_ALIGN_R_RESULT_YDATA * -1 - (DL00034 - ML6322 " Alignment
Data Y2
00112 00055                  DB000021 = 1;
00113 00056              IEND;
00114 00057          IEND;
00115
00116 00058          IF CW00054 == 0;
00117 00059              IF MB07860A | MB07860B == 0;
00118 00060                  DL00036 = ML07888                      " Auto Makr Search XL Pos Sa
ve
00119 00061                  DL00038 = ML07890                      " Auto Makr Search XR Pos Sa
ve
00120 00062                  DL00040 = ML07892                      " Auto Makr Search Y Pos Sav
e
00121 00063                  STR_SEARCH_COUNT = 8;
00122 00064              ELSE;
00123 00065                  STR_SEARCH_COUNT = STR_SEARCH_COUNT +
00124 00066                  IEND;
00125 00067              ELSE;
00126 00068                  IF DB000020 & DB000021 == 1;
00127 00069                  DL00036 = ML07888                      " Auto Makr Search XL Pos Sa
ve
00128 00070                  DL00038 = ML07890                      " Auto Makr Search XR Pos Sa
ve
00129 00071                  DL00040 = ML07892                      " Auto Makr Search Y Pos Sav
e
00130 00072                  STR_SEARCH_COUNT = 8;
00131 00073                  MB07860A = 0;
00132 00074                  MB07860B = 0;
00133 00075              ELSE;
00134 00076                  STR_SEARCH_COUNT = STR_SEARCH_COUNT +
00135 00077                  IEND;
00136 00078              IEND;
00137 00079          ELSE;
00138 00080              STR_SEARCH_COUNT = STR_SEARCH_COUNT + 1;
00139 00081          IEND;
00140
00141 00082          STR_ALIGN_L_REQ = 0                      " Camera L Alignment Request
Reset
00142 00083          STR_ALIGN_R_REQ = 0                      " Camera R Alignment Request
00143 00084          IOW STR_ALIGN_L_RESP | STR_ALIGN_R_RESP ==    " Camera L,R Alignment Resul
t Reset
00144 00085          EOX;
00145 00086          WEND;
00146
00147
00148 00087          IF MB07860A | MB07860B == 1
00149 00088              MSEE MPS480;                      " AlignmentPos
00150
00151 00089          STR_ALIGN_L_REQ = 1                      " Camera L Alignment Request
On
00152 00090          STR_ALIGN_R_REQ = 1                      " Camera R Alignment Request
On
00153
00154 00091          IOW STR_ALIGN_L_RESP & STR_ALIGN_R_RESP ==    " Camera L,R Alignment Resul
t Respons
00155
00156 00092          MB07860A = STR_L_CAM_ALIGN_RESULT_NG;
00157 00093          MB07860B = STR_R_CAM_ALIGN_RESULT_NG;

```

```
P00003 MPS485 : STR1 Cycle 11 (V.S/STR Auto Mark Search)

00158
00159 00094          STR_ALIGN_L_REQ = 0          " Camera L Alignment Request
      On
00160 00095          STR_ALIGN_R_REQ = 0          " Camera R Alignment Request
      On
00161
00162 00096          IOW STR_ALIGN_L_RESP | STR_ALIGN_R_RESP ==          " Camera L,R Alignment Resul
t Respons
00163
00164
00165 00097          ELSE;
00166 00098          ML07894 = DL00036 - ML64806          " PreAlign Auto Mark Search
XL Offset Result
00167 00099          ML07896 = DL00038 - ML65006          " PreAlign Auto Mark Search
XR Offset Result
00168 00100          ML07898 = DL00040 - ML63226          " PreAlign Auto Mark Search
Y Offset Result
00169 00101          MB078606 = 1;          " Auto Mark Seach Complete
00170 00102          IEND;
00171 00103          IEND;
00172 00104          RET;
```

			MPS485 : STR1 Cycle 11 (V.S/STR Auto Mark Search)	P00003
--	--	--	---	--------