

20260828 SF fraction in Pre-peak

First, the SF spaxel's and all smaple's radial profile actually align very well. But the f_{SF} varies differently along Σ_* and R/R_e .

For NGC4189, due to no selected SF spaxel in the center, the f_{SF} is low in high-mass and inner regions. And it drops very quickly in low mass ($\log(\Sigma_*) < 7.5$) but still maintainece f_{SF} at least 40% outside R_e .


For NGC4254 and NGC4294, both show similar features: f_{SF} still 0.6 $\sim$ 0.8 across all the radius, but still quickly decreases at $\log(\Sigma_*) < 7.5$.

For NGC4321, both Σ_* and R/R_e trends show fluctuations.


For NGC4351, it even shows quickly descend at $\log(\Sigma_*) < 8.5$, but linearly descend along radius.

For NGC4535, it shows the opposite trend: increasing f_{SF} to high-mass and outer regions.


For NGC4383 and NGC4567_8, though kind of similar trends as NGC4351, they are not discussed due to inclined starburst and double systems.




NGC4294 - Pre-peak - inclination 74.0°




NGC4321 - Pre-peak - inclination 32.0°




NGC4351 - Pre-peak - inclination 48.0°




NGC4383 - Pre-peak - inclination 56.0°



NGC4535 - Pre-peak - inclination 48.0°





Finally, i show the spatial information.

